

75 years



light

contenets

Edition
A2022

Art Director / Graphics
Faro Art

Printing
Jiménez Godoy


All Rights Reserved
Reproduction without written permission from the publisher is strictly prohibited.

Photographers
Guillem F-H
Andrés Fraga
Ricard Badía
Sergiy Kadulin
Stelios Kalisperis
Architectural Matter

Thanks to
Natalia Zubizarreta
Salto Proyectos
Vana Pernari Architecture
Estibaliz Martín Interiorismo
Colvin & Co.
Pía Capdevila
Erlantz Biderbost
Restaurant 3 Nusos
Pol&Grace Hotel
Elena Castells Poch
MIKMAX
Alfombras BSB
Bubes&Grabavska Design
Meritxell Ribé - The Room Studio

Headquarters
Dinámica 1 / 08755 / Castellbisbal

Showroom
Princesa 52 / 08003 / Barcelona
+34 902 165 166 /
faro@lorefar.com / faro.es



indoor / hogar

40_45

Portables / Portátiles

46_121

Table&Floor / Mesa y suelo

122_193

Suspended / Suspensión

194_213

Ceiling / Techo

214_343

Surface / Superficie

344_359

Spotlights / Focos

360_381

Recessed / Empotrables

382_387

Track / Carril



410



655

outdoor / exterior

388_397

Saigon

398_407

Portables / Portátiles

408_473

Floor / Suelo

474_487

Spike&Projector / Estaca y Proyector

488_493

Suspended / Suspensión

494_499

Ceiling / Techo

500_557

Surface / Superficie

558_583

Recessed / Empotrables

fan / ventilación

586_587

Why a Fan

598_621

Extra large / Extra grande

622_686

Large / Grande

687_711

Medium / Mediano

712_737

Small / Pequeño

738_739

Accessories / Accesorios

bulbs / bombillas

740_745



indoor

Portable
Portátil



Fuji
42



Jellyfish
44



Take Away
45

Table
Mesa




Akane
74



Anouk
58



Artis
90



Banker
56



Baobab
56



Berni
102



Bliss
54



Conga
82



Drum
76



Eterna
53



Gru
56



Guadalupe
62



Hoshi
48



Hotel
104



Ito
58




Jellyfish
60



Lao
72



Lena
58



Levita
64



Linda
94



Link
70



Loop
66



Lula
52



Lupe
96



Mambo
78



Mine
51



Mitic
112




Moma
110



Montreal
84



Nidia
54



Niko
50



Otto
58



Rem
88




Saba
108



Samba
80




Savoy
86



Snap
56




Stood
68



Sumba
54



Sweet
100



Ten
49



Thana
114



Tree
98



Vesper
92




Volta
106


**Clip
Pinza**



Lena
292




Loop
66



Pepper
292



Stood
236



Studio
293


**Floor
Suelo**



Artis
90



Akane
74



Berni
102



Black
120



Conga
83



Drum
76



Guadalupe
62




Guest
118




Hotel
104



Jellyfish
60



Lao
72



Levita
64



Linda
94



Link
70



Loop
66



Lupe
96



Mambo
79



Mitic
112



Moma
110



Montreal
84



Papua
120



Rem
88



Saba
109



Samba
81



Savoy
86



Stood
68



Sweet
100



Thana
114




Tree
98



Vesper
92



Volta
106




Whizz
116

Suspended
Colgante



Aina
185



Art
178



Charlotte
176



Claire
180



Clara
178




Conga
166



Cosmos
183



Costas
154



Crater
176




Danka
183



Dolme
146



Fusta
172



Haka
158



Halita
178



Hotel
173



Kombo
148



Lang
180




Levita
136



Liana
181



Linda
171



Lise
182



Liz
178



Loop
132



Lou
180



Ludovico
126




Magma
176



Mambo
162




Margot
176



Marina
181




Marlin
179



Mine
140



Mou
180




Naos
150



Nido
181



Nudos
181



Ora
182




Pam
183



Plat
179



Pluma
152



Retro
134



Rose
177



Saba
184



Sabi
182



Saigon
128



Saipan
156



Samba
164



Savoy
168



Seven
185



Side
153



Slim
144



Stan
182



Stood
130




Sumba
156



Thana
184



Tree
170



Tupai
156



Vesper
174




Vico
124



Whizz
138



Winch
179



**Bath
Baño**



Brume
177

Surface
Superficie



Board
322



Celia
320



Chera
330




Conik
328



Cotton
310



Cove
332



Dallas
328



Diula
335



Eaco
330



Elsa
332




Eres
308



Han
225




Homs
316



Hudson
317



Kamen
333



Kera
316



Levita
220



Linda
318



Liria
335



Lise
326



List
320



Loa
317



Loop
238



Luna
333



Magritte
334




Marina
317



Marlin
320




May
216



Moy
218



Nash
328



Noon
304




Nudos
320



Olaf
331




Oslo
331



Ovo
308



Petra
321



Pure
227



Ras
321



Remake
321



Retro
318



Roda
285



Saba
285



Sac
318



Sahara
284




Sera
316



Slim
224



Snap
321




Snow
332




Stan
326



Stood
236



Ten
314



Tera
333



Thana
280



Tou
324



Volga
340



Whizz
222

Bath
Baño



Bianca
336



Brume
336



Danubio
342



Edge
338



Gala
338



Indo
343



Lago
338



Nilo
343



Perla
336

Ceiling
Techo



Ami
210



Bic
210



Cocotte
198



Dolme
197



Haru
206



Iris
209



Janet
206



Link
202



Mega
210



Natsu
206



Orleans
202



Pote
206



Rel
205



Seven
208



Side
200



Stan
207



Sven
205



Tecto
204



Tender
196



Bath
Baño




Brume
213



Foro
210



Kao
211



Logos
211



Tola
212



Vuk
212



Zon
211

**Reader
Lector**



Artis
252



Aurea
288



Bel
294



Berni
276



Blome
265



Boc
290



Boken
294



Conga
246



Corb
306



Duas
286



Essential
284



Eterna
254



Flin
291



Fold
266



Frame
258



Guadalupe
228



Guest
226



Handy
282



Hanna
280



Hotel
268



Joy
219



Juliet
292



Kale
295



Klee
230



Le Petit
298



Lead
295



Leser
294



Loke
291



Lupe
260



Magos
221



Mambo
250



Mitic
285




Moma
281




Montreal
244



Mood
232



Niko
234



Nit
299



Orleans
356



Pixie
289



Press
297



Rem
256



Rob
290



Ron
264



Room
270



Sabana
262



Samba
240



Sami
295



Savoy
242



Smile
305




Suau
300



Sumba
248



Sweet
278



Tila
296



Tira
281



Vesper
274



Volta
272



Well
306

**Spot
Foco**



Coco
352




Lao
350



Link
348



Orleans
356



Ring
358



Stan
347




Stone
354


**Recessed
Empotrable**



Argón
371



Clear
377




Domino
362




Ebba
374




Fox
376



Fresh
379



Gas
372



Hyde
368




Koi-2
373




Loke
291



Luan
381



Moist
377



Nais
373



Navi
365




Neon
372



Neu
364



Nord
364



Plas
366




Radón
370



Radón
370



Radón
370



Signal
364



Son
380



Stan
374




Suau
300




Ted
381



Tod
381



Wabi
374




Wet
379

**Track
Carril**



Link
384



Orleans
384



Plot
386



Ring
384



Stan
386



outdoor

Portable
Portátil



Argus
404



Brot
418



Cage
404



Cat
416



Kasp
400



Kerala
404



Saigon
392



Task
406



Toc
402



Versus
414

Post
Sobremuro



Block
422



Blubs
434



Datna
426



Giza
430



Mauren
438



Mila
438



Mistu
434



Moon
434



Muffin
434



Muga
430



Nala
438




Naya
446



Rush
454



Screen
458



Spy-1
448



Twist
424



Wilma
431

Pole
Farola



Beret
466



Blubs
468



Bu-Oh
464



Datna
464



Grop
466



Mistu
468



Muffin
468



Nautica
472



Plaza
466



Rush
456



Screen
460



Tram
464

Floor
Suelo



Akane
410



Saigon
390



Toc
402

Bollard
Baliza



Agra
446



Alp
447



Bast
420



Beret
432



Block
422



Blubs
436



Brot
418



Bu-Oh
444



Cast
420



Das
447



Datna
426



Gina
449



Giza
430



Grow
442



Kila
429



Klamp
448



Logar
433



Lotus
422



Mistu
436



Moon
436



Muffin
436



Muga
430



Nanda
432



Onze
431



Plim
428



Rush
454



Saura
450



Screen
458



Shelby
424



Soleil
450



Spy-2
449



Sticker
426



Tram
426



Twist
424



Wilma
431

Spike
Estaca



Andy
486



Balder
486



Flow
478



Foc
485



Piccola
484



Plom
486



Saigon
394



Seth
485



Slot
476



Sobek
486



Toni
479



Tono
487



Voila
406

Suspended
Colgante



Blubs
492



Estoril
493



Honey
493



Mistu
492



Moon
492



Muffin
492



Nautica
493



Saigon
396



Scuba
490



Wilma
493

Ceiling
Techo



Dakron
498



Goz
496



N

Kila
496



Mauren
438



Olot
496




Tami
496



Tasa
498

Recessed
Empotrable




Carter
565




Crosby
572



Curtis
571



Dang
560



Dart
564



Edel
581



Esca
563



Falls
582



Filter
566



Frol
562



Galo
560




Geiser
577



Gron
562



Grund
570



Horus
568



Kane
573



Led-18
579



Lio
581




Liso
563



Nase
561



Nat
568




Racing
565



Salt
580



Sedna
567



Soun
566




Spark-1
565



Spark-2
565



Stripe-1
563



Stripe-2
562



Suria
578



Taro
580



Tecno
581



Tras
574



Uve
561

Projector
Proyector



Alfa
480



Foc
482



Karl
483



Lit
482



Noboru
448




Oki
481



Oko
481



Plom
481



Project
480



Slot
477



Toran
483



Vic
483

Surface
Superficie



Aday
539



Alp
534



Ancora
532



Argot
517



Axel
534




Blind
542



Block
506



Blubs
514



Bonn
527



Borda
520



Bracket
534



Bronx
548



Brow
550



Bruc
541



Bu-Oh
530



Cabo
520



Canon
543



Cela
528



Ceres
512



Dado
517



Datna
512




Derby
529



Doro
536



Dragma
532



Drak
550



Ele
544



Estay
529



Estoril
519



Fedón
528



Flow
478



Fred
526



Fred XL
526



Future
530



Gina
545



Grada
555



Grant
554



Guiza
551




Half
504



Hikari
525



Honey
517



kala
551



Kaula
538



Keenan
552



Kerala
511



N

Kila
512




Klamp
548



Kubick
525



Lace
541



Lacre
542




Lako
536




Ling
541



Log
542



Loth
553



Lotus
530



Lur
525



Mask
502



Mistu
514



Mol
526



Moon
514



Muffin
514



Must
556




Nahir
520



Nairobi
544




Nala
522



Natron
527



Nautica
518



Negus
527



Noray
520



Olan
543



Orwell
511



Oval
535



Pals
504




Pivot
522



Plim
510



Pol
526



Pomo
522



Proa
546



Path
554



Pill
550



Pill
550



Steps
546



Sticker
532



Suma
551



Sun
524



Sunset
543



Quart
535



Scuba
508



Shelby
506



Tacana
537



Taima
545



Takua
535




Tamashi
522



Tane
540



Tejo
527



Thon
538



Timon
520



Tinia
544



Toc
516



Toluca
537



Tom
524



Tram
506




Twist
504



View
532



Wally
519



West
540



Wilma
516



Wood
545



fan

XL



Andros
607



Aoba
611



Attos
605



Century
621



Cies
609



Just Fan
613



Kauai
603



Khios
599



Lantau
617



Manhattan
601



Nisos
615



Tilos
619

L



Alo
623



Aloha
685



N

Barth
637



Cocos
634



Cuba
683



Disc Fan
661



Gotland
641



Grid
653



Hydra
635



Ibiza
680



Icaria
679



Ice
659



Indus
632



Islot
645



Lama
631



Lantau
651



Lombok
684



Luzon
667



Mallorca
681




Malvinas
633



Meno
640



Milos
639



Morea
629



Nias
676



Nu
657



Palk
671



Pemba
675



N

Punt
655



Polaris
669



Poros
649



Polea
663



Rodas
647



Samos
643



Saona
644



Sioux
668




Siros
642



Tabarca
686



Timor
670




Tonic
627




Tonsay
673



Vanu
677



Vulcano
625



Winch
665

M




Copper
693



Deco Fan
701



Eco indus
712



Eterfan
697



Fraser
713



Izaro
687



Just Fan
699



Mini Eterfan
695




Mini Tube
703



Molokai
708




Nassau
707




Panay
709



Tube
705



Typhoon
689



Winche
691



Yakarta
711

S



Cebu
725



Chicago
729




Easy
723



Factory
722



Feroe
716



Hvar
730



Just Fan
733




Keiki
737




Komodo
721



Lisboa
720



Mediterraneo
731



Mini Icaria
715



Mini Indus
727




Mini Lantau
719



Mini Mallorca
717



Mini UFO
726



Oboe
724



Palao
735



Vedra
736



designed for happiness

Faro Barcelona exists to contribute to the wellbeing and happiness of people through design and the relationship we establish with the objects that surround us in our daily lives. We believe in honest and accessible design. Design for everyone.


Nuestra razón de ser es contribuir al bienestar y la felicidad de las personas a través del diseño y la relación que establecemos con los objetos que nos acompañan en nuestro día a día. Creemos en el diseño honesto, cercano y accesible. Diseño para todos.

Xavier Martin
CEO

Carlos López
Chairman



1.




75 years of light

Faro Barcelona is a conscious and inspiring brand. We believe in the power of illusion and enthusiasm to move forward and surf the waves in the best way we know how, enjoying the process and radiating light around us. We celebrate 75 years of light.


Faro Barcelona es una marca consciente e inspiradora. Creemos en el poder de la ilusión y el entusiasmo para avanzar y surfear las olas de la mejor forma que sabemos hacerlo, disfrutando del proceso e irradiando luz a nuestro alrededor. Celebramos 75 años de luz.

1.
1986
*First trip to Hong Kong.
Primer viaje a Hong Kong.*

*Meet the Team
Conoce al equipo*



Diseñadores, artistas,
creadores. Ellos hacen de
nuestro mundo un lugar
mejor gracias a su inge-
nio, talento y creatividad.



Cristopher F. Wagner



Goula/Figuera



Marina Milà




Àlex & Manel Lluscà



Conillas



Jordi Llopis



Oiko Design Office



Lucid



Jordi Busquets



Jordi Blasi



Adolfo Abejón




Aldanondoyfdez

Creators / Los creadores



Xjer Studio



Nutcreatives

Designers, artists, creators. They make our world a better place thanks to their ingenuity, talent and creativity.



Andreu Carulla




Alegre Design




Bohman&Folenius




Faro Lab



Isaac Piñeiro




Nahtrang



Pepe Llaudet



Estudi Ribaudí



Yembarastudio



Awards / Premios



Fuji
by Isaac Piñeiro



reddot winner 2021
lighting design




Inviting
by Bohman&Folenius



reddot award 2019
winner




GERMAN
DESIGN
AWARD
SPECIAL
2019



Brot
by Yembarastudio



reddot winner 2021
lighting design



Hook
by Oiko Design Office



reddot award 2018
winner



GERMAN
DESIGN
AWARD
WINNER
2020




Mine
by Nahrang


Restaurant & Bar
Product Design Awards
2018



Lotus
by Estudi Ribaudí




Whizz
by Christoph F.W.



Bu-Oh
by Estudi Ribaudí



Mute
by Nahrang



Han
by Goulafiguera



People Personas



The value of a great team

The value of a great team At Faro Barcelona, sustainability starts from the inside, taking care of the well-being and personal growth of our team.

Equality and diversity

At Faro Barcelona all people are great and equal, whatever their gender, age, religion or sexual orientation. Women, as well as men, play an important role: 76% of our team and 49% of our leaders are women.

Community support

For over a decade, we have been collaborating in social projects of foundations such as Caritas or Royal Mc Donalds, providing our help to ensure a better quality of life for the people helped by these organisations. Since 2008, we have had our own social project with Hook; for every light sold, we feed a child in Africa. We have managed to help 471 children.

Supporting new talent

We collaborate with universities and design schools to help new talents emerge into their professional development. Projects such as Reborn, a second life for waste (La Llotja), Design Make It with 3D printing (CIM UPC), are some of the collaborations we have carried out.

Social innovation

We take part in disruptive social innovation research and develop products and services that solve social problems such as the ageing of the population. We have a positive impact on people's quality of life, contributing to their well-being and comfort through quality, accessible and sustainable lighting and design.

El valor de un gran equipo humano

En Faro Barcelona la sostenibilidad empieza en el interior, cuidando el bienestar y crecimiento personal de nuestro equipo.

Igualdad y diversidad

En Faro Barcelona todas las personas son grandes e iguales, sean del género, edad, religión u orientación sexual que sean. La mujer, igual que el hombre, desempeña un papel importante: el 76% de nuestro equipo y el 49% de nuestros líderes son mujeres.

Apoyo a la comunidad

Llevamos más de una década colaborando en proyectos sociales de fundaciones como Cáritas o Royal Mc Donalds aportando nuestra ayuda para garantizar una mejor calidad de vida de las personas que ayudan estas organizaciones.

Desde 2008, tenemos nuestro propio proyecto social con Hook, por cada luminaria vendida alimentamos a un niño en África. Hemos logrado ayudar a 471 niños.

Apoyo a los nuevos talentos

Colaboramos con universidades y centros de diseño para ayudar a los nuevos talentos en su desarrollo profesional. Proyectos como Reborn, una segunda vida para los desechos (La Llotja), Diseño Make It con impresión 3D (CIM UPC), son algunas de las colaboraciones que hemos realizado.

Innovación social

Participamos en investigaciones de innovación social disruptiva y desarrollamos productos y servicios que resuelven problemáticas sociales como el envejecimiento de la población. Impactamos positivamente en la calidad de vida de las personas, contribuyendo a su bienestar y confort a través de la iluminación y el diseño de calidad, accesible y sostenible.




light the world

Our purpose is to contribute to the wellbeing of people and our environment. Our sustainability journey focuses on two main objectives: reducing our negative impact on the planet and maximising our positive social impact.

Nuestro propósito es contribuir al bienestar de las personas y de nuestro entorno. Nuestro camino hacia la sostenibilidad se centra en dos grandes objetivos: reducir nuestro impacto negativo en el planeta y maximizar nuestro impacto social positivo.

Discover more
Descubre más



Planet Planeta



Sustainable packaging

At Faro Barcelona, we have a sustainable packaging decalogue. Our packaging is made of recycled cardboard boxes printed in one ink and without staples to ease the disassembly and the right recycling. We have eliminated single-use plastics and replaced them with recyclable paper bags and we use recycled cardboard shavings to protect the product during transport in 60% of our shipments. All our packaging meets Drop Test ISTA-2C quality standards to ensure products arrive in perfect condition.

More sustainable logistics and transport

We have optimised the packaging size of each product to reduce the amount of packaging material and the carbon footprint of transport. FMCG products are transported in stacks, which means a greatly reduced carbon footprint. We have opened a new logistics centre in China to supply our Asia-Oceania market in a more sustainable way and reduce carbon emissions from transport.

Sustainable workspaces

We use green electricity in our offices. We produce 70% of the energy we consume with our own photovoltaic installation, ensuring that the energy is from renewable sources. In addition, our headquarters are designed to maximise the use of solar energy and natural light.

Supporting new talent Team committed to sustainability

At Faro Barcelona we have an internal sustainability committee that promotes different sustainability actions and monitors them.

Embalaje sostenible

En Faro Barcelona disponemos del decálogo de embalaje sostenible. Nuestros embalajes son cajas de cartón reciclado impresas a una sola tinta y sin grapas para facilitar así el desmontaje y su correcto reciclaje. Hemos eliminado los plásticos de un solo uso y sustituido por bolsas de papel reciclable y utilizamos virutas de cartón reciclado para la protección del producto durante el transporte en el 60% de nuestros envíos. Todos nuestros embalajes cumplen los estándares de calidad de Drop Test ISTA-2C para asegurar que los productos lleguen en perfecto estado.

Logística y transporte más sostenible

Hemos optimizado el tamaño del embalaje de cada producto para reducir la cantidad de material de embalaje y la emisión de carbono derivado del transporte.

Los productos de gran consumo se transportan apilados, lo que implica una gran reducción de huella de carbono.


Hemos abierto un nuevo centro logístico en China para abastecer a nuestro mercado Asia-Oceania de una forma más sostenible y reduciendo las emisiones de carbono derivadas del transporte.

Espacios de trabajo sostenibles

En nuestras oficinas utilizamos energía eléctrica verde. Producimos un 70% de la energía que consumimos con nuestra propia instalación fotovoltaica, asegurando que la energía es de fuente renovable. Además, nuestra sede cuenta con un diseño pensado para el máximo aprovechamiento de la energía solar y la luz natural.

Equipo comprometido con la sostenibilidad

En Faro Barcelona contamos con un comité de sostenibilidad interno que promueve diferentes acciones de sostenibilidad y realiza su seguimiento.



Product Producto



Sustainability from conceptualisation

In our eco-design decalogue we set out the main guidelines we follow to make our designs more sustainable. We work with external consultants to reduce the environmental impact of our production processes, guaranteeing the quality and safety of our products. We are training our design team in circular design techniques for the more sustainable development of all our products.

A longer useful life

We work to design timeless, repairable and long-lasting products in order to reduce their environmental impact. We research new methods to ensure that our designs last longer, are easier to repair and recycle.

Standardisation and modularity

We work on the standardisation of components for a more efficient use of resources and more sustainable production. We develop modular collections that allow us greater versatility and more efficient logistics and transport.

More sustainable processes and materials

One of the major challenges towards a more sustainable production is the choice of materials as it represents more than 70% of the product's carbon footprint. The use of recycled materials or materials with a lower environmental impact, the implementation of new techniques and the reduction of the number of materials used, help us to achieve more sustainable manufacturing.

Control of the supply chain

We share our sustainability vision and commitments with all our suppliers. We, therefore have a supplier code of conduct to ensure a more sustainable supply chain.

Sostenibilidad desde la conceptualización

En nuestro decálogo de eco-diseño recogemos las principales directrices que seguimos para que nuestros diseños sean más sostenibles. Trabajamos con asesorías externas para reducir el impacto ambiental de nuestros procesos productivos, garantizando la calidad y seguridad de nuestros productos. Estamos formando a nuestro equipo de diseño en técnicas de diseño circular para el desarrollo más sostenible de todos nuestros productos.

Una mayor vida útil

Trabajamos en el diseño de productos atemporales, reparables y duraderos con el fin de reducir su impacto medioambiental. Investigamos nuevos métodos para garantizar que nuestros diseños sean más duraderos, fáciles de reparar y de reciclar.

Estandarización y modularidad

Trabajamos en la estandarización de componentes para un uso más eficiente de los recursos y una producción más sostenible. Desarrollamos colecciones modulares que nos permiten mayor versatilidad y una logística y transporte más eficientes.

Procesos y materiales más sostenibles

Uno de los grandes retos hacia una producción más sostenible es la elección de los materiales ya que representa más del 70% de la huella de carbono del producto. El uso de materiales reciclados o con menor impacto ambiental, la implementación de nuevas técnicas y la reducción del número de materiales usados, nos ayuda a conseguir una fabricación más sostenible.

Control de la cadena de suministro

Compartimos nuestra visión y compromisos de sostenibilidad con todos nuestros proveedores. Por ello, disponemos del código de conducta de proveedores para garantizar una cadena de suministro más sostenible.





In-house Lab

At our own laboratory, all the products are subject to strict tests:

IP, electrical shock, impact shocks (IK), incandescent wire, thermal and mechanical resistance, consume and power factors.

Laboratorio in-house

En nuestro laboratorio, todos los productos se someten a estrictas pruebas:

IP, choque eléctrico, choque de impacto (IK), hilo incandescente, resistencia térmica y mecánica, factores de consumo y potencia.



3D printing

Pioneers in the application of 3D printing to improve design processes.

Impresión 3D

Pioneros en la aplicación de la impresión 3D para mejorar los procesos de diseño.



Virtual reality

We apply virtual reality to improve our customers' experience.

Realidad virtual

Aplicamos la realidad virtual para mejorar la experiencia de nuestros clientes.



quality

At Faro Barcelona, we control the quality of our products and services at all stages: from conception and design to functionality and reliability tests, as well as the selection of suppliers and the inspections carried out at all stages of the production process. To guarantee compliance, at Faro Barcelona, we have implemented a quality management system based on ISO90001. Legislative compliance with quality regulations under EN60598 and ERP energy efficiency regulations.

La calidad forma parte de nuestro ADN.

En Faro Barcelona controlamos la calidad de nuestros productos y servicios en todas las fases: desde la concepción y el diseño hasta los ensayos de funcionalidad y fiabilidad, así como la selección de proveedores y las inspecciones realizadas en todas las etapas del proceso productivo.

Para garantizar su cumplimiento, en Faro Barcelona tenemos implantado un sistema de gestión de calidad basado en la ISO9001.

Cumplimiento legislativo de las normativas de seguridad bajo la EN60598 y la normativa de eficiencia energética ERP.

System Control design and planning
Diseño y planificación del sistema de control

Scene and group definition
Definición de escenas y grupos

Automation (sensors, timetables, circadian cycle)
Automatización (sensores, horarios, ciclo circadiano)

Scalable installations
Instalaciones escalables

Turnkey project
Proyecto llave en mano



Control & Connectivity
Control y Conectividad

Remote access to installations for configuration/changes
Acceso remoto a las instalaciones para configuración/cambios

Configuración de equipos para luminarias Plug&Play
Plug&Play equipment configuration for luminaires

Solutions to connect to the control system (wired, wireless or remote devices)
Soluciones para conectarse al sistema de control (dispositivos cableados, inalámbricos o remotos)

Incident management
Gestión de incidencias



Technical service
Servicio técnico

Technical support service
Servicio de atención técnica

Services / Servicios

Data reception for analysis
Recepción de datos para su análisis

Remote installation management
Gestión remota de instalaciones



Digital services
Servicios digitales

People flow tracking
Tracking flujo de personas

Energy consumption monitoring
Monitorización de consumo energético

Assistance during installation
Acompañamiento en instalación y obra

Consultancy and Advice
Consultoría y Asesoramiento



Lighting & fan projects
Proyectos de Iluminación y ventilación

Product customisation
Personalización de productos

Lighting calculations
Cálculos lumínicos

Digital documentation: Dialux (ULD, IES, LDT) Revit/BIM (RFA) 3D files, IGS (SketchUp)
Documentación digital: Dialux (ULD, IES, LDT) Revit/BIM (RFA) 3D files, IGS (SketchUp)

Advice on product selection
Asesoramiento en selección de productos

Lighting and fan projects department
Departamento de proyectos de iluminación y ventilación

1.



2.



Showrooms



showrooms

The creativity, ingenuity and design of Faro Barcelona are at the heart of the cities of Barcelona and Madrid.

Spaces where you can experience the brand and share our vision of design and lighting.

La creatividad, el ingenio y el diseño de Faro Barcelona están el corazón de las ciudades Barcelona y Madrid.

Espacios donde vivir la marca y compartir nuestra visión del diseño y la iluminación.

1.
Espacio Princesa
Princesa, 52, Barcelona

2.
docontract MAD
Velázquez, 35, 4ºD, Madrid



indoor

interior

portables
portátiles



reddot winner 2021
lighting design



74465 ● Satin Black/Negro Satinado

Material Body Aluminium+PC/Aluminio+PC
Diff Opal White PC/PC Blanco Opal
Shade Aluminium/Aluminio

Light Source SMD LED 2W 2700K 90Lm
Dimmable W 0.5w 25Lm / 1w 45Lm / 1.5w 90Lm
CRI >80

Driver incl. Yes

Class III



Voltage (V/Hz) DC5V-1A

IP 44


IK 04

Battery incl. Yes
6h Charge Max. 10h Worktime


USB USB-C



25lm



45lm



90lm



Jellyfish by Nahtrang



- 24523  Matt Black/Negro Mate
- 24524  Matt White/Blanco Mate

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 3W 2700K 220Lm

Dimmable W 1w 100Lm / 2w 200Lm / 3w 300Lm

CRI >80

Driver incl. Yes

Class III

Voltage (V/Hz) DC5V-1A

IP 20


Battery incl. Yes

8h Charge Max. 9h Worktime

USB MICRO USB



Table&Floor
60



Take Away by Nahtrang



Accessories/Accesorios



Wall lamp/Aplique

01017  Beech/Haya

Material **Body** Wood/Madera



30lm



55lm



100lm

01015  Matt White/Blanco Mate

01016  Matt Black/Negro Mate

Material **Body** ABS+Wood/ABS+Madera

Diff White TPU/TPU Blanco

Light Source COB LED 2W 2700K 100Lm

Dimmable W 0,5w 30Lm / 1w 55Lm / 1,5w 100Lm

CRI >80

Driver incl. Yes

Class III


Voltage (V/Hz) DC5V-1A

IP 20

Battery incl. Yes

5h Charge Max. 5h Worktime

USB MICRO USB







indoor

interior

table & floor
mesa y suelo



- 28387  Satin Gold/Oro Satinado + Matt Black/Negro Mate
 28388  Black/Negro + Copper/Cobre

Material Body Steel/Acero
 Diff Opal PC/PC Opal

Light Source SMD LED 12W 3000K 930Lm

CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ





IP 20

Cable 2 MT




Ten

 by Faro Lab


- 62156  Shiny Copper/Cobre Brillo
- 62157  Satin Gold/Oro Satinado
- 62168  Matt White/Blanco Mate
- 62169  Matt Black/Negro Mate

Material	Body Steel/Acero
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17429/17464
Class	II
IP	20
Cable	1.5 MT




Wall
314



01007A ● Matt White/Blanco Mate
Material Diff Opal Glass/Cristal Opal

01025A ● Matt White/Blanco Mate
Material Diff Opal PC/PC Opal
Body Aluminium+Wood/Aluminio+Madera

Light Source SMD LED 7W 3000K 500Lm
Dimmable W 1w 80Lm / 4w 250Lm / 7w 500Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20



Wall
234

Mine

 by Nahtrang


28378

● Matt White/Blanco Mate

28379

● Dark Grey/Gris Oscuro

Material**Diff** Opal Glass/Cristal Opal

28211

● Matt White/Blanco Mate

28212

● Dark Grey/Gris Oscuro

Material**Diff** Opal PC/PC Opal**Body** Aluminium+Wood/Aluminio+Madera**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

II

IP


20

Cable

2 MT



Suspended
140





- 28380 Matt White/Blanco Mate + White/Blanco
- 28382 Matt Black/Negro Mate + White/Blanco

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.7 MT



- 28383 Matt White/Blanco Mate + White/Blanco
- 28385 Matt Black/Negro Mate + White/Blanco

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.7 MT






Eterna

 by Lucid Product Design


*Structures and shades also sold separately 750-752 / Estructuras y pantallas también se venden por separado 750-752




- 24008-13  Shiny Chrome/Cromo Brillo + White/Blanco
- 24008-14  Shiny Chrome/Cromo Brillo + Beige
- 24008-15  Shiny Chrome/Cromo Brillo + Black/Negro

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	II
IP	20
Cable	1.8 MT



Wall
254



NEW



Sumba by Faro Lab

64317-71 ●● Black/Negro + Rattan/Ratán

Material Body Steel/Acero
Shade Rattan/Ratán

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17426/17498 Smart Bulb

Class II

IP 20


Cable 1.5 MT



Suspended
156



Wall
248



Bliss

28401 ●● Ash tree/Fresno + White/Blanco

Material Body Wood/Madera
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.8 MT



Nidia

68423 ●● Satin Nickel/Níquel Satinado + White/Blanco

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.8 MT







Banker

68334

● Old Gold/Oro Viejo + Green/Verde

Material Body Steel/Acero
Diff Glass/Cristal

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.9 MT

180°



Gru

51916

● Matt White/Blanco Mate

51917

● Matt Black/Negro Mate

Material Body Steel/Acero

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.7 MT



Baobab

51908

● Matt White/Blanco Mate

51909

● Matt Black/Negro Mate

51910

● Grey/Gris

Material Body Steel/Acero

Light Source 1 E14 max. 8W


Bulb incl. No

Recom. Bulb 17461

Class II

IP 20

Cable 1.7 MT



Snap

57400

● White/Blanco

57401

● Dark Grey/Gris Oscuro

Material Body Steel/Acero

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb


Class II

IP 20

Cable 1.8 MT



Wall
321







Anouk

53414

● Matt White/Blanco Mate

53415

● Matt Black/Negro Mate

Material

Body ABS

Light Source

Diff Translucent/Translúcido

CRI

SMD LED 8W 4000K 530Lm

Driver incl.

>80

Class

Yes

Voltage (V/Hz)

II



IP

220V- 240V/50-60HZ

Cable

20

1.5 MT



Otto

52064

● Matt Black/Negro Mate

52065

● Matt White/Blanco Mate

Material

Body ABS+Silicone/ABS+Silicona

Light Source

Diff Opal PMMA/PMMA Opal

CRI

SMD LED 6W 4000K 500Lm

Driver incl.

>80

Class

Yes

Voltage (V/Hz)

II


IP

100V-240V/50-60HZ

Cable

20

1.8 MT



Lena

52057

● Shiny White/Blanco Brillo

52058

● Shiny Black/Negro Brillo

Material

Body Aluminium+ABS+Silicone/Aluminio+ABS+Silicona

Light Source

Diff Translucent Glass/Cristal Translúcido

CRI

SMD LED 3W 4000K 300Lm

Driver incl.

>80

Class

Yes

Voltage (V/Hz)

II

IP

100V-240V/50-60HZ


Beam angle

20

Cable

70°

1.8 MT



Ito

52071

● Matt Black/Negro Mate

Material

Body ABS+Aluminium/ABS+Aluminio

Light Source

Diff Opal PMMA/PMMA Opal

CRI

SMD LED 5W 3000K 390Lm

Driver incl.

>80

Class

Yes

Voltage (V/Hz)

II


IP

220V- 240V/50-60HZ

Cable

20

1.8 MT







24522  Matt Black/Negro Mate + Matt Gold/Oro Mate

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 6W 3000K 500Lm

CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 20

Cable 1.8 MT



24521  Matt Black/Negro Mate + Matt Gold/Oro Mate

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 6W 3000K 500Lm

CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 20

Cable 4.3 MT



Portable
44



Guadalupe by Faro Lab



- 20033-80  Matt Black/Negro Mate + Beige
- 20033-81  Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Shade Steel/Acero


Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.5 MT
360° 



- 20034-80  Matt Black/Negro Mate + Beige
- 20034-81  Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Shade Steel/Acero


Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 3.5 MT
360° 



Wall
228



Levita by Nahrang



Touch dimmer



1W 95lm



4W 380lm




6W 570lm





Touch dimmer




29692D  Shiny Gold/Oro Brillo
 29697  Matt Black/Negro Mate

Material Body Steel/Acero
 Diff Opal Glass/Cristal Opal
Light Source SMD LED 6W 2700K 570Lm
Dimmable W 1w 95Lm / 4w 380Lm / 6w 570Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 220V- 240V/50-60HZ
IP 20
Cable 2 MT



29693D  Shiny Gold/Oro Brillo
 29698  Matt Black/Negro Mate

Material Body Steel/Acero
 Diff Opal Glass/Cristal Opal
Light Source SMD LED 6W 2700K 570Lm
Dimmable W 1w 95Lm / 4w 380Lm / 6w 570Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Cable 2 MT



indoor

Table & Floor / Mesa / Sudo





Touch dimmer



1W 100lm



3W 300lm





6W 600lm




Touch dimmer

29569   Matt Black/Negro Mate + Cherry/Cerezo
Material **Shade** Wood/Madera
29399   Matt Black/Negro Mate + Ash tree/Fresno
Material **Shade** Wood/Madera
Body Steel/Acero
Light Source SMD LED 6W 2700K 600Lm
Dimmable W 1w 100Lm / 3w 300Lm / 6w 600Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Cable 2 MT



29568   Matt Black/Negro Mate + Cherry/Cerezo
Material **Shade** Wood/Madera
29398   Matt Black/Negro Mate + Ash tree/Fresno
Material **Shade** Wood/Madera
Body Steel/Acero
Light Source SMD LED 6W 2700K 600Lm
Dimmable W 1w 100Lm / 3w 300Lm / 6w 600Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Cable 2 MT



Suspended
132



Wall
238



Stood by Lucid Product Design



29846  Matt Black/Negro Mate + Cherry/Cerezo

Material Body Steel/Acero
Shade Wood/Madera

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17464

Class II

IP 20

Cable 2 MT



29847  Matt Black/Negro Mate + Cherry/Cerezo

Material Body Steel/Acero
Shade Wood/Madera

Light Source 1 E27 max. 15W




Bulb incl. No

Recom. Bulb 17463/17464

Class II

IP 20

Cable 2 MT












- 29881 Matt White/Blanco Mate
- 29882 Matt Black/Negro Mate
- 29898 Bronze/Bronce

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class II
IP 20
Cable 1.9 MT



- 29883 Matt White/Blanco Mate
- 29884 Matt Black/Negro Mate
- 29899 Bronze/Bronce

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class II
IP 20
Cable 1.9 MT







- 29047  Matt Black/Negro Mate
- 29048  Matt White/Blanco Mate

Material Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 4W 3000K 400Lm

CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20

Cable 2 MT



- 29049  Matt Black/Negro Mate
- 29050  Matt White/Blanco Mate

Material Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 4W 3000K 400Lm

CRI >80



Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20

Cable 2 MT



Spot
350



Akane by Pepe Llaudet



28370 Matt Black/Negro Mate + Beige

Material Body Steel/Acero
Shade Papyrus/Papiro

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.7 MT



28371 Matt Black/Negro Mate + Beige

Material Body Steel/Acero
Shade Papyrus/Papiro

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.7 MT






Drum by Nahrang



- 24020-31  Matt Black/Negro Mate + Beige
- 24020-32  Matt Black/Negro Mate + Grey/Gris

Material Body Steel/Acero
Diff Opal PC/PC Opal
Shade Textile/Textil


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.8 MT



- 24023-33  Matt Black/Negro Mate + Beige
- 24023-34  Matt Black/Negro Mate + Grey/Gris

Material Body Steel/Acero
Diff Opal PC/PC Opal
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17429/17464
Class II
IP 20
Cable 2.1 MT



indoor

Table & Floor / Mesa y Suelo



Mambo by Faro Lab



64317-47 ●● Black/Negro + Rattan/Ratán

Material Body Steel/Acero
Shade Rattan/Ratán

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.5 MT



64311-48 ●● Matt Black/Negro Mate + Rattan/Ratán

Material Body Steel/Acero
Shade Rattan/Ratán

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20


Cable 1.5 MT




Suspended
160




Wall
250



Switch

64313-49  Matt Black/Negro Mate + Rattan/Ratán

Material	Body Steel/Acero Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	I
IP	20
Cable	1.8 MT



Samba by Faro Lab



- 64316-35 White/Blanco + Beige
- 64316-36 White/Blanco + Yellow/Amarillo
- 64316-37 White/Blanco + Green/Verde
- 64317-35 Black/Negro + Beige
- 64317-36 Black/Negro + Yellow/Amarillo
- 64317-37 Black/Negro + Green/Verde

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.5 MT

⏻



- 64310-38 Matt White/Blanco Mate + Beige
- 64310-39 Matt White/Blanco Mate + Yellow/Amarillo
- 64310-40 Matt White/Blanco Mate + Green/Verde
- 64311-38 Matt Black/Negro Mate + Beige
- 64311-39 Matt Black/Negro Mate + Yellow/Amarillo
- 64311-40 Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463/17498 Smart Bulb


Class II

IP 20

Cable 1.5 MT

⏻






Switch

- 64312-41 Matt White/Blanco Mate + Beige
- 64312-42 Matt White/Blanco Mate + Yellow/Amarillo
- 64312-43 Matt White/Blanco Mate + Green/Verde
- 64313-41 Matt Black/Negro Mate + Beige
- 64313-42 Matt Black/Negro Mate + Yellow/Amarillo
- 64313-43 Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17464
Class II
IP 20
Cable 1.8 MT



Suspended
164



Wall
240



- 64316-01 White/Blanco + White/Blanco
- 64316-02 White/Blanco + Beige
- 64317-03 Black/Negro + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.5 MT



- 64310-04 Matt White/Blanco Mate + White/Blanco
- 64310-05 Matt White/Blanco Mate + Beige
- 64311-06 Matt Black/Negro Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20


Cable 1.5 MT



Suspended
166




Wall
246



Switch

- 64312-07 Matt White/Blanco Mate + White/Blanco
- 64312-08 Matt White/Blanco Mate + Beige
- 64313-09 Matt Black/Negro Mate + Black/Negro

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
IP	20
Cable	1.8 MT



Montreal by Nahtrang



- 24034-04 Matt White/Blanco Mate + White/Blanco
- 24034-05 Matt White/Blanco Mate + Beige
- 24035-04 Shiny Chrome/Cromo Brillo + White/Blanco
- 24035-05 Shiny Chrome/Cromo Brillo + Beige
- 24035-06 Shiny Chrome/Cromo Brillo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.8 MT

⏻



- 24036-07 Matt White/Blanco Mate + White/Blanco
- 24036-08 Matt White/Blanco Mate + Beige
- 24037-07 Shiny Chrome/Cromo Brillo + White/Blanco
- 24037-08 Shiny Chrome/Cromo Brillo + Beige
- 24037-09 Shiny Chrome/Cromo Brillo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No



Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 2.1 MT

⏻








- 20304-82 White/Blanco + White/Blanco
- 20305-83 Matt Black/Negro Mate + Black/Negro
- 20305-84 Matt Black/Negro Mate + Green/Verde

Material **Body** Steel/Acero
Diff White Steel/Acero Blanco
Shade Textile/Textil


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 2 MT



- 20306-85 Matt White/Blanco Mate + White/Blanco
- 20307-86 Matt Black/Negro Mate + Black/Negro
- 20307-87 Matt Black/Negro Mate + Green/Verde

Material **Body** Steel/Acero
Diff White Steel/Acero Blanco
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class II
IP 20
Cable 2 MT



Suspended
168

Wall
242





- 29684-04 Satin Nickel/Níquel Satinado + White/Blanco
- 29684-05 Satin Nickel/Níquel Satinado + Beige
- 29684-06 Satin Nickel/Níquel Satinado + Black/Negro
- 29685-04 Satin Bronze/Bronce Satinado + White/Blanco
- 29685-05 Satin Bronze/Bronce Satinado + Beige
- 29685-06 Satin Bronze/Bronce Satinado + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.6 MT

⏻



- 29686-07 Satin Nickel/Níquel Satinado + White/Blanco
- 29686-08 Satin Nickel/Níquel Satinado + Beige
- 29686-09 Satin Nickel/Níquel Satinado + Black/Negro
- 29687-07 Satin Bronze/Bronce Satinado + White/Blanco
- 29687-08 Satin Bronze/Bronce Satinado + Beige
- 29687-09 Satin Bronze/Bronce Satinado + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No



Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.9 MT

⏻





Artis by Àlex & Manel Lluscà



68488  Bronze/Bronce + White/Blanco

Material Body Steel/Acero
Shade Textile/Textil



Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 2.4 MT
350°  



68489  Bronze/Bronce + White/Blanco

Material Body Steel/Acero
Shade Textile/Textil



Light Source 1 E27 max. 15W



Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 3.2 MT
350°  







29984 Matt White/Blanco Mate + Beige
 29985 Brown/Marrón + Beige

Material **Body** Steel/Acero
Diff Beige Textile/Textil Beige
Shade Textile/Textil

Light Source 2 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.7 MT



29979 Brown/Marrón + Beige

Material **Body** Steel/Acero
Diff Beige Textile/Textil Beige
Shade Textile/Textil

Light Source 2 E27 max. 15W


Bulb incl. No

Recom. Bulb 17462

Class II

IP 20

Cable 3.5 MT



Suspended
174



Wall
274



Linda by Estudi Ribaudí



- 29307 Matt White/Blanco Mate + Beige
- 29311 Matt Black/Negro Mate + Beige

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No


Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 2 MT





- 29312 Matt Black/Negro Mate + Beige

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No



Recom. Bulb 17463/17464

Class II

IP 20

Cable 2.8 MT









29997 Shiny Chrome/Cromo Brillo + Beige

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class II

IP 20

Cable 1.8 MT



20034-88 Matt Black/Negro Mate + Beige
29998 Shiny Chrome/Cromo Brillo + Beige

Material Body Steel/Acero
Shade Steel/Acero

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II


IP 20

Cable 3.5 MT



Wall
260





- 29866 ●● Matt Black/Negro Mate + Black/Negro
- 29867 ●● Matt White/Blanco Mate + White/Blanco

Material Body Steel/Acero
 Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17464

Class II

IP 20

Cable 1.8 MT



- 29868 ●● Matt Black/Negro Mate + Black/Negro
- 29869 ●● Matt White/Blanco Mate + White/Blanco

Material Body Steel/Acero
 Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17464

Class II

IP 20

Cable 2 MT



Suspended
170






- 29937 Satin Nickel/Níquel Satinado + White/Blanco
- 29954 Matt White/Blanco Mate + White/Blanco
- 29955 Matt Black/Negro Mate + Black/Negro

Material **Body** Steel/Acero
Diff Textile/Textil
Shade Textile/Textil


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.9 MT



- 29958 Matt White/Blanco Mate + White/Blanco
- 29959 Matt Black/Negro Mate + Black/Negro

Material **Body** Steel/Acero
Diff Textile/Textil
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class II
IP 20
Cable 1.7 MT



Wall
278

indoor

Table & Floor / Mesa y Suelo



Berni by Nahrang



- 29332 Matt White/Blanco Mate + White/Blanco
 29333 Matt Black/Negro Mate + Black/Negro

Material Body Steel/Acero
 Diff Steel/Acero
 Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.5 MT

⏻



- 29335 Matt White/Blanco Mate + White/Blanco
 29336 Matt Black/Negro Mate + Black/Negro

Material Body Steel/Acero
 Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463/17464

Class II

IP 20

Cable 1.5 MT

⏻



Wall
276







29942 Matt White/Blanco Mate + White/Blanco
 29947 Matt Black/Negro Mate + Black/Negro

Material Body Steel/Acero
 Diff Textile/Textil
 Shade Textile/Textil


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
Class II
IP 20
Cable 1.9 MT



29943 Matt White/Blanco Mate + White/Blanco
 29948 Matt Black/Negro Mate + Black/Negro

Material Body Steel/Acero
 Diff Textile/Textil
 Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class II
IP 20
Cable 1.9 MT



Suspended
173

Wall
268





20025 ●● Matt White/Blanco Mate + White/Blanco
 20026 ●● Matt Black/Negro Mate + Black/Negro

Material Body Steel/Acero
 Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 2 MT



20029 ●● Matt White/Blanco Mate + White/Blanco
 20030 ●● Matt Black/Negro Mate + Black/Negro

Material Body Steel/Acero
 Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 2 MT



Wall
272






Saba

68546

●● Matt Nickel/Níquel Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.5 MT




Saba

68545

●● Matt Nickel/Níquel Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.7 MT



Suspended
184



Wall
285




Saba

68547

●● Matt Nickel/Níquel Mate + Black/Negro

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17464
Class	II
IP	20
Cable	2.1 MT






Moma

- 68500 Shiny Chrome/Cromo Brillo + White/Blanco
- 68501 Shiny Chrome/Cromo Brillo + Black/Negro

Material **Body** Steel/Acero
Diff Opal PC/PC Opal
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.9 MT




Moma

- 68502 Shiny Chrome/Cromo Brillo + White/Blanco
- 68503 Shiny Chrome/Cromo Brillo + Black/Negro

Material **Body** Steel/Acero
Diff Opal PC/PC Opal
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 2.1 MT



Wall
281






Mitic

68417

● ● Satin Nickel/Níquel Satinado + Beige

Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E14 max. 8W
Bulb incl. No
Recom. Bulb 17461
Class II
IP 20
Cable 1.8 MT




Mitic

68418

● ● Satin Nickel/Níquel Satinado + Beige

Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.5 MT



Wall
285






Thana

68530 ●● Satin Nickel/Níquel Satinado + White/Blanco


Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.5 MT



Thana

68531 ●● Satin Nickel/Níquel Satinado + White/Blanco

Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 2 MT



Suspended
184



Wall
280





20164-95 ●● Black/Negro + Satin Gold/Oro Satinado
20164-96 ●● Satin Gold/Oro Satinado + Black/Negro

Material Body Steel/Acero
Shade Steel/Acero

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17426/17496

Class II

IP 20

Cable 3.4 MT



Suspended
138



Wall
222



Guest by Andreu Carulla




Switch

01046


 Matt Black/Negro Mate

Material	Body Steel/Acero
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17429/17464
Class	II
IP	20
Cable	1.8 MT



Wall
226






Papua

68462 Matt White/Blanco Mate + White/Blanco
 68463 Matt Black/Negro Mate + Black/Negro


Material **Body** Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class II
IP 20
Cable 2 MT



Black

29764 Matt Black/Negro Mate + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class II
IP 20
Cable 2.5 MT








indoor

interior


suspended
suspensión



Surface canopy/*Florón superficie*

61101  Matt Black/Negro Mate

Recessed ø88mm canopy/*Florón empotrado ø88mm*

61105  Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 15W 2700K 1500Lm

CRI 90


Driver incl. Yes

Class II


Voltage (V/Hz) 220V- 240V/50HZ

IP 20

Cable 2 MT




*More dimmable options under request/*Otras opciones de regulación bajo pedido*



Surface canopy/*Florón superficie*

61103  Matt Black/Negro Mate

Recessed ø88mm canopy/*Florón empotrado ø88mm*

61104  Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 30W 2700K 2800Lm

CRI 90


Driver incl. Yes

Class II

Voltage (V/Hz) 220V- 240V/50HZ

IP 20

Cable 2 MT



*More dimmable options under request/*Otras opciones de regulación bajo pedido*

Joint kit accessory/*Accesorio kit unión*




61117  Matt Black/Negro Mate

Material Body Steel/Acero





60
CM



Surface canopy/*Florón superficie*


- 61110 Matt Black/Negro Mate + Black/Negro
- 61112 Matt Black/Negro Mate + White/Blanco

Recessed ø88mm canopy/*Florón empotrado ø88mm*


- 61111 Matt Black/Negro Mate + Black/Negro
- 61113 Matt Black/Negro Mate + White/Blanco

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal
Shade Textile/Textil


Light Source SMD LED 15W 2700K 1500Lm
CRI 90
Driver incl. Yes
Class II
Voltage (V/Hz) 220V- 240V/50HZ
IP 20
Cable 2 MT



*More dimmable options under request/*Otras opciones de regulación bajo pedido*



115
CM



Surface canopy/*Florón superficie*


- 61106 Matt Black/Negro Mate + Black/Negro
- 61108 Matt Black/Negro Mate + White/Blanco

Recessed ø88mm canopy/*Florón empotrado ø88mm*

- 61107 Matt Black/Negro Mate + Black/Negro
- 61109 Matt Black/Negro Mate + White/Blanco

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal
Shade Textile/Textil

Light Source SMD LED 30W 2700K 2800Lm
CRI 90
Driver incl. Yes
Class II
Voltage (V/Hz) 220V- 240V/50HZ
IP 20
Cable 2 MT



*More dimmable options under request/*Otras opciones de regulación bajo pedido*

Joint kit accessory/*Accesorio kit unión*



61118 Matt Black/Negro Mate

Material Body Steel/Acero

indoor

Suspension / Suspensión






- 20116 Matt Black/Negro Mate + Beige
- 20117 Matt Black/Negro Mate + White/Blanco
- 20118 Matt Black/Negro Mate + Terracotta/Terracota
- 20119 Matt Black/Negro Mate + Black/Negro
- 20120 Matt Black/Negro Mate + Yellow/Amarillo
- 20121 Matt Black/Negro Mate + Garnet/Granate
- 20122 Matt Black/Negro Mate + Green/Verde
- 20123 Matt Black/Negro Mate + Brown/Marrón

Material Body Steel/Acero
 Diff Beige Papyrus/Papiro Beige
 Shade Textile ribbon/Cinta textil


Light Source 3 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class II
IP 20
Cable 1.6 MT




- 20124 Matt Black/Negro Mate + Beige
- 20125 Matt Black/Negro Mate + White/Blanco
- 20126 Matt Black/Negro Mate + Terracotta/Terracota
- 20127 Matt Black/Negro Mate + Black/Negro
- 20128 Matt Black/Negro Mate + Yellow/Amarillo
- 20129 Matt Black/Negro Mate + Garnet/Granate
- 20130 Matt Black/Negro Mate + Green/Verde
- 20131 Matt Black/Negro Mate + Brown/Marrón

Material Body Steel/Acero
 Diff Beige Papyrus/Papiro Beige
 Shade Textile ribbon/Cinta textil

Light Source 4 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class II
IP 20
Cable 1.6 MT







29848   Matt Black/Negro Mate + Cherry/Cerezo



Material **Body** Steel/Acero
Shade Wood/Madera
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class II
IP 20
Cable 2 MT



Table&Floor
68




Wall
236



29849   Matt Black/Negro Mate + Cherry/Cerezo

Material **Body** Steel/Acero
Shade Wood/Madera
Light Source 5 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class II
IP 20
Cable 2 MT







29397  Matt Black/Negro Mate + Ash tree/Fresno

Material **Shade** Wood/Madera

29567  Matt Black/Negro Mate + Cherry/Cerezo

Material **Shade** Wood/Madera

Body Steel/Acero

Light Source SMD LED 18W 2700K 1050Lm

CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20


Cable 1.2 MT



Table&Floor
66



Wall
238





Retro by Àlex & Manel Lluscà




20046
20050

●● Matt Copper/Cobre Mate + Matt Black/Negro Mate
●● Matt Black/Negro Mate + Shiny Chrome/Cromo Brillo

Material Body Steel/Acero
Light Source 1 E14 max. 8W
Bulb incl. No
Recom. Bulb 17461
Class I
IP 20
Cable 1.6 MT




Wall
318



20047
20048
20051

●● Matt Copper/Cobre Mate + Matt Black/Negro Mate
●● Matt Black/Negro Mate + Shiny Chrome/Cromo Brillo
●● Matt Black/Negro Mate + Satin Gold/Oro Satinado

Material Body Steel/Acero
Light Source 12 E14 max. 8W
Bulb incl. No
Recom. Bulb 17461
Class I
IP 20
Cable 3 MT







- 29691  Shiny Gold/Oro Brillo
- 29696  Matt Black/Negro Mate

Material **Body** Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 13W 2700K 600Lm

CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 20




Cable 1.5 MT



Table&Floor
64



Wall
220



- 29694  Shiny Gold/Oro Brillo
- 29699  Matt Black/Negro Mate

Material **Body** Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 6W 2700K 570Lm

CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20

Cable 1.5 MT



*Max. ceiling height 3mts./Altura max. techo 3mts.





20160 ●● Black/Negro + Satin Gold/Oro Satinado
20161 ●● Satin Gold/Oro Satinado + Black/Negro

Material **Body** Steel/Acero
Shade Steel/Acero

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17426/17496

Class II

IP 20



Cable 1.5 MT



Floor
116



Wall
222



20166-95 ●● Black/Negro + Satin Gold/Oro Satinado
20166-96 ●● Satin Gold/Oro Satinado + Black/Negro

Material **Body** Steel/Acero
Shade Steel/Acero

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17426/17496


Class II

IP 20

Cable 3.4 MT







- | | |
|---------------------|-------------------------------------|
| 28375 | ● Matt White/Blanco Mate |
| 28376 | ● Dark Grey/Gris Oscuro |
| Material | Diff Opal Glass/Cristal Opal |
| 28209 | ● Matt White/Blanco Mate |
| 28210 | ● Dark Grey/Gris Oscuro |
| Material | Body Aluminium/Aluminio |
| | Diff Opal PC/PC Opal |
| Light Source | 1 E27 max. 15W |
| Bulb incl. | No |
| Recom. Bulb | 17463/17498 Smart Bulb |
| Class | II |
| IP | 20 |
| Cable | 4 MT |





Table
51





28375-1L
28376-1L
Material

● Matt White/Blanco Mate
 ● Dark Grey/Gris Oscuro
Diff Opal Glass/Cristal Opal

28209-1L
28210-1L
Material

● Matt White/Blanco Mate
 ● Dark Grey/Gris Oscuro
Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 2 MT




28375-2L
28376-2L
Material

● Matt White/Blanco Mate
 ● Dark Grey/Gris Oscuro
Diff Opal Glass/Cristal Opal

28209-2L
28210-2L
Material

● Matt White/Blanco Mate
 ● Dark Grey/Gris Oscuro
Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 2 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 4 MT



28375-3L
28376-3L
Material


● Matt White/Blanco Mate
 ● Dark Grey/Gris Oscuro
Diff Opal Glass/Cristal Opal

28209-3L
28210-3L
Material


● Matt White/Blanco Mate
 ● Dark Grey/Gris Oscuro
Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 3 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 6 MT





28375-4L	● Matt White/Blanco Mate
28376-4L	● Dark Grey/Gris Oscuro
Material	Diff Opal Glass/Cristal Opal
28209-4L	● Matt White/Blanco Mate
28210-4L	● Dark Grey/Gris Oscuro
Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	4 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	II
IP	20
Cable	8 MT



28375-5L	● Matt White/Blanco Mate
28376-5L	● Dark Grey/Gris Oscuro
Material	Diff Opal Glass/Cristal Opal
28209-5L	● Matt White/Blanco Mate
28210-5L	● Dark Grey/Gris Oscuro
Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	5 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	II
IP	20
Cable	10 MT



Hook accessory/Accesorio gancho



28373



Matt White/Blanco Mate



28374



Dark Grey/Gris Oscuro

Tell us your needs and we will make it happen
Dinos tus necesidades y lo hacemos realidad

Send your demand on / envíanos tu petición a customize@faro.es

Slim by Àlex & Manel Lluscà



24504 ● Matt White/Blanco Mate

Material **Body** Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 40W 3000K 1150Lm

CRI >80

Driver incl. Yes

Class II


Voltage (V/Hz) 220V- 240V/50-60HZ

IP 20

Cable 1.5 MT



Wall
224



24500 ● Matt White/Blanco Mate

Material **Body** Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 20W 3000K 1150Lm

CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 20

Cable 2 MT



indoor

Suspension / Suspensión



Dolme by Xjer Studio




64099

● Matt White/Blanco Mate

Material	Body Steel/Acero Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 23W 3000K 1260Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	20
Cable	1.6 MT



Ceiling
197



Cocotte


 by Jordi Llopis


64262 ● Shiny White/Blanco Brillo
64263 ● Shiny Black/Negro Brillo

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal
Light Source SMD LED 30W 3000K 1300Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20




Ceiling
198




64260 ● Shiny White/Blanco Brillo
64261 ● Shiny Black/Negro Brillo

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal
Light Source SMD LED 36W 3000K 1700Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20





Kombo by Nutcreatives



- 68591-1L  Matt Black/Negro Mate + Grey/Gris
- 68592-1L  Matt Black/Negro Mate + Beige/Beige




Material **Body** Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.5 MT




- 68593-1L  Matt Black/Negro Mate + Grey/Gris
- 68594-1L  Matt Black/Negro Mate + Beige/Beige

Material **Body** Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.5 MT



- 68595-1L  Matt Black/Negro Mate + Grey/Gris
- 68596-1L  Matt Black/Negro Mate + Beige/Beige
- 68597-1L  Matt Black/Negro Mate + Terracotta/Terracota

Material **Body** Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.5 MT



indoor

Suspension / Suspensión



Naos by Àlex & Manel Lluscà



64500 ● Beige

Material **Body** Steel+Glass/Acero+Cristal
Diff Opal Glass/Cristal Opal
Shade Steel/Acero


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20
Cable 1.8 MT




64501 ● Beige

Material **Body** Steel+Glass/Acero+Cristal
Diff Opal Glass/Cristal Opal
Shade Steel/Acero

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20
Cable 1.8 MT



Two-colour ring accessory incl. / Accesorio anillo dos colores incl.



indoor

Suspension / Suspensión




Pluma by Nahrang



- 64170  Matt White/Blanco Mate
64172  Matt Black/Negro Mate + Matt Gold/Oro Mate

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 6W 3000K 450Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	20
Cable	1.5 MT



Side by Àlex & Manel Llusçà



62138

62139

Material**Body** Steel/Acero**Diff** Opal Glass/Cristal Opal**Light Source**

1 G9 max. 6W

Bulb incl.

No

Recom. Bulb

17443

Class


II


IP


20

Cable

1.5 MT

Ceiling
200



68590-69  Matt Black/Negro Mate + Rattan/Ratán

Material **Body** Steel/Acero
Shade Rattan/Ratán

Light Source 1 E27 max. 15W


Bulb incl. No


Recom. Bulb 17426/17498 Smart Bulb

Class II

IP 20

Cable 1.5 MT



68590-70  Matt Black/Negro Mate + Rattan/Ratán

Material **Body** Steel/Acero
Shade Rattan/Ratán

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17426/17498 Smart Bulb

Class II

IP 20

Cable 1.5 MT



Hook accessory incl. / Accesorio gancho incl.



indoor

Suspension / Suspensión






Saipan

65134-76

●● Black/Negro + Rattan/Ratán

Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426/17498 Smart Bulb
Class	I
IP	20
Cable	2 MT




Tupai

65134-77

●● Black/Negro + Rattan/Ratán

Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426/17498 Smart Bulb
Class	I
IP	20
Cable	2 MT



Sumba by Faro Lab

65134-72

●● Black/Negro + Rattan/Ratán


Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426/17498 Smart Bulb
Class	I
IP	20
Cable	2 MT




Table
54



Wall
248








Haka

65134-73

●● Black/Negro + Rattan/Ratán

Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426/17498 Smart Bulb
Class	I
IP	20
Cable	2 MT




Haka

65134-74

●● Black/Negro + Rattan/Ratán

Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426/17498 Smart Bulb
Class	I
IP	20
Cable	2 MT




Haka

65134-75


●● Black/Negro + Rattan/Ratán

Material	Body Steel/Acero
	Shade Rattan/Ratán
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17426/17498 Smart Bulb
Class	I
IP	20
Cable	2 MT





Mambo by Faro Lab



Ø21
CM

64315-47 Matt Black/Negro Mate + Rattan/Ratán

Material **Body** Steel/Acero
Shade Rattan/Ratán

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20



Cable 1.7 MT



Table&Floor
78



Wall
250



Ø32
CM

64315-48 Matt Black/Negro Mate + Rattan/Ratán

Material **Body** Steel/Acero
Shade Rattan/Ratán

Light Source 1 E27 max. 15W



Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20

Cable 1.7 MT



Ø45
CM

64315-49 Matt Black/Negro Mate + Rattan/Ratán

Material **Body** Steel/Acero
Shade Rattan/Ratán

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II


IP 20


Cable 1.7 MT







Mambo by Faro Lab




64314-47  Matt Black/Negro Mate + Rattan/Ratán

Material **Body** Steel/Acero
Shade Rattan/Ratán


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.5 MT




64314-48  Matt Black/Negro Mate + Rattan/Ratán

Material **Body** Steel/Acero
Shade Rattan/Ratán


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.5 MT



64314-49  Matt Black/Negro Mate + Rattan/Ratán


Material **Body** Steel/Acero
Shade Rattan/Ratán

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.5 MT



indoor

Suspension / Suspensión



Samba by Faro Lab



- 64315-44  Matt Black/Negro Mate + Beige
- 64315-45  Matt Black/Negro Mate + Yellow/Amarillo
- 64315-46  Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Diff Papyrus/Papiro
Shade Textile/Textil


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.7 MT



Table&Floor
80




Wall
240



- 64314-44  Matt Black/Negro Mate + Beige
- 64314-45  Matt Black/Negro Mate + Yellow/Amarillo
- 64314-46  Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Diff Papyrus/Papiro
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.5 MT



indoor

Suspension / Suspensión





- 64315-54
- 64315-55
- 64315-56

Material Body Steel/Acero
Diff Papyrus/Papiro
Shade Textile/Textil


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.7 MT



Table&Floor
83




Wall
246



- 64314-54
- 64314-55
- 64314-56

Material Body Steel/Acero
Diff Papyrus/Papiro
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.5 MT




indoor

Suspension / Suspensión



Savoy by Isaac Piñeiro



- 20308-89 White/Blanco + White/Blanco
- 20309-90 Black/Negro + Black/Negro
- 20309-91 Black/Negro + Green/Verde

Material **Body** Steel/Acero
Diff Opal PMMA/PMMA Opal
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class II
IP 20
Cable 0.8 MT



Table&Floor
86



Wall
242

indoor



Suspension / Suspensión





- 29864 Matt Black/Negro Mate + Black/Negro
- 29865 Matt White/Blanco Mate + White/Blanco

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I
IP	20
Cable	1.3 MT



Linda

 by Estudi Ribaudí


29309  Matt White/Blanco Mate + Beige
 29313  Matt Black/Negro Mate + Beige

Material Body Steel/Acero
 Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17464

Class I

IP 20


Cable 1.2 MT



Table&Floor
94



Wall
318



Fusta by Àlex & Manel Lluscà



28394 ●● Matt White/Blanco Mate + White/Blanco

Material Body Steel+Wood/Acero+Madera

Shade Textile/Textil

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17464

Class I

IP 20

Cable 1.7 MT



Hotel

 by Àlex & Manel Llusçà


29944

●● Matt White/Blanco Mate + White/Blanco

Material**Body** Steel/Acero**Diff** White/Blanco**Shade** Textile/Textil**Light Source**

3 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I


IP


20

Cable

1 MT


Table&Floor
104

Wall
268




29988 ●● Matt White/Blanco Mate + Beige

Material **Body** Steel/Acero
Diff Opal PC/PC Opal
Shade Textile/Textil

Light Source 3 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20


Cable 2 MT



Table&Floor
92



Wall
274



29986 ●● Matt White/Blanco Mate + Beige

29987 ●● Brown/Marrón + Beige

Material **Body** Steel/Acero
Diff Opal PC/PC Opal
Shade Textile/Textil

Light Source 2 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463

Class I

IP 20

Cable 2 MT



indoor

Suspension / Suspensión






Crater

68461

●● Matt Black/Negro Mate + Matt Gold/Oro Mate

Material Body Aluminium/Aluminio
Light Source 3 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 1.5 MT



Magma

28398

●● Matt White/Blanco Mate + Matt Silver/Plata Mate

28399


●● Matt White/Blanco Mate + Matt Gold/Oro Mate

29468

●● Black/Negro + Matt Gold/Oro Mate



Material Body Fiber glass/Fibra de vidrio
Light Source 3 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class I
IP 20
Cable 2 MT



Margot

68561


●● Matt Black/Negro Mate + Wood/Madera

68564

●● Matt White/Blanco Mate + Wood/Madera



Material Body Steel+Wood/Acero+Madera
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class I
IP 20
Cable 1.2 MT



Charlotte

68562


● Dark Grey/Gris Oscuro

68563

● Matt White/Blanco Mate



Material Body Steel/Acero
Diff Opal PC/PC Opal
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class I
IP 20
Cable 1.2 MT





Brume by Àlex & Manel Llusà

40078 ● Anthracite/Antracita

Material Body Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 3W 2700K 200Lm

CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 44



Cable 1 MT



Ceiling
213



Wall
336



25
CM

Rose

65082 ● Matt Black/Negro Mate

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17429

Class II

IP 20

Cable 1.5 MT



77
CM

Rose

65081 ● Matt Black/Negro Mate

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

Light Source 4 E27 max. 15W


Bulb incl. No

Recom. Bulb 17429

Class I

IP 20

Cable 0.7 MT






Art

64137
65134

- Old Gold/Oro Viejo
- Black/Negro

Material **Body** Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17425
Class I
IP 20
Cable 1.5 MT




Liz

65080

- ● Old Gold/Oro Viejo + Transparent/Transparente

Material **Body** Steel+Glass/Acero+Cristal
Diff Transparent/Transparente
Shade Glass/Cristal

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17428
Class I
IP 20
Cable 1.3 MT




Clara

64128

- Matt Black/Negro Mate

Material **Body** Steel/Acero
Diff Transparent/Transparente
Shade Glass/Cristal

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17428
Class I
IP 20
Cable 2 MT




Halita

65071

- ● Old Gold/Oro Viejo + Transparent/Transparente

Material **Body** Steel+Glass/Acero+Cristal
Diff Transparent/Transparente
Shade Glass/Cristal

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17428
Class I
IP 20
Cable 1.5 MT






Marlin

64133

Old Gold/Oro Viejo + Matt Black/Negro Mate

Material	Body Steel/Acero
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17428
Class	I
IP	20
Cable	1.5 MT

Wall
320

Plat


68145

Matt Black/Negro Mate

68146

Matt White/Blanco Mate

Material	Body Steel/Acero
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17271
Class	II
IP	20
Cable	1.5 MT




Winch by Manel Llusca

66204

Dark Brown/Marrón Oscuro

Material	Body Steel/Acero
	Diff Transparent Glass/Cristal Transparente
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	20
Cable	1 MT




Winch by Manel Llusca

66205

Dark Brown/Marrón Oscuro

Material	Body Steel/Acero
	Diff Transparent Glass/Cristal Transparente
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	20
Cable	1.5 MT





Lou


62800

● Shiny Black/Negro Brillo

62801

● Shiny Green/Verde Brillo

Material **Body** Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20
Cable 0.9 MT



Lang


62804

● Shiny Black/Negro Brillo

62805

● Shiny Green/Verde Brillo

Material **Body** Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17426
Class I
IP 20
Cable 1.4 MT




Mou

62806

● Shiny Black/Negro Brillo

Material **Body** Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20
Cable 1.1 MT
 350°



Claire


62802

● Shiny Black/Negro Brillo

62803

● Shiny Green/Verde Brillo

Material **Body** Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17426
Class I
IP 20
Cable 1.4 MT






Nudos

68139 ● Dark Brown/Marrón Oscuro

Material	Body Steel+Jute/Acero+Yute
	Diff Transparent Glass/Cristal Transparente
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
IP	20
Cable	1 MT



Wall
320




Marina

60004 ● Matt Black/Negro Mate

Material	Body Steel/Acero
	Diff Transparent Glass/Cristal Transparente
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17428
Class	II
IP	20
Cable	1.5 MT




Wall
317



Liana

68569 ● Black/Negro + Natural Hemp/Cáñamo Natural


Material	Body Steel/Acero
	Shade Hemp/Cáñamo
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17464
Class	I
IP	20
Cable	1.2 MT



Nido

68153 ● Matt Black/Negro Mate + Brown/Marrón

Material	Body Steel/Acero
	Shade Cane/Caña
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17464
Class	I
IP	20
Cable	1.5 MT





Ora


29894

● Matt White/Blanco Mate

29895

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source SMD LED 4W 3000K 350Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 120°
Cable 1.5 MT



Lise

29886

● Matt White/Blanco Mate

29887

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source COB LED 6W 2700K 370Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 80°
Cable 1.3 MT



Wall
326



Sabi


64320

● Matt White/Blanco Mate

64321

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente
Light Source SMD LED 3W 2700K 280Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 30°
Cable 1.2 MT



Stan

43754

● Matt White/Blanco Mate


43755

● Matt Black/Negro Mate

43756

● Satin Gold/Oro Satinado

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20
Cable 1.2 MT



Ceiling
207



Recessed
374



Spot
346



Track
386



Wall
326

indoor

Suspension / Suspensión



Cosmos

64224  Bronze/Bronce

Material Body Aluminium+Steel/Aluminio+Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 5W 3000K 360Lm

CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20

Beam angle 180°

Cable 1.4 MT



Pam

64159  Matt White/Blanco Mate
64160  Black/Negro + Matt Gold/Oro Mate

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 11W 3000K 900Lm

CRI >80

Driver incl. Yes



Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20

Beam angle 120°

Cable 1.5 MT



Pam

64162  Black/Negro + Matt Gold/Oro Mate

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 24W 3000K 1875Lm

CRI >80

Driver incl. Yes


Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20

Beam angle 120°

Cable 1.5 MT



Danka

64223  Satin Gold/Oro Satinado + Matt Black/Negro Mate

Material Body Steel+Aluminium/Acero+Aluminio
Diff Transparent PMMA/PMMA Transparente

Light Source COB LED 6W 3000K 530Lm

CRI >80

Driver incl. Yes


Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20

Beam angle 60°

Cable 3 MT





Thana

68533

●● Satin Nickel/Níquel Satinado + White/Blanco


Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	3 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	20
Cable	0.9 MT



Table&Floor
114



Wall
280



Ø47
CM

Saba

68549

●● Satin Nickel/Níquel Satinado + Black/Negro


Material	Body Steel/Acero
	Diff Opal PC/PC Opal
	Shade Textile/Textil
Light Source	3 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17464
Class	I
IP	20
Cable	1.2 MT



Table&Floor
108



Wall
285




Ø20
CM

Saba

68548

●● Satin Nickel/Níquel Satinado + Black/Negro

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17464
Class	I
IP	20
Cable	1.2 MT





Aina

64174

●● Matt White/Blanco Mate + White/Blanco

Material

Body Steel/Acero
Diff Opal PC/PC Opal
Shade Textile/Textil

Light Source

SMD LED 40W 2700K 3000Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)


220V- 240V/50-60HZ

IP

44

Cable

1.3 MT



Ceiling
208



Seven

68283

●● Matt White/Blanco Mate + White/Blanco

Material

Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class


I

IP

20

Cable

0.9 MT



Seven

68284

●● White/Blanco + White/Blanco

Material

Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil

Light Source

3 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class


I

IP

20

Cable

0.9 MT





Soluciones de instalación

Installation solutions

Standard requests



See standard combination pages 188-191
Ver tabla combinaciones en páginas 188-191

Special requests



Send your demand on / envíanos tu petición a
customize@faro.es

3 lights / *lucos*

5 lights / *lucos*

7 lights / *lucos*

Kombo



68591-3L ●●
68592-3L ●●

68591-5L ●●
68592-5L ●●

68591-7L ●●
68592-7L ●●



68593-3L ●●
68594-3L ●●

68593-5L ●●
68594-5L ●●

68593-7L ●●
68594-7L ●●



68595-3L ●●
68596-3L ●●
68597-3L ●●

68595-5L ●●
68596-5L ●●
68597-5L ●●

68595-7L ●●
68596-7L ●●
68597-7L ●●

Mambo



64314-47-3L ●●

64314-47-5L ●●

64314-47-7L ●●



64314-48-3L ●●

64314-48-5L ●●

64314-48-7L ●●



64314-49-3L ●●

64314-49-5L ●●

64314-49-7L ●●

3 lights / luces

5 lights / luces

7 lights / luces

Conga



64314-54-3L ●●●
 64314-55-3L ●●●
 64314-56-3L ●●●



64314-54-5L ●●●
 64314-55-5L ●●●
 64314-56-5L ●●●



64314-54-7L ●●●
 64314-55-7L ●●●
 64314-56-7L ●●●


Samba



64314-44-3L ●●●
 64314-45-3L ●●●
 64314-46-3L ●●●



64314-44-5L ●●●
 64314-45-5L ●●●
 64314-46-5L ●●●



64314-44-7L ●●●
 64314-45-7L ●●●
 64314-46-7L ●●●


Retro



20046-3L ●●●
 20050-3L ●●●



20046-5L ●●●
 20050-5L ●●●



20046-7L ●●●
 20050-7L ●●●

Plat



68145-3L ●●●
 68146-3L ●●●



68145-5L ●●●
 68146-5L ●●●



68145-7L ●●●
 68146-7L ●●●

3 lights / *lucos*

5 lights / *lucos*

7 lights / *lucos*

Art



64135-3L ●
64137-3L ●

64135-5L ●
64137-5L ●

64135-7L ●
64137-7L ●

Liz



65080-3L ●

65080-5L ●

65080-7L ●

Marlin



64133-3L ●

64133-5L ●

64133-7L ●

Clara



64128-3L ●

64128-5L ●

64128-7L ●

3 lights / luces

5 lights / luces

7 lights / luces

Claire



62802-3L ●
62803-3L ●



62802-5L ●
62803-5L ●



62802-7L ●
62803-7L ●


Lang



62804-3L ●
62805-3L ●



62804-5L ●
62805-5L ●



62804-7L ●
62805-7L ●

Whizz



20160-3L ●
20161-3L ●



20160-5L ●
20161-5L ●




20160-7L ●
20161-7L ●

Canopy recessed
Florón empotrable

With frame
Con marco




64231



Trimless
Sin marco



64232




Compatible in these situations / Compatibles en estas situaciones.

<p>✓ Electrical wire+Turnbuckle <i>Cable eléctrico+ Tensor independiente</i></p>	<p>✓ Canopy with lamp holder <i>Florón con portalámparas E14 / E27</i></p>	<p>✗ Canopy with turnbuckle <i>Florón con tensor</i></p>	<p>✗ Canopy with driver <i>Florón con driver</i></p>
---	---	---	---

Hook accessory for displaced light output.
Accesorio gancho para punto de luz desplazado.

Hook
Gancho



68602

***Track connector for suspension**
Conector carril para suspensión

Track
Carril



01997001
 01997002



*Accessories compatible with all pendants with bulb and without turnbuckle. / *Accesorios compatibles con todos los colgantes con bombilla y sin tensor/es*

Suspended 5 Mt. cable with plug (hook incl.)
Colgante con clavija 5 Mt. de cable (gancho incl.)

Conga



68604-54 ●●



68604-55 ●●



68604-56 ●●

Samba



68604-44 ●●



68604-45 ●●



68604-46 ●●

Kombo



68604-62 ●●
68604-63 ●●



68604-64 ●●
68604-65 ●●



68604-66 ●●
68604-67 ●●
68604-68 ●●

Mambo



68604-47 ●●



68604-48 ●●



68604-49 ●●



indoor

interior

ceiling
techo

Tender by Nahtrang



- 20094  Matt Black/Negro Mate
20095  Matt White/Blanco Mate

Material **Body** Steel+Wood/Acero+Madera
Diff Opal PC/PC Opal

Light Source SMD LED 24W 3000K 1369Lm


CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20



Dolme by Xjer Studio



64096
64097

● Matt Black/Negro Mate
● Matt White/Blanco Mate

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 24W 3000K 1260Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 20



Suspended
146





64250
64251

- Shiny White/Blanco Brillo
- Shiny Black/Negro Brillo

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 30W 3000K 1300Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20



Suspended
147



64182
64183

- Shiny White/Blanco Brillo
- Shiny Black/Negro Brillo

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 36W 3000K 1700Lm


CRI >80

Driver incl. Yes

Class I


Voltage (V/Hz) 100V-240V/50-60HZ

IP 20






Side by Àlex & Manel Llusçà



Ø20
CM



62132

62133

62134

62135

- Matt White/Blanco Mate
- Matt White/Blanco Mate + Satin Nickel/Níquel Satinado
- Matt Black/Negro Mate + Satin Gold/Oro Satinado
- Matt Black/Negro Mate + Satin Copper/Cobre Satinado

Material

Body Steel/Acero

Diff Opal Glass/Cristal Opal

Light Source

1 G9 max. 6W

Bulb incl.

No

Recom. Bulb

17443

Class


I

IP

20



Suspended
153



Ø39
CM



62140

62141

62142

62143

- Matt White/Blanco Mate
- Matt White/Blanco Mate + Satin Nickel/Níquel Satinado
- Matt Black/Negro Mate + Satin Gold/Oro Satinado
- Matt Black/Negro Mate + Satin Copper/Cobre Satinado

Material

Body Steel/Acero

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 15W 3000K 1200Lm

CRI

>80

Driver incl.

Yes

Class



I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

20



Ø45
CM



62144

62145

62146

62147

- Matt White/Blanco Mate
- Matt White/Blanco Mate + Satin Nickel/Níquel Satinado
- Matt Black/Negro Mate + Satin Gold/Oro Satinado
- Matt Black/Negro Mate + Satin Copper/Cobre Satinado

Material

Body Steel/Acero

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 17W 3000K 1600Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

20







Link by Estudi Ribaudí

29877

● Matt White/Blanco Mate

29878

● Matt Black/Negro Mate

Material Body Steel/Acero

Light Source 1 GU10 max. 8W

Bulb incl. No

Recom. Bulb 17320/97685327

Class I

IP

20
350° 90°



Spot
348





Track
384



Table&Floor
70



Wall
348



Link by Estudi Ribaudí

29879

● Matt White/Blanco Mate

29880

● Matt Black/Negro Mate

Material Body Steel/Acero

Light Source 4 GU10 max. 8W


Bulb incl. No

Recom. Bulb 17320/97685327

Class I

IP

20
350° 90°



Orleans by Nahtrang

43529

● Matt White/Blanco Mate

43530

● Matt Black/Negro Mate

43531

● Shiny Chrome/Cromo Brillo

Material Body Steel/Acero

Light Source 1 GU10 max. 8W

Bulb incl. No

Recom. Bulb 17320/97685327

Class I

IP


20
350° 90°



Spot
356



Track
384



Orleans by Nahtrang

43532

● Matt White/Blanco Mate

43533

● Matt Black/Negro Mate

43534

● Shiny Chrome/Cromo Brillo

Material Body Steel/Acero

Light Source 2 GU10 max. 8W


Bulb incl. No

Recom. Bulb 17320/97685327

Class I

IP

20
350° 90°







Tecto


63270

● Matt White/Blanco Mate

63271

● Matt Black/Negro Mate

Material **Body** Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Class I
IP 20



Tecto


63272

● Matt White/Blanco Mate

63273

● Matt Black/Negro Mate

Material **Body** Aluminium/Aluminio
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Class I
IP 20



Tecto


63274

● Matt White/Blanco Mate

63275

● Matt Black/Negro Mate

Material **Body** Aluminium/Aluminio
Light Source 1 G53 AR111 max. 15W
Bulb incl. No
Recom. Bulb 97684227
Transf. incl. No
Recom. Transf. 98111020
Class III
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20



Tecto


63276

● Matt White/Blanco Mate

63277

● Matt Black/Negro Mate

Material **Body** Aluminium/Aluminio
Light Source 2 G53 AR111 max. 30W
Bulb incl. No
Recom. Bulb 97684227
Transf. incl. No
Recom. Transf. 98111020
Class III
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20






Sven

63268

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
Light Source	1 GU10 max. 8W
Bulb incl.	No
Recom. Bulb	17320/97685327
Class	I
IP	20





Sven

63269

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
Light Source	1 GU10 max. 8W
Bulb incl.	No
Recom. Bulb	17320/97685327
Class	I
IP	20



Rel



64200

● Matt White/Blanco Mate

64201

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 25W 2700K 2230Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	20
Beam angle	60°



Rel


64198

● Matt White/Blanco Mate

64199

● Matt Black/Negro Mate

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 15W 2700K 1340Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	20
Beam angle	60°





Haru

64206

● Matt White/Blanco Mate

64207

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 6W 3000K 350Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)


100V-240V/50-60HZ

IP

20

Beam angle

120°



Natsu

64204

● Matt White/Blanco Mate

64205

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 30W 3000K 1275Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)


100V-240V/50-60HZ

IP

20

Beam angle

120°



Pote

63124

● Matt White/Blanco Mate

63125

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

20



Janet

65137

● Matt Gold/Oro Mate

Material

Body Steel/Acero

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17462

Class

I

IP

20







Stan

- 43746 Matt White/Blanco Mate
- 43747 Matt Black/Negro Mate
- 43758 Satin Gold/Oro Satinado

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class II
IP 20



*Accessories page 346/Accesorios en página 346



Seven

68323

●● Matt White/Blanco Mate + White/Blanco

Material

Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil

Light Source

SMD LED 20W 1313Lm

Dimmable K

3000 - 4000 - 6000K

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

20



Suspended
185



Seven

68298

●● Matt White/Blanco Mate + White/Blanco

Material

Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

20



Seven

68317

●● Matt White/Blanco Mate + White/Blanco

Material

Body Steel/Acero
Diff White Textile/Textil Blanco
Shade Textile/Textil

Light Source

3 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

20






Iris

63393

● Satin Nickel/Niquel Satinado

Material	Body PS Diff Opal PC/PC Opal
Light Source	SMD LED 15W 3000K 1200Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	20




Iris

63394

● Satin Nickel/Niquel Satinado

Material	Body Aluminium/Aluminio Diff Opal PS/PS Opal
Light Source	SMD LED 20W 3000K 1600Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	20




Iris

63395

● Satin Nickel/Niquel Satinado

Material	Body Aluminium/Aluminio Diff Opal PS/PS Opal
Light Source	SMD LED 30W 3000K 2400Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	20





Bic

63408

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 60W 3000K 4000Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

20



Mega

63410

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 52W 2700K 3600Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

20



Ami

63397

● Matt White/Blanco Mate

63398

● Satin Nickel/Níquel Satinado

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 15W 2700K 1200Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

20



Foro

63404

● Matt White/Blanco Mate

63405

● Satin Nickel/Níquel Satinado

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 24W 3000K 2000Lm

CRI

>80

Driver incl.

Yes

Class


II

Voltage (V/Hz)

100V-240V/50-60HZ

IP

44



indoor

Ceiling / Techo



IP44

Kao

63399

Shiny Chrome/Cromo Brilllo

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 35W 3000K 2800Lm



CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 44



IP54

Zon

63291

Matt White/Blanco Mate

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal


Light Source SMD LED 18W 3000K 1600Lm

Driver incl. Yes

Class II

Voltage (V/Hz) 220V- 240V/50HZ

IP 54



IP44



Logos

62965

Matt White/Blanco Mate

62980

Satin Nickel/Níquel Satinado

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class II

IP 44



IP44



Logos

62966

Matt White/Blanco Mate

62981

Satin Nickel/Níquel Satinado

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class II

IP 44





Vuk

64188
64188N NEW

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 40W 2700K 3000Lm


CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 44



Tola

62968
62983

- Matt White/Blanco Mate
- Satin Nickel/Níquel Satinado

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class II

IP 44



Tola

62969

- Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437


Class II

IP 44



Brume

by Àlex & Manel Llusçà



40077

● Anthracite/Antracita

Material**Body** Steel/Acero**Diff** Opal Glass/Cristal Opal**Light Source**

SMD LED 3W 2700K 200Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

100V-240V/50-60HZ

IP


44



Suspended
177



Wall
336





indoor

interior

Surface
Superficie



- 40095 ● White/Blanco
- 40096 ● Black/Negro
- 40097 ● Blue/Azul
- 40098 ● Coral
- 40099 ● Green/Verde

Material Body Steel/Acero
 Diff Opal White Glass/Cristal Blanco Opal

Light Source COB LED 4W 2700K 300Lm


Dimmable W 300

Driver incl. Yes

Class II





Voltage (V/Hz) 100V-240V/50-60HZ

IP 44







- 40090  Satin Gold/Oro Satinado
- 40091  Shiny Chrome/Cromo Brillo
- 40092  Bronze/Bronce
- 40093 NEW  Matt Black/Negro Mate

Material Body Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 4W 3000K 300Lm


CRI >80

Driver incl. Yes



Class II


Voltage (V/Hz) 100V-240V/50-60HZ


IP 44





64027	 Matt Black/Negro Mate
64028	 Matt White/Blanco Mate
Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	SMD LED 3W 3000K 280Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	20





- 29690  Shiny Gold/Oro Brillo
- 29695  Matt Black/Negro Mate

Material Body Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 6W 2700K 570Lm

CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ


IP 20




Suspended Table&Floor
136



64



Magos by Faro Lab



- 20330 ● Black/Negro
- 20331 ● Maple/Arce
- 20332 ● Walnut/Nogal

Material Body Aluminium+ABS/Aluminio+ABS
Diff Opal PC/PC Opal

Light Source SMD LED 14W 2700K 600Lm

Reader 3W, 2700K, 160Lm


CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20





20167 ●● Black/Negro + Satin Gold/Oro Satinado
20168 ●● Satin Gold/Oro Satinado + Black/Negro

Material Body Steel/Acero
Shade Steel/Acero

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17426/17496

Class II

IP 20


Cable 2 MT
180°



Floor
116



Suspended
138



20165-95 ●● Black/Negro + Satin Gold/Oro Satinado
20165-96 ●● Satin Gold/Oro Satinado + Black/Negro

Material Body Steel/Acero
Shade Steel/Acero

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17426/17496

Class II

IP 20

Cable 3.4 MT



indoor

Surface / Superficie



Slim by Àlex & Manel Llusçà



24502

● Matt White/Blanco Mate

Material Body Steel/Acero
Diff Opal Glass/Cristal Opal

Light Source SMD LED 20W 3000K 1150Lm

CRI >80


Driver incl. Yes


Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20

180°
↻



Suspended
144



Han

 by Goulafiguera


01000	●	Matt White/Blanco Mate
01001	●	Matt Black/Negro Mate
Material	Body	Steel/Acero
	Diff	Opal PMMA/PMMA Opal
Light Source		SMD LED 6W 2700K 500Lm
CRI		>80
Driver incl.		Yes
Class		I
Voltage (V/Hz)		100V-240V/50-60HZ
IP		20



Guest by Andreu Carulla



01045

 Matt Black/Negro Mate

Material Body Steel/Acero

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17429/17464

Class I

IP 20




Floor
118



Pure by Nahtrang



24527  Matt White/Blanco Mate

24528  Matt Black/Negro Mate

Material **Body** Steel/Acero
Diff Transparent PMMA/PMMA Transparente

Light Source SMD LED 6W 3000K 1150Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 20



Guadalupe by Faro Lab



20031-80

20031-81

● ○ Black/Negro + Beige

● ● Black/Negro + Green/Verde

Material

Body Steel/Acero

Shade Steel/Acero

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

I


IP

20

360°



Table&Floor
62



20032-80

20032-81

● ○ Black/Negro + Beige

● ● Black/Negro + Green/Verde

Material

Body Steel/Acero

Shade Steel/Acero

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Reader

1W, 3000K, 100Lm

Driver incl.

Yes

Class

I


Voltage (V/Hz)

100V-240V/50-60HZ

IP

20

360°










20065 ●● Textured Grey/Gris Texturizado + Black/Negro

Material **Body** Steel+Melamine/Acero+Melamina
Diff Opal PMMA/PMMA Opal
Light Source COB LED 10W 2700K 1021Lm
Dimmable W 6w - 10w / 690Lm - 1021Lm
Reader 3W, 2700K, 85Lm
CRI 90
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 45°



20066 ●● Textured Grey/Gris Texturizado + Black/Negro

Material **Body** Steel+Melamine/Acero+Melamina
Diff Opal PMMA/PMMA Opal
Light Source COB LED 10W 2700K 221Lm
Dimmable W 6w - 10w / 690Lm - 1021Lm
Reader 3W, 2700K, 85Lm
CRI 90
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 45°





Mood by Nahrang



20060 ● Oak/Roble

Material **Body** Steel+Wood/Acero+Madera

Light Source SMD LED 2W 3000K 105Lm

CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 20

Beam angle 45°



20061 ● Oak/Roble

Material **Body** Steel+Wood/Acero+Madera

Diff Opal PMMA/PMMA Opal

Light Source SMD LED 6W 3000K 67Lm


CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20



20062 ● Oak/Roble

Material **Body** Steel+Wood/Acero+Madera

Diff Opal PMMA/PMMA Opal

Light Source SMD LED max. 6W

Bulb incl. No

Reader 2W, 3000K, 67Lm


CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 20







1W 80lm



4W 250lm



7W 500lm



01009A

Material

01027A

Material

Light Source

Dimmable W

CRI

Driver incl.

Class

Voltage (V/Hz)

IP

● Matt White/Blanco Mate

Diff Opal Glass/Cristal Opal

● Matt White/Blanco Mate

Diff Opal PC/PC Opal

Body Aluminium+Wood/Aluminio+Madera

SMD LED 7W 3000K 500Lm

1w 80Lm / 4w 250Lm / 7w 500Lm

>80

Yes

II

100V-240V/50-60HZ

20





Table
50



01014A

Material

01026A

Material

Light Source

Dimmable W

CRI

Driver incl.

Class

Voltage (V/Hz)

IP

● Matt White/Blanco Mate

Diff Opal PMMA/PMMA Opal

● Matt White/Blanco Mate

Diff Opal PC/PC Opal

Body Aluminium+Wood/Aluminio+Madera

SMD LED 7W 3000K 500Lm

1w 80Lm / 4w 250Lm / 7w 500Lm


>80

Yes

II

100V-240V/50-60HZ

20







29844  Matt Black/Negro Mate + Cherry/Cerezo


Material **Body** Steel/Acero
Shade Wood/Madera

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17462

Class II

IP 20




Suspended Table&Floor
 130 68



29845  Matt Black/Negro Mate + Cherry/Cerezo

Material **Body** Steel/Acero
Shade Wood/Madera

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17462

Class II

IP 20

Cable 2.4 MT







29565  Matt Black/Negro Mate + Cherry/Cerezo

Material Shade Wood/Madera

29395  Matt Black/Negro Mate + Ash tree/Fresno

Material Shade Wood/Madera

Body Steel/Acero

Light Source SMD LED 6W 2700K 500Lm

Dimmable W 1w 100Lm / 3w 300Lm / 6w 600Lm


CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20



Touch dimmer



Suspended Table&Floor

132



66



29566  Matt Black/Negro Mate + Cherry/Cerezo

Material Shade Wood/Madera

29396  Matt Black/Negro Mate + Ash tree/Fresno

Material Shade Wood/Madera

Body Steel/Acero

Light Source SMD LED 6W 2700K 500Lm

Dimmable W 1w 100Lm / 3w 300Lm / 6w 600Lm


CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20



Touch dimmer





Samba by Faro Lab



- 64306-35 White/Blanco + Beige
- 64306-36 White/Blanco + Yellow/Amarillo
- 64306-37 White/Blanco + Green/Verde
- 64307-35 Black/Negro + Beige
- 64307-36 Black/Negro + Yellow/Amarillo
- 64307-37 Black/Negro + Green/Verde

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20




Suspended Table&Floor
164 80



- 64308-35 Matt White/Blanco Mate + Beige
- 64308-36 Matt White/Blanco Mate + Yellow/Amarillo
- 64308-37 Matt White/Blanco Mate + Green/Verde
- 64309-35 Matt Black/Negro Mate + Beige
- 64309-36 Matt Black/Negro Mate + Yellow/Amarillo
- 64309-37 Matt Black/Negro Mate + Green/Verde

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Reader 3W, 3000K, 280Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20







*Structures and shades also sold separately 748 / Estructuras y pantallas también se venden por separado 748



- 20300-92 Matt White/Blanco Mate + White/Blanco
- 20301-93 Matt Black/Negro Mate + Black/Negro
- 20301-94 Matt Black/Negro Mate + Green/Verde

Material **Body** Steel/Acero
Diff White Steel/Acero Blanco
Shade Textile/Textil


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20



- 20302-92 White/Blanco + White/Blanco
- 20303-93 Black/Negro + Black/Negro
- 20303-94 Black/Negro + Green/Verde

Material **Body** Steel/Acero
Diff Matt White Steel/Acero Blanco Mate
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Reader 3W, 3000K, 160Lm
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20






*Structures and shades also sold separately 748 / Estructuras y pantallas también se venden por separado 748



- 24030-01 Matt White/Blanco Mate + White/Blanco
- 24030-02 Matt White/Blanco Mate + Beige
- 24031-01 Shiny Chrome/Cromo Brillo + White/Blanco
- 24031-02 Shiny Chrome/Cromo Brillo + Beige
- 24031-03 Shiny Chrome/Cromo Brillo + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20




Table&Floor
84



- 24032-01 White/Blanco + White/Blanco
- 24032-02 White/Blanco + Beige
- 24033-01 Chrome/Cromo + White/Blanco
- 24033-02 Chrome/Cromo + Beige
- 24033-03 Chrome/Cromo + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Reader 3W, 2700K, 150Lm
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20





*Structures and shades also sold separately 748 / Estructuras y pantallas también se venden por separado 748



- 64306-01 White/Blanco + White/Blanco
- 64306-02 White/Blanco + Beige
- 64307-03 Black/Negro + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20



Suspended
166




Floor
83



- 64308-01 Matt White/Blanco Mate + White/Blanco
- 64308-02 Matt White/Blanco Mate + Beige
- 64309-03 Matt Black/Negro Mate + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Reader 3W, 3000K, 280Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20







64307-71 ●● Black/Negro + Rattan/Ratán

Material Body Steel/Acero
Shade Rattan/Ratán


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17426/17498 Smart Bulb
Class I
IP 20



Suspended
156



Table
54




NEW

64309-71 ●● Matt Black/Negro Mate + Rattan/Ratán

Material Body Steel/Acero
Shade Rattan/Ratán

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17426/17498 Smart Bulb
Class I
IP 20








64307-47  Matt Black/Negro Mate + Rattan/Ratán

Material **Body** Steel/Acero
Shade Rattan/Ratán
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20




Suspended Table&Floor
 160 78



64309-47  Matt Black/Negro Mate + Rattan/Ratán

Material **Body** Steel/Acero
Shade Rattan/Ratán
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Reader 3W, 3000K, 280Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20






*Structures and shades also sold separately 748 / Estructuras y pantallas también se venden por separado 748

Artis by Àlex & Manel Llusçà



- 68490-01 Old Bronze/Bronce Envejecido + White/Blanco
- 68490-02 Old Bronze/Bronce Envejecido + Beige
- 68490-03 Old Bronze/Bronce Envejecido + Black/Negro
- 68491-01 Shiny Chrome/Cromo Brillo + White/Blanco
- 68491-02 Shiny Chrome/Cromo Brillo + Beige
- 68491-03 Shiny Chrome/Cromo Brillo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20




Table&Floor
90




- 68492-01 Old Bronze/Bronce Envejecido + White/Blanco
- 68492-02 Old Bronze/Bronce Envejecido + Beige
- 68492-03 Old Bronze/Bronce Envejecido + Black/Negro
- 68493-01 Shiny Chrome/Cromo Brillo + White/Blanco
- 68493-02 Shiny Chrome/Cromo Brillo + Beige
- 68493-03 Shiny Chrome/Cromo Brillo + Black/Negro


Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Reader 1W, 3000K, 140Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20



- 68494-01 Bronze/Bronce + White/Blanco
- 68494-02 Bronze/Bronce + Beige
- 68494-03 Bronze/Bronce + Black/Negro
- 68495-01 Shiny Chrome/Cromo Brillo + White/Blanco
- 68495-02 Shiny Chrome/Cromo Brillo + Beige
- 68495-03 Shiny Chrome/Cromo Brillo

Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20





*Structures and shades also sold separately 748 / Estructuras y pantallas también se venden por separado 748

Eterna by Lucid Product Design



- 24005-10 Shiny Chrome/Cromo Brillo + White/Blanco
- 24005-11 Shiny Chrome/Cromo Brillo + Beige
- 24005-12 Shiny Chrome/Cromo Brillo + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 20



Table 53



- 24006-10 Chrome/Cromo + White/Blanco
- 24006-11 Chrome/Cromo + Beige
- 24006-12 Chrome/Cromo + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Reader 1W, 2700K, 90Lm

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20



- 24007-10 Chrome/Cromo + White/Blanco
- 24007-11 Chrome/Cromo + Beige
- 24007-12 Chrome/Cromo + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb


Reader 1W, 2700K, 90Lm


Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20






*Structures and shades also sold separately 748 / Estructuras y pantallas también se venden por separado 748



- 29680-19 Matt Nickel/Níquel Mate + White/Blanco
- 29680-20 Matt Nickel/Níquel Mate + Beige
- 29680-21 Matt Nickel/Níquel Mate + Black/Negro
- 29681-19 Old Gold/Oro Viejo + White/Blanco
- 29681-20 Old Gold/Oro Viejo + Beige
- 29681-21 Old Gold/Oro Viejo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20




Table&Floor
88



- 29682-19 Matt Nickel/Níquel Mate + White/Blanco
- 29682-20 Matt Nickel/Níquel Mate + Beige
- 29682-21 Matt Nickel/Níquel Mate + Black/Negro
- 29683-19 Old Gold/Oro Viejo + White/Blanco
- 29683-20 Old Gold/Oro Viejo + Beige
- 29683-21 Old Gold/Oro Viejo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Reader 4W, 3000K, 120Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20





*Structures and shades also sold separately 748 / Estructuras y pantallas también se venden por separado 748


Frame by Nahtrang



- 20170-01 Matt Nickel/Níquel Mate + White/Blanco
- 20170-02 Matt Nickel/Níquel Mate + Beige
- 20170-03 Matt Nickel/Níquel Mate + Black/Negro
- 20171-01 Old Gold/Oro Viejo + White/Blanco
- 20171-02 Old Gold/Oro Viejo + Beige
- 20171-03 Old Gold/Oro Viejo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20



- 20172-01 Matt Nickel/Níquel Mate + White/Blanco
- 20172-02 Matt Nickel/Níquel Mate + Beige
- 20172-03 Matt Nickel/Níquel Mate + Black/Negro
- 20173-01 Old Gold/Oro Viejo + White/Blanco
- 20173-02 Old Gold/Oro Viejo + Beige
- 20173-03 Old Gold/Oro Viejo + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Reader 3W, 3000K, 100Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20





*Structures and shades also sold separately 748 / Estructuras y pantallas también se venden por separado 748



20031-88 ●● Black/Negro + Beige



Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 20
360°  



Table&Floor
96



20032-88 ●● Black/Negro + Beige

29996 ●● Shiny Chrome/Cromo Brillo + White/Blanco

Material **Body** Steel/Acero
Shade Steel/Acero

Light Source 1 E27 max. 15W

Bulb incl. No



Recom. Bulb 17463/17498 Smart Bulb


Reader 1W, 3000K, 100Lm

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20
360°  








29991 ●● Satin Nickel/Níquel Satinado + Beige

Material **Body** Steel/Acero
Shade Textile/Textil


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17462
Reader 1W, 4000K, 80Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20



29992 ●● Satin Nickel/Níquel Satinado + Beige


Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17462
Reader 1W, 4000K, 80Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20





Ron by Pepe Llaudet



Switch



- 64400-10 ● Dark Grey/Gris Oscuro + White/Blanco
- 64400-11 ● Dark Grey/Gris Oscuro + Beige
- 64400-12 ● Dark Grey/Gris Oscuro + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 20



Blome by Estudi Ribaudí



62099

●● Matt White/Blanco Mate + White/Blanco

62100

●● Matt Black/Negro Mate + Black/Negro

Material**Body** Steel/Acero**Diff** Opal Glass/Cristal Opal**Shade** Textilene**Light Source**

SMD LED 3W 3000K 150Lm

CRI

>90

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

20






64302
64303

- Matt White/Blanco Mate + White/Blanco
- Matt Black/Negro Mate + Black/Negro

Material **Body** Steel/Acero
Diff White Steel/Acero Blanco
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20




64304
64305

- Matt White/Blanco Mate + White/Blanco
- Matt Black/Negro Mate + Black/Negro

Material **Body** Steel/Acero
Diff Matt White Steel/Acero Blanco Mate
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Reader 3W, 3000K, 200Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20







29940 ●● Matt White/Blanco Mate + White/Blanco
 29945 ●● Matt Black/Negro Mate + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463

Class I

IP 20



Suspended Table&Floor
 173 104



29941 ●● Matt White/Blanco Mate + White/Blanco
 29946 ●● Matt Black/Negro Mate + Black/Negro

Material **Body** Steel/Acero
Diff White/Blanco
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463


Reader 1W, 3500K, 80Lm

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20





Room by Àlex & Manel Lluscà



29974
29975

- Satin Nickel/Níquel Satinado + White/Blanco
- Satin Nickel/Níquel Satinado + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 20



29976
29977

- Satin Nickel/Níquel Satinado + White/Blanco
- Satin Nickel/Níquel Satinado + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463


Reader 3W, 3000K, 200Lm

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20







20021
20022


●● Matt White/Blanco Mate + White/Blanco
●● Matt Black/Negro Mate + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20



Table&Floor
106




20023
20024

●● Matt White/Blanco Mate + White/Blanco
●● Matt Black/Negro Mate + Black/Negro

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Reader 3W, 3000K, 200Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20








29980 ●● Matt White/Blanco Mate + Beige
29981 ●● Brown/Marrón + Beige

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E14 max. 8W
Bulb incl. No
Recom. Bulb 17461
Class I
IP 20




Suspended 174
Table&Floor 92



29982 ●● Brown/Marrón + Beige
29983 ●● Matt White/Blanco Mate + Beige

Material **Body** Steel/Acero
Diff Beige Textile/Textil Beige
Shade Textile/Textil

Light Source 1 E14 max. 8W
Bulb incl. No
Recom. Bulb 17461
Reader 1W, 3000K, 120Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20







29326
29327
29328

- Matt White/Blanco Mate + White/Blanco
- Matt Black/Negro Mate + Black/Negro
- Satin Nickel/Níquel Satinado + White/Blanco

Material

Body Steel/Acero
Diff White Steel/Acero Blanco
Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class


I

IP

20



Table&Floor
102



29329
29330
29331

- Matt White/Blanco Mate + White/Blanco
- Matt Black/Negro Mate + Black/Negro
- Satin Nickel/Níquel Satinado + White/Blanco

Material

Body Steel/Acero
Diff Matt White Steel/Acero Blanco Mate
Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Reader

3W, 3000K, 200Lm

Driver incl.

Yes

Class


I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

20







29936

29952

29953

●● Satin Nickel/Níquel Satinado + White/Blanco

●● Matt White/Blanco Mate + White/Blanco

●● Matt Black/Negro Mate + Black/Negro

Material

Body Steel/Acero

Diff White Textile/Textil Blanco

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class


I

IP

20



Table&Floor
100



29935

29950

29951

●● Satin Nickel/Níquel Satinado + White/Blanco

●● Matt White/Blanco Mate + White/Blanco

●● Matt Black/Negro Mate + Black/Negro

Material

Body Steel/Acero

Diff White Textile/Textil Blanco

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

4W, 3000K, 120Lm

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

20








Hanna

64301

●● Satin Nickel/Níquel Satinado + White/Blanco

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	20




Hanna

64300

●● Satin Nickel/Níquel Satinado + White/Blanco

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Reader	3W, 3000K, 250Lm
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	20



Thana

68532

●● Satin Nickel/Níquel Satinado + White/Blanco

Material	Body Steel/Acero
	Shade Textile/Textil
Light Source	1 E14 max. 8W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	20




Suspended Table & Floor

184



114





Moma

68504

● Shiny Chrome/Cromo Brillo + White/Blanco

68505

● Shiny Chrome/Cromo Brillo + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class


I

IP

20



Table&Floor
110



Moma

68506

● Shiny Chrome/Cromo Brillo + White/Blanco

68507

● Shiny Chrome/Cromo Brillo + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Reader

1W, 6000K, 80Lm

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

20



Tira

64322

● Matt White/Blanco Mate + White/Blanco

64323

● Matt Black/Negro Mate + Black/Negro

Material

Body Steel+Aluminium+Silicone/Acero+Aluminio+Silicona

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Reader

3W, 3000K, 280Lm

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

20



Handy by Jordi Blasi



28413 ●● Matt White/Blanco Mate + White/Blanco

Material **Body** Steel/Acero
Shade Textile/Textil



Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 20

28414 ●● Matt White/Blanco Mate + White/Blanco

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb




Reader 3W, 3000K, 40Lm

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20

28415 ●● Matt White/Blanco Mate + White/Blanco

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb


Reader 3W, 3000K, 40Lm

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20










Sahara


62705

62706

-  Shiny Chrome/Cromo Brillo + Beige
-  Shiny Chrome/Cromo Brillo + White/Blanco

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20




Essential

29340

-  Satin Nickel/Níquel Satinado + White/Blanco

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20




Essential

29341

-  Satin Nickel/Níquel Satinado + White/Blanco

Material **Body** Steel/Acero
Shade Textile/Textil

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Reader 3W, 2700K, 200Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20





Saba

68544

●● Satin Nickel/Níquel Satinado + Black/Negro

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class


I

IP

20

Suspended Table&Floor
184

108



Mitic

68420

●● Satin Nickel/Níquel Satinado + Beige

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E14 max. 8W

Bulb incl.

No

Recom. Bulb


17461

Class

I

IP

20

Table&Floor
112

Roda

62988

●● Satin Nickel/Níquel Satinado + White/Blanco

Material

Body Steel/Acero

Shade Textile/Textil

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb



Class

I

IP


20





- 68467 Matt White/Blanco Mate
- 68468 Matt Black/Negro Mate

Material Body Steel/Acero
Light Source COB LED 3W 2700K 240 Lm
CRI =80
Driver incl. Yes
Class I
Voltage (V/Hz) 220V- 240V/50-60HZ
IP 20
Beam angle 45°
 350° 90°







62115 ● Matt White/Blanco Mate

Material Body Steel/Acero
Diff Opal PC/PC Opal

Light Source SMD LED 8W 2700K 300Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20



Pixie by Nahtrang



24015

● Matt White/Blanco Mate

24016

● Matt Black/Negro Mate

Material**Body** Aluminium/Aluminio**Light Source**

HIGH POWER LED 2W 2700K 90Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)



100V-240V/50-60HZ


IP

20

Beam angle

45°







Boc

62707
62708
62709
62710
62711

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Satin Nickel/Níquel Satinado
- Shiny Chrome/Cromo Brillo
- Bronze/Bronce

Material Body Aluminium+Steel/Aluminio+Acero
Light Source HIGH POWER LED 3W 3000K 130Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 220V- 240V/50-60HZ
IP 20





Rob

68497
68499

- Bronze/Bronce
- Satin Nickel/Níquel Satinado

Material Body Steel+Aluminium/Acero+Aluminio
Light Source HIGH POWER LED 3W 3000K 160Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20





Rob

68496
68498

- Bronze/Bronce + Opal
- Satin Nickel/Níquel Satinado + Opal

Material Body Steel+Aluminium/Acero+Aluminio
Shade PMMA
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Reader 3W, 3000K, 160Lm
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20







Flin

64318
64319

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Steel+Aluminium+Silicone/Acero+Aluminio+Silicona
Light Source HIGH POWER LED 3W 3000K 280Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 30°





Loke

40994
41019
41020

- Shiny Chrome/Cromo Brillo
- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium+Steel/Aluminio+Acero
Light Source HIGH POWER LED 3W 3000K 150Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 30°





Loke

40996

- Shiny Chrome/Cromo Brillo

Material Body Aluminium+Steel/Aluminio+Acero
Light Source HIGH POWER LED 3W 3000K 150Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 30°
Cut out ø60






Pepper

64168
64169

- Beige
- Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17462
Class II
IP 20
Cable 1.7 MT
 360° 180°





Lena

52059
52061

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body PC+Aluminium+Silicone/PC+Aluminio+Silicona
Light Source SMD LED 3W 4000K 300Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 30°
Cable 1.8 MT
 360° 360°




Juliet

41025N

- Shiny Chrome/Cromo Brillo

Material Body Aluminium+Steel/Aluminio+Acero
Light Source HIGH POWER LED 3W 3000K 150Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 30°




Studio by Nahrang



- 51133  Matt Black/Negro Mate
 51134  Shiny Chrome/Cromo Brillo
 51135  Shiny White/Blanco Brillo

Material Body Aluminium+ABS/Aluminio+ABS
Light Source 1 E14 max. 8W
Bulb incl. No
Recom. Bulb 17461
Class II
IP 20
Cable 1.6 MT




Accessories/Accesorios



Wall accessory/Accesorio aplique




51129






Bel

41028
41029
41030



-  Shiny Chrome/Cromo Brillo
-  Matt White/Blanco Mate
-  Matt Black/Negro Mate

Material Body Aluminium+Steel/Aluminio+Acero
Light Source HIGH POWER LED 3W 3000K 150Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 30°




Boken

41031
41032

-  Matt White/Blanco Mate
-  Matt Black/Negro Mate

Material Body Aluminium+Steel+Silicone/Aluminio+Acero+Silicona
Light Source HIGH POWER LED 3W 3000K 150Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 30°




Leser

41026

-   Matt Nickel/Níquel Mate + Matt Black/Negro Mate

Material Body Aluminium+Steel+Silicone/Aluminio+Acero+Silicona
Light Source COB LED 5W 3000K 300Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 36°







Sami

41023

● Matt White/Blanco Mate

Material	Body Aluminium+Steel+Silicone/Aluminio+Acero+Silicona
Light Source	HIGH POWER LED 3W 2700K 120Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	20
Beam angle	30° 350°




Kale

62703

● Matt Black/Negro Mate

Material	Body Aluminium+Steel+Silicone/Aluminio+Acero+Silicona
Light Source	HIGH POWER LED 3W 3000K 180Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	20
Beam angle	45°





Lead

62704

●● Old Gold/Oro Viejo + Brown/Marrón

Material	Body Aluminium+Leather/Aluminio+Piel
Light Source	COB LED 3W 3000K 180Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	20
Beam angle	45°





2 Installation Modes / 2 Modos de instalación

- 62360 White/Blanco
- 62361 Black/Negro

Material Body Steel/Acero
Shade Steel/Acero



Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17462

Class II

IP 20





Press by Jordi Blasi



- 62350 Shiny White/Blanco Brillo
- 62351 Matt Black/Negro Mate
- 62352 Shiny Yellow/Amarillo Brillo
- 62353 Shiny Red/Rojo Brillo

Material Body Aluminium/Aluminio
Light Source SMD LED 3W 3000K 180Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20





Le Petit by Àlex & Manel Llusçà

Thanks to MIKMAX





- 62161 Matt White/Blanco Mate
- 62162 Matt Black/Negro Mate
- 62163 Satin Gold/Oro Satinado
- 62164 Bronze/Bronce

Material Body Steel/Acero
Light Source SMD LED 4W 3000K 130Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20



Nit

 by Goulafiguera




01003  Matt White/Blanco Mate
01004  Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17429/17464
Class II
IP 20
Cable 1.7 MT








01005  Matt White/Blanco Mate
01006  Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17429/17464
Class II
IP 20
Cable 1.7 MT






Recessed/Empotrable

- 62111  Bronze/Bronce
- 62114  Satin Gold/Oro Satinado
- 62126  Satin Nickel/Niquel Satinado
- 62128  Matt Black/Negro Mate
- 62129  Matt White/Blanco Mate


Material Body Steel/Acero
Light Source HIGH POWER LED 3W 3000K 140Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 30°
Cut out 80x155x43
 350° 90°







USB charger/Cargador USB

- 62116  Matt Black/Negro Mate
- 62117  Matt White/Blanco Mate


Material Body Aluminium+Steel/Aluminio+Acero
Light Source HIGH POWER LED 3W 3000K 140Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 30°
 350° 90°




Surface/Superficie

- 62104  Bronze/Bronce
- 62118  Matt Black/Negro Mate
- 62120  Matt White/Blanco Mate
- 62121  Grey/Gris

Material Body Steel/Acero
Light Source HIGH POWER LED 3W 3000K 140Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20
Beam angle 30°
 350° 90°









Left reader/Lector izquierdo

- 62124 Matt White/Blanco Mate
- 62125 Grey/Gris

Material Body Aluminium+Steel/Aluminio+Acero
Light Source HIGH POWER LED 3W 3000K 140Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20

Beam angle 30°
 350° 90°




Right reader/Lector derecho

- 62122 Matt White/Blanco Mate
- 62123 Grey/Gris

Material Body Aluminium+Steel/Aluminio+Acero
Light Source HIGH POWER LED 3W 3000K 140Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20

Beam angle 30°
 350° 90°







Thanks to MIKMAX



62355

● Matt White/Blanco Mate

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17462/17498 Smart Bulb
Class I
IP 20



Smile

 by Jordi Busquets


62130

● Matt White/Blanco Mate

62131

● Matt Black/Negro Mate

Material**Body** Steel/Acero**Light Source**

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb



17463/17498 Smart Bulb

Class

II

IP

20





Well

64030

● Matt White/Blanco Mate

Material

Body Aluminium+PP/Aluminio+PP

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 7W 2700K 340Lm

CRI

90

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50HZ

IP

20



Corb

40135

● Matt White/Blanco Mate

40136

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb


17316/17320

Class

I

IP

20








Eres

64026

● Matt White/Blanco Mate

Material	Body Steel/Acero
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	20



Ovo by Estudi Ribaudí

62105

● Matt White/Blanco Mate

Material	Body Steel/Acero
Light Source	1 R7S 78mm max. 8W
Bulb incl.	No
Recom. Bulb	17499
Class	I
IP	20
	↔ 20°




Ovo by Estudi Ribaudí

62108

● Matt White/Blanco Mate

Material	Body Steel/Acero
Light Source	1 R7S 118mm max. 15W
Bulb incl.	No
Recom. Bulb	17497
Class	I
IP	20
	↔ 20°








Cotton

66405
66406

- Matt White/Blanco Mate + Beige
- Matt White/Blanco Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil
Light Source 2 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20




Cotton

66407
66408

- Matt White/Blanco Mate + Beige
- Matt White/Blanco Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20




Cotton

66409
66410

- Matt White/Blanco Mate + Beige
- Matt White/Blanco Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil
Light Source 2 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20








Cotton

66403

66404

- Matt White/Blanco Mate + Beige
- Matt White/Blanco Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20




Cotton

66411

66412

- Matt White/Blanco Mate + Beige
- Matt White/Blanco Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20




Cotton

66413

66414

- Matt White/Blanco Mate + Beige
- Matt White/Blanco Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil
Light Source 2 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20




Cotton

66415

66416

- Matt White/Blanco Mate + Beige
- Matt White/Blanco Mate + Black/Negro

Material Body Steel/Acero
Shade Textile/Textil
Light Source 2 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20








- 62150 Matt White/Blanco Mate
- 62151 Matt Black/Negro Mate
- 62152 Old Gold/Oro Viejo
- 62153 Satin Gold/Oro Satinado
- 62154 Shiny Copper/Cobre Brillo
- 62155 Satin Nickel/Níquel Satinado

Material Body Aluminium/Aluminio
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17429/17464
Class II
IP 20




Table 49



- 62170 Matt White/Blanco Mate
- 62171 Matt Black/Negro Mate
- 62172 Old Gold/Oro Viejo

Material Body Aluminium/Aluminio
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17429/17464
Class II
IP 20









Homs

63167

● Matt White/Blanco Mate

Material Body Steel/Acero
Light Source 1 R7S 78mm max. 8W
Bulb incl. No
Recom. Bulb 17499
Class I
IP 20




Kera


62300

● Shiny White/Blanco Brillo

62301

● Shiny Black/Negro Brillo

Material Body Ceramic/Cerámica
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class II
IP 20



Sera


62302

● Shiny White/Blanco Brillo

62303

● Shiny Black/Negro Brillo

Material Body Ceramic/Cerámica
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17464
Class II
IP 20






Loa

62809

● Matt Black/Negro Mate + Matt Black/Negro Mate

Material	Body Steel/Acero
	Shade Steel/Acero
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	20




Hudson

62810

● Shiny Black/Negro Brillo

Material	Body Steel/Acero
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	20



Marina


60005

● Matt Black/Negro Mate

Material	Body Steel/Acero
	Diff Transparent Glass/Cristal Transparente
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17428
Class	II
IP	20



Suspended
181






Linda by Estudi Ribaudí

29306 Matt White/Blanco Mate + Beige
 29310 Matt Black/Negro Mate + Beige

Material Body Steel/Acero
Shade Textile/Textil
Light Source 2 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20



Suspended 171
 Table&Floor 94




Retro by Àlex & Manel Llusçà

20045 Matt Copper/Cobre Mate
 20049 Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 E14 max. 8W
Bulb incl. No
Recom. Bulb 17461
Class I
IP 20
 350° 90°




Suspended 134



Sac by Àlex & Manel Llusçà

66191 Dark Brown/Marrón Oscuro + Beige

Material Body Steel/Acero
Shade Textile/Textil
Light Source 2 E14 max. 8W
Bulb incl. No
Recom. Bulb 17461
Class I
IP 20








Celia

40070

● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 E14 max. 8W
Bulb incl. No
Recom. Bulb 17461
Class II
IP 20
Cable 1.8 MT





List

60000

● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20



Nudos


68138

● Dark Brown/Marrón Oscuro

Material Body Steel+Jute/Acero+Yute
Diff Transparent Glass/Cristal Transparente
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17462
Class II
IP 20



Suspended
181



Marlin


65133

●● Matt Black/Negro Mate + Old Gold/Oro Viejo

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17429
Class I
IP 20



Suspended
179



indoor

Surface / Superficie




Ras

62807

● Shiny Black/Negro Brillo

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20
Cable 2 MT
 200° 90°




Petra

40062

◆ Shiny Chrome/Cromo Brillo

Material Body Steel/Acero
Light Source 1 E14 max. 8W
Bulb incl. No
Recom. Bulb 17461
Class I
IP 20
Cable 0.8 MT
 160° 90°



Snap

57402

● White/Blanco



57403

● Dark Grey/Gris Oscuro

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class II
IP 20



Table 56



Remake



50121


● Matt Black/Negro Mate

50122

◆ Shiny Chrome/Cromo Brillo

Material Body Steel/Acero
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 20





Board

01040 ● Blackboard/Pizarra

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 7W 2700K 45Lm



CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20



Board

01041 ● Blackboard/Pizarra

Material Body Steel/Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 10W 2700K 67Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20









- 01205 ● Bordeaux/Burdeos
- 01207 ● Grey/Gris

Material **Body** Aluminium+Foam/Aluminio+Espuma
Diff Opal PMMA/PMMA Opal
Shade Textile/Textil


Light Source SMD LED 7W 2700K 45Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20



- 01206 ● Bordeaux/Burdeos
- 01208 ● Grey/Gris

Material **Body** Aluminium+Foam/Aluminio+Espuma
Diff Opal PMMA/PMMA Opal
Shade Textile/Textil

Light Source SMD LED 10W 2700K 67Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20







Lise


29888

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio
Light Source	COB LED 12W 2700K 740Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	20
Beam angle	80°



Suspended
182



Stan

43748

● Matt White/Blanco Mate

43749

● Matt Black/Negro Mate

43759

● Satin Gold/Oro Satinado

Material	Body Aluminium/Aluminio
Light Source	1 GU10 max. 8W
Bulb incl.	No
Recom. Bulb	17320/97685327
Class	I
IP	20



Ceiling
207



Recessed
374




Spot
346



Suspended
182



Track
386



Stan

43750

● Matt White/Blanco Mate



43751

● Matt Black/Negro Mate

43760

● Satin Gold/Oro Satinado

Material	Body Aluminium/Aluminio
Light Source	2 GU10 max. 8W
Bulb incl.	No
Recom. Bulb	17320/97685327
Class	I
IP	20








Conik by Àlex & Manel Llusçà

64219 ● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal
Light Source SMD LED 8W 3000K 800Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20




Nash

62819 ● Matt White/Blanco Mate

62821 ● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source SMD LED 8W 3000K 450Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 220V- 240V/50-60HZ
IP 20




Nash

62820 ● Matt White/Blanco Mate

62822 ● Matt Black/Negro Mate


Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source SMD LED 16W 3000K 990Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 220V- 240V/50-60HZ
IP 20



Dallas

63199 ● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal
Light Source COB LED 5W 3000K 435Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20








Chera

63173

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source 1 R7S 78mm max. 8W
Bulb incl. No
Recom. Bulb 17499
Class I
IP 20





Chera

63174

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source 1 G9 max. 6W
Bulb incl. No
Recom. Bulb 17466
Class I
IP 20




Chera

63175

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source 1 R7S 78mm max. 8W
Bulb incl. No
Recom. Bulb 17499
Class I
IP 20




Eaco

63176

● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source 1 G9 max. 6W
Bulb incl. No
Recom. Bulb 17466
Class I
IP 20




**Eaco**

63177

● Matt White/Blanco Mate


Material	Body Plaster/Yeso
Light Source	2 G9 max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	I
IP	20

**Eaco**

63178

● Matt White/Blanco Mate


Material	Body Plaster/Yeso
Light Source	1 R7S 78mm max. 8W
Bulb incl.	No
Recom. Bulb	17499
Class	I
IP	20

**Oslo**

63284

● Matt White/Blanco Mate


Material	Body Plaster/Yeso
Light Source	1 G9 max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	I
IP	20

**Olaf**

63278

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
	Diff Opal PC/PC Opal
Light Source	2 E14 max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	I
IP	20






Snow

63285

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
Light Source	1 E14 max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	I
IP	20




Elsa

63279

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
	Diff Opal PC/PC Opal
Light Source	SMD LED 8W 3000K 300Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	20





Cove

63480

● White/Blanco

Material	Body Plaster/Yeso
Light Source	SMD LED 4W 3000K 270Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	230V/50HZ
IP	20







Tera

63184

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
Light Source	SMD LED 6W 2700K 530Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	20




Luna

63225

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
	Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 5W 2700K 300Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	20



Kamen


63311

● Beige

63312

● Grey/Gris

Material	Body Concrete/Cemento
Light Source	1 G9 max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	I
IP	20





Magritte

- 61080 Satin Nickel/Níquel Satinado
- 61083 Old Gold/Oro Viejo
- 61086 Matt Black/Negro Mate

Material Body Aluminium+Steel/Aluminio+Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 6W 3000K 380Lm


CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20
↙ 90°



Magritte

- 61081 Satin Nickel/Níquel Satinado
- 61084 Old Gold/Oro Viejo
- 61087 Matt Black/Negro Mate

Material Body Aluminium+Steel/Aluminio+Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 8W 3000K 500Lm


CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20
↙ 90°



Magritte

- 61082 Satin Nickel/Níquel Satinado
- 61085 Old Gold/Oro Viejo
- 61088 Matt Black/Negro Mate

Material Body Aluminium+Steel/Aluminio+Acero
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 12W 3000K 750Lm


CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20
↙ 90°





Liria

63156

● Satin Nickel/Níquel Satinado

Material
Body Steel/Acero

Diff Opal Glass/Cristal Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

20



Diula

62986

● Satin Nickel/Níquel Satinado

Material
Body Steel/Acero

Diff Opal Glass/Cristal Opal

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

20



Diula

62987

●● Satin Nickel/Níquel Satinado + White/Blanco

Material
Body Steel/Acero

Diff Opal Glass/Cristal Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

20









NEW

IP44



Perla by Àlex & Manel Lluscà


- 40085  Old Gold/Oro Viejo
- 40086  Shiny Chrome/Cromo Brillo
- 40087  Bronze/Bronce
- 40088 NEW  Black/Negro

Material	Body Steel/Acero Diff Opal Glass/Cristal Opal
Light Source	1 G9 max. 6W
Bulb incl.	No
Recom. Bulb	17443
Class	II
IP	44





IP44

Bianca by Àlex & Manel Lluscà

- 63510  Shiny Chrome/Cromo Brillo

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	1 G9 max. 6W
Bulb incl.	No
Recom. Bulb	17443
Class	II
IP	44



IP44

Brume by Àlex & Manel Lluscà

- 40076  Anthracite/Antracita


Material	Body Steel/Acero Diff Opal Glass/Cristal Opal
Light Source	SMD LED 3W 2700K 200Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	44



Ceiling
213




Suspended
177



in floor

Surface / Superficie





IP44



Gala

63504

Shiny Chrome/Cromo Brillo

63505

Satin Gold/Oro Satinado

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

1 G9 max. 6W

Bulb incl.

No

Recom. Bulb


17495

Class

II

IP

44



IP44

Lago

63503

Shiny Chrome/Cromo Brillo

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

1 G9 max. 6W

Bulb incl.

No

Recom. Bulb


17495

Class

II

IP

44



IP44

Edge

63500

Shiny Chrome/Cromo Brillo

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 8W 4000K 500Lm

CRI

>80

Driver incl.

Yes

Class


II

Voltage (V/Hz)

100V-240V/50-60HZ

IP

44



IP44

Edge

63502

Shiny Chrome/Cromo Brillo

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 18W 4000K 1300Lm

CRI

>80

Driver incl.

Yes

Class


II

Voltage (V/Hz)

100V-240V/50-60HZ

IP

44









Volga

63507
63512

 Shiny Chrome/Cromo Brillo
 Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 5W 3000K 350Lm


CRI >80

Driver incl. Yes

Class II



Voltage (V/Hz) 100V-240V/50-60HZ

IP 44



Volga

63508
63513

 Shiny Chrome/Cromo Brillo
 Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 12W 3000K 850Lm


CRI >80

Driver incl. Yes

Class II



Voltage (V/Hz) 100V-240V/50-60HZ

IP 44



Volga

63509
63514

 Shiny Chrome/Cromo Brillo
 Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 18W 3000K 1300Lm


CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ



IP 44







Danubio

63600  Shiny Chrome/Cromo Brillo
 63603  Bronze/Bronce

Material Body Aluminium/Aluminio
 Diff Opal Glass/Cristal Opal

Light Source SMD LED 9W 2700K 600Lm


CRI >80

Driver incl. Yes



Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 44



Danubio

63601  Shiny Chrome/Cromo Brillo
 63604  Bronze/Bronce

Material Body Aluminium/Aluminio
 Diff Opal Glass/Cristal Opal

Light Source SMD LED 12W 2700K 800Lm


CRI >80

Driver incl. Yes



Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 44



Danubio

63602  Shiny Chrome/Cromo Brillo
 63605  Bronze/Bronce

Material Body Aluminium/Aluminio
 Diff Opal Glass/Cristal Opal

Light Source SMD LED 18W 2700K 1080Lm


CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 44







IP44

Indo

63146

 Shiny Chrome/Cromo Brillo

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 9W 4000K 600Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	44



IP44

**Nilo**


63316

 Matt Black/Negro Mate

63318

 Shiny Chrome/Cromo Brillo

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 12W 3000K 950Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	44



IP44

**Nilo**


63317

 Matt Black/Negro Mate

63319

 Shiny Chrome/Cromo Brillo

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 18W 3000K 1400Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	44





indoor

interior

Spotlights Focos





Stan

43726
43727

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material **Body** Aluminium/Aluminio
Diff Transparent PC/PC Transparente
Light Source COB LED 12W 2700K 1200Lm
CRI >90
Driver incl. Yes
Class I
Voltage (V/Hz) 220V- 240V/50-60HZ
IP 20




Stan

43722
43723
43762

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Satin Gold/Oro Satinado

Material **Body** Aluminium+ABS/Aluminio+ABS
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20



Ceiling
207



Recessed
374



Suspended
182



Track
386



Wall
326

Accessories/Accesorios



Ring/Anillo

43728
43729

- Matt White/Blanco Mate
- Matt Gold/Oro Mate

Material **Body** ABS



Honey comb/Panel de abeja

43730

Material **Body** Aluminium/Aluminio



Linear spread lens/Lente difusor eliptica

43732

Material **Body** Glass/Cristal



Spread lens/Lente difusor

43731

Material **Body** Glass/Cristal



Stan

43740

● Matt White/Blanco Mate

43741

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb


17320/97685327

Class

I

IP

20



Stan

43742

● Matt White/Blanco Mate

43743

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Light Source

2 GU10 max. 8W

Bulb incl.

No

Recom. Bulb




17320/97685327

Class

I

IP

20



Stan

43744

● Matt White/Blanco Mate

43745

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Light Source

3 GU10 max. 8W

Bulb incl.

No

Recom. Bulb



17320/97685327

Class

I

IP

20





- 29873 Matt White/Blanco Mate
- 29874 Matt Black/Negro Mate
- 29897 Bronze/Bronce

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20



Ceiling
202




Table&Floor
70



Track
384





Wall
348



- 29875 Matt White/Blanco Mate
- 29876 Matt Black/Negro Mate



Material Body Steel/Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20







29039
29040

-  Matt Black/Negro Mate
-  Matt White/Blanco Mate

Material Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 4W 3000K 400Lm


CRI >80

Driver incl. Yes



Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 20

29041
29042

-  Matt Black/Negro Mate
-  Matt White/Blanco Mate

Material Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 9W 3000K 400Lm


CRI >80

Driver incl. Yes



Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 20

29043
29044

-  Matt Black/Negro Mate
-  Matt White/Blanco Mate

Material Body Aluminium+ABS/Aluminio+ABS
Diff Opal PMMA/PMMA Opal


Light Source SMD LED 13W 3000K 400Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 20








Coco by Faro Lab



40660
40661
40662
40663

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Matt Black/Negro Mate + Green/Verde
- Matt Black/Negro Mate + Terracotta/Terracota



Material Body ABS+Steel/ABS+Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20



40664
40665

- Matt White/Blanco Mate
- Matt Black/Negro Mate



Material Body ABS+Steel/ABS+Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20



40666
40667


- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body ABS+Steel/ABS+Acero
Light Source 3 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20






Stone by Àlex & Manel Llusçà



43500 ● Grey/Gris

Material Body Concrete+Steel/Cemento+Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I


IP 20
 350° 90°



43501 ● Grey/Gris

Material Body Concrete+Steel/Cemento+Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I


IP 20
 350° 90°



43502 ● Grey/Gris


Material Body Concrete+Steel/Cemento+Acero
Light Source 3 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I

IP 20
 350° 90°






Orleans by Nahrang



- 43520
- 43521
- 43522

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Shiny Chrome/Cromo Brillo


Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20



Ceiling
202





Track
384



- 43523
- 43525

- Matt White/Blanco Mate
- Shiny Chrome/Cromo Brillo



Material Body Steel/Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20



- 43527
- 43528

- Matt Black/Negro Mate
- Shiny Chrome/Cromo Brillo

Material Body Steel/Acero
Light Source 3 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20








- 40550 Matt White/Blanco Mate
- 40551 Dark Grey/Gris Oscuro
- 40552 Satin Nickel/Níquel Satinado

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20




Track 384





- 40553 Matt White/Blanco Mate
- 40554 Dark Grey/Gris Oscuro
- 40555 Satin Nickel/Níquel Satinado

Material Body Steel/Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20



- 40556 Matt White/Blanco Mate
- 40557 Dark Grey/Gris Oscuro

Material Body Steel/Acero
Light Source 3 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20







indoor

interior

Recessed Empotrables

Domino by Aldanondoyfdez



63313 ● Matt White/Blanco Mate

Material Body Plaster/Yeso
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 6W 2700K 200Lm

CRI 90


Driver incl. Yes


Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20

Cut out 265x160








Neu

63286

● Matt White/Blanco Mate

Material	Body Plaster/Yeso
Light Source	1 GU5.3 MR16 max. 8W
Bulb incl.	No
Recom. Bulb	97686227
Socket incl.	Yes
Class	III
IP	20
Cut out	ø160 30°



Nord


63290

● Matt White/Blanco Mate

Material	Body Plaster/Yeso Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 18W 3000K 1100Lm
CRI	>80
Driver incl.	No
Recom. Driver	98310118LC
Class	III
IP	20
Cut out	ø305



*Drivers info pag. 746-747




Signal

02100101

● Satin Nickel/Níquel Satinado

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 3W 3000K 102Lm
CRI	>80
Recom. Driver	98310103
Class	III
IP	65
Beam angle	36°
Cut out	49x55

Recessed box/Caja de empotrar
02100101C



*Drivers info pag. 746-747




Navi

63481

● White/Blanco

Material	Body Plaster/Yeso
Light Source	SMD LED 10W 3000K 630Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
Cut out	273x273






*Drivers info pag. 746-747

Plas

63283 ● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source HIGH POWER LED 1W 3000K 112Lm
CRI >80
Driver incl. No
Recom. Driver 98310103
Class III
IP 20
Cut out 155x110




*Drivers info pag. 746-747

Plas

63490 ● White/Blanco

Material Body Plaster/Yeso
Light Source HIGH POWER LED 1W 2700K 200Lm
CRI >80
Driver incl. No
Recom. Driver 98310103
Class II
IP 20
Cut out 248x113





*Drivers info pag. 746-747

Plas

63281 ● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source HIGH POWER LED 1W 3000K 112Lm
CRI >80
Driver incl. No
Recom. Driver 98310103
Class III
IP 20
Cut out 175x110




*Drivers info pag. 746-747

Plas

63282 ● Matt White/Blanco Mate

Material Body Plaster/Yeso
Light Source HIGH POWER LED 1W 3000K 112Lm
CRI >80
Driver incl. No
Recom. Driver 98310103
Class III
IP 20
Cut out 231x85








Hyde


40118

● Matt White/Blanco Mate

40119

● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 20
Cut out ø83




Hyde

40114

● Matt White/Blanco Mate

40115

● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 44
Cut out ø83




Hyde


40110

● Matt White/Blanco Mate

40111

● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 20
Cut out ø83





Hyde



40120

● Matt White/Blanco Mate

40121

● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 20
Cut out 83x83




Hyde



40116

● Matt White/Blanco Mate

40117


● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 44
Cut out 83x83



indoor

Recessed / Empotrables




Hyde


40112

● Matt White/Blanco Mate

40113

● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 20
Cut out 102x93
 30°




Hyde



40126

● Matt White/Blanco Mate

40127

● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
Class II
IP 20
Cut out 83x165
 30°



Hyde



40124

● Matt White/Blanco Mate

40125

● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 44
Cut out 83x165




Hyde


40122


● Matt White/Blanco Mate

40123

● Matt Black/Negro Mate

Material Body Steel/Acero
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 20
Cut out 182x93
 30°







Radón

43396
43406

- Matt White/Blanco Mate
- Matt Black/Negro Mate


Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
Class III
IP 20
Cut out $\varnothing 80$





Radón

43397
43407

- Matt White/Blanco Mate
- Matt Black/Negro Mate


Material Body Aluminium/Aluminio
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 20
Cut out 80x170





Radón

43398
43408

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 20
Cut out $\varnothing 80$







Argón

43402
43412

● Matt White/Blanco Mate
● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 20
Cut out 100x100
60°




Argón

43403
43413

● Matt White/Blanco Mate
● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 2 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 20
Cut out 220x102
60°



Argón

43401
43411

● Matt White/Blanco Mate
● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
Class III
IP 20
Cut out $\varnothing 100$
60°






Neon

43400
43410

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
Class III
IP 20
Cut out 70x70




Neon

43399
43409

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 20
Cut out ø65




Gas

43404
43405

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Socket incl. No
Recom. Socket 43065
IP 20
Cut out ø76





Nais

02111001
02111002

● White/Blanco
● Black/Negro

Material Body Aluminium+Steel/Aluminio+Acero
Diff Transparent PMMA/PMMA Transparente

Light Source COB LED 7W 2700K 625Lm

CRI >=90

Driver incl. No


Recom. Driver 98310620

Class III

IP 23

Beam angle 36°

Cut out ø76
↙ 15°



*Drivers info pag. 746-747



Nais

02121001
02121002

● White/Blanco
● Black/Negro

Material Body Aluminium+Steel/Aluminio+Acero
Diff Transparent PMMA/PMMA Transparente

Light Source COB LED 7W 2700K 625Lm

CRI >=90

Driver incl. No


Recom. Driver 98310620

Class III

IP 23

Beam angle 36°

Cut out ø60



*Drivers info pag. 746-747



Koi-2

42921

● Matt White/Blanco Mate

Material Body PC
Diff Opal PC/PC Opal

Light Source SMD LED 6W 3000K 400Lm

CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 20

Cut out ø72
↙ 15°





*Accessories page 346/Accesorios en página 346










Stan

43752
43753
43761

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Satin Gold/Oro Satinado



Material Body Aluminium+ABS/Aluminio+ABS
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20
Cut out $\varnothing 50$
 350° 90°




IP44

Ebba

42919

- Satin Nickel/Niquel Satinado

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal
Light Source SMD LED 4W 3000K 304Lm
CRI >80
Driver incl. Yes
Class II
Voltage (V/Hz) 220V- 240V/50-60HZ
IP 44
Cut out $\varnothing 63$



Wabi

43900

- Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente
Light Source COB LED 10W 600Lm
Dimmable K 1800 - 3200K
CRI >80
Driver incl. No
Recom. Driver 98310110LC
Class III
IP 20
Beam angle 60°
Cut out $\varnothing 70$



*Drivers info pag. 746-747





Fox

02101001
02101002

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 5W 2700K 500Lm

CRI >80

Driver incl. No

Class III

IP 20

Beam angle 25°

Cut out ø35



*Drivers info pag. 746-747



Fox

02101101
02101102

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 5W 2700K 500Lm

CRI 90

Driver incl. No

Class III

IP 20

Beam angle 25°

Cut out ø45



*Drivers info pag. 746-747



Fox

02101301
02101302

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 5W 2700K 500Lm

CRI >80


Driver incl. No

Class III

IP 20

Beam angle 25°

Cut out ø45



*Drivers info pag. 746-747



Fox

02101501

- Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 7W 2700K 535Lm

CRI >80

Driver incl. No

Recom. Driver 98310620

Class III

IP 20

Beam angle 36°

Cut out ø40



*Drivers info pag. 746-747

indoor

Recessed / Empotrables



Fox

02101601

● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 10W 2700K 680Lm

CRI >80

Driver incl. No


Recom. Driver 98310620

Class III

IP 20

Beam angle 36°

Cut out ø55



*Drivers info pag. 746-747



IP44

Moist

02100901

● Matt White/Blanco Mate

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

Light Source 1 GU10 max. 8W

Bulb incl. No

Recom. Bulb 17316/17320


Socket incl. Yes

Recom. Socket

Class II

IP 44

Cut out 78x78x56



IP65

Clear

02100301

● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 7W 3000K 403Lm

CRI >80

Driver incl. No


Recom. Driver 98310620

Class III

IP 65

Beam angle 36°

Cut out ø60x82






Fresh

02300101

● White/Blanco

Material Body Aluminium/Aluminio
Light Source 1 E27 max. 8W
Bulb incl. No
Recom. Bulb 17429/17464
Class I
IP 20
Cut out ø90



Fresh

02100601

● Matt White/Blanco Mate

02100602


● Matt Black/Negro Mate

02100603

● Matt Gold/Oro Mate



Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Class II
IP 20
Cut out ø83x64



IP65



Fresh


02101401

● Matt White/Blanco Mate

02101402

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Class I
IP 65
Cut out ø83x133



IP65



Fresh


02400101

● Matt White/Blanco Mate

02400102

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Class I
IP 65
Cut out ø83



indoor

Recessed / Empotrables



IP44



Fresh

02200501
02200502
02200503

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Matt Gold/Oro Mate



Material

Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

17316/17320

Class


II

IP

44

Cut out


ø83x57



Fresh

02100501
02100502
02100503

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Matt Gold/Oro Mate



Material

Body Aluminium/Aluminio

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

17316/17320

Class


II

IP

20

Cut out

ø83x57



Fresh

02100701
02100702

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

17316/17320

Class


II

IP

20

Cut out

ø90x53



IP44

Wet

02100801

- Matt White/Blanco Mate

Material

Body Steel/Acero

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

17316/17320

Class


II

IP

44

Cut out

ø65x23






Son

42928

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 8W 2700K 580Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	20
Cut out	ø100




Son

42929

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 24W 2700K 2000Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	20
Cut out	ø205




Son

42930

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 24W 4000K 2000Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	20
Cut out	ø205






IP44

Ted

42926

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 15W 3000K 1200Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	44
Beam angle	160°
Cut out	ø150




IP44

Tod

42927

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 24W 3000K 2000Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	44
Beam angle	160°
Cut out	ø160




IP44

Luan

42931

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 40W 3000K 3200Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	100V-240V/50-60HZ
IP	44
Cut out	ø375





indoor

interior


Track Carril



Orleans by Nahtrang

43535 ● Matt White/Blanco Mate
 43536 ● Matt Black/Negro Mate


Material Body Steel/Acero
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20



Ceiling
202




Spot
356



Link by Estudi Ribaudí

29871 ● Matt White/Blanco Mate
 29872 ● Matt Black/Negro Mate
 29896 ● Bronze/Bronce

Material Body Steel+ABS/Acero+ABS
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20



Ceiling
202




Spot
348



Table&Floor
70




Wall
348




Ring by Àlex & Manel Llusçà

40563 ● Grey/Gris

Material Body Steel+ABS/Acero+ABS
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 97685327
Class I
IP 20



Spot
358









Stan

43724
43725

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente
Light Source COB LED 12W 2700K 1200Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 20




Stan

43720
43721
43757

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Satin Gold/Oro Satinado

Material Body Aluminium+ABS/Aluminio+ABS
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17320/97685327
Class I
IP 20



Ceiling
207



Recessed
374



Spot
346




Suspended
182



Wall
326

*Accessories page 346/Accesorios en página 346





Plot

64202
64203

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Steel+ABS/Acero+ABS
Light Source 1 GU10 max. 8W
Bulb incl. No
Recom. Bulb 17316/17320
Class I
IP 20







Accessories/Accesorios



Surface track 1mt/Carril de superficie 1mt

- 64210A ● White/Blanco
- 64212A ● Black/Negro
- 64214A ● Grey/Gris


Material Body Aluminium/Aluminio



Surface track 2mts/Carril de superficie 2mts

- 64211A ● White/Blanco
- 64213A ● Black/Negro
- 64215A ● Grey/Gris

Material Body Aluminium/Aluminio





outdoor

exterior

Saigon by Nahtrang

Floor Suelo

Light Source 1 E27 max. 15W
 Bulb incl. No
 Recom. Bulb 17463
 IP 65
 Cable 2 MT




W100

71569-08

Material

● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Synthetic wicker/Mimbre sintético
Body Aluminium+Concrete/Aluminio+Cemento
Diff PEMD




W70

1.95mt 71569-07

1.2mt 71575-07

Material

● Dark Grey/Gris Oscuro + Brown/Marrón
 ● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Synthetic wicker/Mimbre sintético
Body Aluminium/Aluminio
Diff PEMD



T70

1.95mt 71569-05


1.2mt 71569-06

1.95mt 71575-05

1.2mt 71575-06

Material

● Dark Grey/Gris Oscuro + Cream/Crema
 ● Dark Grey/Gris Oscuro + Brown/Marrón
 ● Dark Grey/Gris Oscuro + Cream/Crema
 ● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Textilene
Body Aluminium/Aluminio
Diff PEMD



R45


2.1mt 71569-04

1.3mt 71575-04

0.6mt 71576-04

Material

● Dark Grey/Gris Oscuro + White/Blanco
 ● Dark Grey/Gris Oscuro + White/Blanco
 ● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio
Diff PEMD



R55


2mt 71569-01

1.15mt 71575-01

0.5mt 71576-01

Material

● Dark Grey/Gris Oscuro + White/Blanco
 ● Dark Grey/Gris Oscuro + White/Blanco
 ● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio
Diff PEMD





Portable Portátil

*Rope not included/cuerda no incluida

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
IP 65
Cable 2 MT





W100

71584-08

Material

●● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Synthetic wicker/Mimbre sintético
Body Aluminium/Aluminio
Diff PEMD




W70

71584-07

Material

●● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Synthetic wicker/Mimbre sintético
Body Aluminium/Aluminio
Diff PEMD





T70

71584-05

71584-06

Material

●● Dark Grey/Gris Oscuro + Cream/Crema
 ●● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Textilene
Body Aluminium/Aluminio
Diff PEMD





R45

71584-04

Material

●● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio




R55

71584-01

Material

●● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio




R17

71584-03

Material

●● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio





Spike Estaca

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
IP 65
Cable 2 MT




W70

71575P-07

Material

● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Synthetic wicker/Mimbre sintético
Body Aluminium/Aluminio
Diff PEMD




T70

71575P-05

71575P-06

Material

● Dark Grey/Gris Oscuro + Cream/Crema
 ● Dark Grey/Gris Oscuro + Brown/Marrón
Shade Textilene
Body Aluminium/Aluminio
Diff PEMD




R45

1.5mt 71575P-04

0.87mt 71576P-04

Material

● Dark Grey/Gris Oscuro + White/Blanco
 ● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio




R55

71575P-01

Material

● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio




R17

1.37mt 71575P-03

0.73mt 71576P-03

Material

● Dark Grey/Gris Oscuro + White/Blanco
 ● Dark Grey/Gris Oscuro + White/Blanco
Shade PEMD
Body Aluminium/Aluminio






Suspended Suspensión


Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463
IP 65
Cable 2 MT



W70 Cone 71579C-07
 Hole 71579H-07
 Material Dark Grey/Gris Oscuro + Brown/Marrón
 Shade Synthetic wicker/Mimbre sintético
 Body Aluminium/Aluminio
 Diff PEMD




T70 Cone 71579C-05
 Hole 71579C-06
 Cone 71579H-05
 Hole 71579H-06
 Material Dark Grey/Gris Oscuro + Cream/Crema
 Shade Textilene
 Body Aluminium/Aluminio
 Diff PEMD




R45 Cone 71579C-04
 Hole 71579H-04
 Material Dark Grey/Gris Oscuro + White/Blanco
 Shade PEMD
 Body Aluminium/Aluminio



R55 71579-02
 Material Dark Grey/Gris Oscuro + White/Blanco
 Shade PEMD
 Body Aluminium/Aluminio



R17 Cone 71579C-03
 Hole 71579H-03
 Material Dark Grey/Gris Oscuro + White/Blanco
 Shade PEMD
 Body Aluminium/Aluminio








outdoor

exterior

Portables
Portátiles



2700K



3000K

Kasp

71912

● Black/Negro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 2W 150Lm

Dimmable K

2700 - 3000K

CRI

>80

Driver incl.

Yes

Class

III

IP

65


Battery incl.

Yes

20h Charge Max. 20h Worktime

USB

USB-C



2700K



3000K

Kasp

71913

● Black/Negro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 2W 150Lm

Dimmable K

2700 - 3000K

CRI

>80

Driver incl.

Yes

Class

III

IP

65


Battery incl.

Yes


20h Charge Max. 20h Worktime

USB

USB-C



Accessories/Accesorios



Wall accessory/Accesorio applique

71914

● Black/Negro

Material

Body Aluminium/Aluminio





Touch

Toc

70775
70776
70777

- Matt White/Blanco Mate
- Matt Black/Negro Mate
- Grey/Gris

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 2W 3000K 180Lm

Driver incl. Yes

Class III



Voltage (V/Hz) 5V DC

IP 54

Battery incl. Yes

5h Charge Max. 9h Worktime

USB MICRO USB



Toc

70786

- Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 5W 3000K 468Lm

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

Battery incl. Yes

9h Charge Max. 9h Worktime

USB JACK



Wall
516






Cage

75608

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 12W 2700K 990Lm
CRI	=80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
Cable	2 MT





Argus

70784

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent PMMA/PMMA Transparente
Light Source	SMD LED 2W 3000K 220Lm
CRI	>80
Driver incl.	Yes
Class	III
Voltage (V/Hz)	5V DC
IP	54
Battery incl.	Yes 5h Charge Max. 9h Worktime
USB	MICRO USB



100lm



250lm



400lm

Kerala


74454

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	SMD LED 5W 3000K 400Lm
Dimmable W	100Lm / 250Lm / 400Lm
CRI	>80
Driver incl.	Yes
Class	III
IP	54
Battery incl.	Yes 8h Charge Max. 6h Worktime

USB

MICRO USB



Wall
511





16lm



103lm



263lm

Task

70914

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 2W 3000K 263Lm

Dimmable W

16Lm-103Lm-263Lm

CRI

=80

Driver incl.

Yes

Class

III

Voltage (V/Hz)

5V DC

IP

54


Battery incl.

Yes

5h Charge Max. 6h Worktime

USB

USB-C



Balda

70498

● Matt White/Blanco Mate

Material

Body PEMD

Diff Opal PEMD/PEMD Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

II

IP

55

Cable

1.8 MT



Balda

70499

● Matt White/Blanco Mate

Material

Body PEMD

Diff Opal PEMD/PEMD Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class




II

IP

55

Cable

1.8 MT



Voila

71565

● Matt Black/Negro Mate

Material

Body ABS

Diff Opal PEMD/PEMD Opal

Light Source

RGB LED 2W 3000K

Driver incl.

Yes

Class

III

Voltage (V/Hz)

5V DC

IP

44

Battery incl.

Yes

10h Charge Max. 7h Worktime

USB

MICRO USB







outdoor

exterior

floor
suelo



- 71262 Matt Black/Negro Mate + Green/Verde
- 71263 Matt Black/Negro Mate + Beige
- 71264 Matt Black/Negro Mate + Dark Brown/Marrón Oscuro

Material **Body** Steel/Acero
Shade PP


Light Source E27 max. 12W

Bulb incl. No

Class II

IP 44

Cable 5 MT




*Only for glass LED bulbs, models A60, ST64, G95 and G125
 Sólo para bombillas LED de vidrio, modelos A60, ST64, G95 y G125





Extendible cable 2.5mt. / *Cable extensible 2.5mts.*

71244



71242

● Dark Grey/Gris Oscuro + Beige

71243

● Dark Grey/Gris Oscuro + Blue/Azul

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Shade Textilene

Light Source SMD LED 18W 2700K 500Lm

CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

Cable 3 MT






Versus by Pepe Llaudet




74423	● Matt White/Blanco Mate
Material	Body PP Diff Matt White PEMD/PEMD Blanco Mate
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	II
IP	44
Cable	3 MT



Large structure / Estructura grande


74424	● Black/Negro
--------------	---------------



Small structure / Estructura pequeña

74422	● Black/Negro
--------------	---------------

Material	Body Steel/Acero
-----------------	-------------------------







Saigon by Nahrang

71584-02 ● Dark Grey/Gris Oscuro + White/Blanco

Material Body Aluminium/Aluminio

Shade PEMD

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 65

Cable 3 MT



Cat by Nahrang

71562 ● Matt Black/Negro Mate

71563 ● Matt White/Blanco Mate

71564 ● Red/Rojo

Material Body Aluminium/Aluminio

Diff Matt White PEMD/PEMD Blanco Mate

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 54

Cable 5 MT




Accessories/Accesorios



Wall accessory/Accesorio aplique

71556 ● Black/Negro

Material Body Aluminium/Aluminio






Brot by Yembarastudio



reddot winner 2021
lighting design



Standard/Estándar



71253 71254

Standard/Estándar 900mm

71253 ● Black/Negro

Light Source SMD LED 10W 2700K 620Lm

Standard/Estándar 1800mm

71254 ● Black/Negro

Material **Body** Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source SMD LED 21W 2700K 930Lm


CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65



Portable/Portátil



71256 71257

Portable/Portátil 900mm

71256 ● Black/Negro

Light Source SMD LED 10W 2700K 620Lm

Portable/Portátil 1800mm

71257 ● Black/Negro

Material **Body** Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source SMD LED 21W 2700K 930Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

Cable 1.8 MT








Bast

70292

● Dark Grey/Gris Oscuro

Material **Body** Aluminium+PC/Aluminio+PC
Diff Transparent PC/PC Transparente

Light Source SMD LED 25W 3000K 2100Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 220V- 240V/50-60HZ
IP 65
IK 10
Beam angle 360°



Accessories/Accesorios



180° Accessory / Accesorio 180°

70293

● Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio



Cast

74155

● Dark Grey/Gris Oscuro

Material **Body** Concrete/Cemento
Diff Opal PC/PC Opal

Light Source SMD LED 10W 3000K 550Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65
IK 06




Cast

74156

● Dark Grey/Gris Oscuro

Material **Body** Concrete/Cemento
Diff Opal PC/PC Opal

Light Source SMD LED 10W 3000K 550Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65
IK 06







Lotus by Estudi Ribaudí

71224 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 18W 3000K 1120Lm

CRI >80



Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 08



Lotus by Estudi Ribaudí

71225 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 18W 3000K 1120Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 08



Block by Àlex & Manel Llusçà

74141 ● Grey Cement/Cemento Gris

Material Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W

Bulb incl. No



Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 65

IK 05

SEA SIDE SUITABLE



Block by Àlex & Manel Llusçà

74142 ● Grey Cement/Cemento Gris

Material Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 65

IK 06

SEA SIDE SUITABLE








Twist by Estudi Ribaudí

71286 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source SMD LED 10W 3000K 500Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65




Wall
504



Twist by Estudi Ribaudí

71287 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source SMD LED 10W 3000K 500Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65




Shelby by Conillas

75537 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente
Light Source SMD LED 10W 3000K 600Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65




Wall
506



Shelby by Conillas

75538 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente
Light Source SMD LED 10W 3000K 600Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65








Sticker by Lucid Product Design

75541 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal
Light Source SMD LED 10W 3000K 623Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 55



Wall
532



Tram by Estudi Ribaudí

75531 ● Dark Grey/Gris Oscuro


Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal
Light Source E27 15W
Recom. Bulb 17463/17498
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65



Pole
464



Wall
506



Datna by Àlex & Manel Llusçà

74441 ● Dark Grey/Gris Oscuro


Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 44



Pole
464




Wall
512



Datna by Àlex & Manel Llusçà

74442 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal
Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17463/17498 Smart Bulb
Class I
IP 44







Plim

71299

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 10W 3000K 250Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP


65

IK

08



Wall
510



Plim

71300

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 10W 3000K 250Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

65

IK

08



Plim

71301

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 10W 3000K 250Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

65

IK

08





Kila

71746
71747
71748

- Dark Grey/Gris Oscuro +Transparent/Transparente
- Dark Grey/Gris Oscuro +Smoked/Fumé
- Dark Grey/Gris Oscuro +Amber/Ámbar

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I



IP 65



Ceiling
496



Wall
512



Kila

71749
71750
71751

- Dark Grey/Gris Oscuro +Transparent/Transparente
- Dark Grey/Gris Oscuro +Smoked/Fumé
- Dark Grey/Gris Oscuro +Amber/Ámbar

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I

IP 65





Muga

75603

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 11W 3000K 810Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 55



Muga

75604

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 11W 3000K 810Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 55



Giza

70767

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source COB LED 15W 3000K 500Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

IK 05



Giza

70768

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source COB LED 15W 3000K 500Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

IK 05



outdoor

Floor / Suelo



Onze

70761 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 54



Wilma

74997 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I


IP 44



Suspended
493



Wall
516



Wilma

75001 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44



Wilma

75003 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44






Beret

75522

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 8W 4000K 350Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	54
IK	04




Beret

75523

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 8W 4000K 350Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	54
IK	04




Nanda

71216

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 12W 3000K 500Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54





Nanda

71217

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 12W 3000K 500Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54



Logar

75605

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 12W 3000K 580Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54



Logar

75606

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 23W 3000K 1340Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54





Muffin by Àlex & Manel Llusçà

74433S-04 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
436




Pole
468



Suspended
492



Wall
514



Mistu by Faro Lab

74433S-02 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
436




Pole
468



Suspended
492



Wall
514



Blubs by Estudi Ribaudí

74433S-03 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
436




Pole
470



Suspended
492



Wall
514



Moon by Faro Lab

74433S-01 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44




Bollard
436



Suspended
492



Wall
514







Muffin by Àlex & Manel Llusçà

74434B-04 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Pole
468




Post
434



Suspended
492



Wall
514



Mistu by Faro Lab

74434B-02 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Pole
468




Post
434



Suspended
492



Wall
514



Blubs by Estudi Ribaudí

74434B-03 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Pole
468




Post
434



Suspended
492



Wall
514



Moon by Faro Lab

74434B-01 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44




Post
434



Suspended
492



Wall
514







Nala

70772

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class


I

IP

54



Wall
522



Mila

70771

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 18W 4000K 500Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50-60HZ

IP

65



Sete

75521

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 6W 3000K 155Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54



Surat

72310

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

54



Mauren

70993

● Brass/Latón

Material

Body Brass/Latón

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb


Class

I

IP

44

SEA SIDE
SUITABLE





Shadow by Àlex & Manel Lluscà



72311 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 11W 3000K 800Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65



72312 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 11W 3000K 800Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65







71206 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 9W 3000K 720Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65



71207 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 9W 3000K 720Lm


CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65



Accessories/Accesorios



Flowerpot/Macetero

71208 ● Dark Grey/Gris Oscuro







71213 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 12W 3000K 310Lm

CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ


IP 65



Pole
464



Wall
530



71214 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 12W 3000K 310Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65







Naya

71198

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 8W 3000K 180Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54

Beam angle

120°



Naya

71199

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 8W 3000K 180Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

54

Beam angle

120°



Agra

70755

● Dark Grey/Gris Oscuro

70756

● Brown/Marrón

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 9W 3000K 420Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

55



Agra

70753

● Dark Grey/Gris Oscuro

70754

● Brown/Marrón

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 9W 3000K 420Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

55





Alp

74451

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 7W 3000K 350Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

Beam angle 180°



Alp

74452

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 7W 3000K 350Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

Beam angle 180°



Das

75519

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 8W 3000K 480Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

IK 06

Beam angle 180°



Das

75520

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 8W 3000K 480Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

IK 06

Beam angle 180°





Klamp by Àlex & Manel Llusçà

74411 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No


Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44



Wall
548



Noboru

70576 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 16W 3000K 690Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50HZ

IP 65

IK 08

Beam angle 36°



Spy-1

70782 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source COB LED 6W 3000K 500Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 65

Beam angle 30°






Spy-2

70783

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	COB LED 6W 3000K 500Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
Beam angle	30°



Gina


71352

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	1 GU10 max. 5W
Bulb incl.	No
Recom. Bulb	97685327
Class	I
IP	44



Wall
545



Chandra

72298

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	COB LED 7W 3000K 195Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
Beam angle	30°





Soleil

70785

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 2W 3000K 140Lm

CRI

>80

Driver incl.

Yes


Class

III

IP

54

7h Charge Max. 3h Worktime



Saura

70774

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

SMD LED 2W 3000K 225Lm

CRI

>80

Driver incl.

Yes

Class

III


IP

54

Beam angle

180°

8h Charge Max. 2,5h Worktime





Rush&Screen

by Estudi Ribaudí

Electronics and optics by *VOSSLOH-SCHWABE*




Optional drivers by *TCI*



CASAMBI




Different optics to choose from



360° LENS

Optical efficiency 97%


Optimal installation ratio 2:1
(Pole distance to pole height)



360° WIDE LENS

Optical efficiency 96%

Optimal installation ratio 4,5:1
(Pole distance to pole height)



ASSYMETRICAL LENS

Optical efficiency 93%

Optimal installation ratio 4:1
(Pole distance to pole height)



Rush


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional | CASAMBI optional



Rush 14W	CCT	FLUX	LENS
750000	2700K	830Lm	360
750000C	2700K	830Lm	360
750000D	2700K	830Lm	360
750001	2700K	980Lm	360
750001C	2700K	980Lm	360
750001D	2700K	980Lm	360
750002	2700K	795Lm	180
750002C	2700K	795Lm	180
750002D	2700K	795Lm	180
750010	3000K	830Lm	360
750010C	3000K	830Lm	360
750010D	3000K	830Lm	360
750011	3000K	980Lm	360
750011C	3000K	980Lm	360
750011D	3000K	980Lm	360
750012	3000K	795Lm	180
750012C	3000K	795Lm	180
750012D	3000K	795Lm	180
750020	4000K	830Lm	360
750020C	4000K	830Lm	360
750020D	4000K	830Lm	360
750021	4000K	980Lm	360
750021C	4000K	980Lm	360
750021D	4000K	980Lm	360
750022	4000K	795Lm	180
750022C	4000K	795Lm	180
750022D	4000K	795Lm	180



Rush 20W	CCT	FLUX	LENS
750100	2700K	1147Lm	360
750100C	2700K	1147Lm	360
750100D	2700K	1147Lm	360
750101	2700K	1355Lm	360
750101C	2700K	1355Lm	360
750101D	2700K	1355Lm	360
750102	2700K	1103Lm	180
750102C	2700K	1103Lm	180
750102D	2700K	1103Lm	180
750110	3000K	1147Lm	360
750110C	3000K	1147Lm	360
750110D	3000K	1147Lm	360
750111	3000K	1355Lm	360
750111C	3000K	1355Lm	360
750111D	3000K	1355Lm	360
750112	3000K	1103Lm	180
750112C	3000K	1103Lm	180
750112D	3000K	1103Lm	180
750120	4000K	1147Lm	360
750120C	4000K	1147Lm	360
750120D	4000K	1147Lm	360
750121	4000K	1355Lm	360
750121C	4000K	1355Lm	360
750121D	4000K	1355Lm	360
750122	4000K	1103Lm	180
750122C	4000K	1103Lm	180
750122D	4000K	1103Lm	180



STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

Beacon mA	350mA
Bollard mA	500mA
V	100-240V
Hz	50-60Hz
Power factor	0.90
Low ripple	<30%
Lifetime	50000h

- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

- DALI-2 dimmable
- PUSH SWITCH compatible
- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

- DALI-2 dimmable
- PUSH SWITCH compatible
- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

Rush


Body Aluminium/Aluminio
 Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED
 MacAdam Steps
 Risk Group
 Lumen maintenance
 Heat dissipation

VOSSLOH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Rush 38W	CCT	FLUX	LENS
750200	2700K	3322Lm	360
750200C	2700K	3322Lm	360
750200D	2700K	3322Lm	360
750201	2700K	3079Lm	360
750201C	2700K	3079Lm	360
750201D	2700K	3079Lm	360
750202	2700K	2397Lm	180
750202C	2700K	2397Lm	180
750202D	2700K	2397Lm	180
750210	3000K	3322Lm	360
750210C	3000K	3322Lm	360
750210D	3000K	3322Lm	360
750211	3000K	3079Lm	360
750211C	3000K	3079Lm	360
750211D	3000K	3079Lm	360
750212	3000K	2397Lm	180
750212C	3000K	2397Lm	180
750212D	3000K	2397Lm	180
750220	4000K	3322Lm	360
750220C	4000K	3322Lm	360
750220D	4000K	3322Lm	360
750221	4000K	3079Lm	360
750221C	4000K	3079Lm	360
750221D	4000K	3079Lm	360
750222	4000K	2397Lm	180
750222C	4000K	2397Lm	180
750222D	4000K	2397Lm	180

Rush 38W	CCT	FLUX	LENS
750300	2700K	2972Lm	360
750300C	2700K	2972Lm	360
750300D	2700K	2972Lm	360
750301	2700K	2921Lm	360
750301C	2700K	2921Lm	360
750301D	2700K	2921Lm	360
750302	2700K	2576Lm	180
750302C	2700K	2576Lm	180
750302D	2700K	2576Lm	180
750310	3000K	2972Lm	360
750310C	3000K	2972Lm	360
750310D	3000K	2972Lm	360
750311	3000K	2921Lm	360
750311C	3000K	2921Lm	360
750311D	3000K	2921Lm	360
750312	3000K	2576Lm	180
750312C	3000K	2576Lm	180
750312D	3000K	2576Lm	180
750320	4000K	2972Lm	360
750320C	4000K	2972Lm	360
750320D	4000K	2972Lm	360
750321	4000K	2921Lm	360
750321C	4000K	2921Lm	360
750321D	4000K	2921Lm	360
750322	4000K	2576Lm	180
750322C	4000K	2576Lm	180
750322D	4000K	2576Lm	180



STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

mA 1050mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

Screen


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

IP65 | CRI90 | IK10 | 100-240V | 50-60Hz | Driver incl. | optional | optional



Screen 14W	CCT	FLUX	LENS
751000	2700K	712Lm	360
751000C	2700K	712Lm	360
751000D	2700K	712Lm	360
751001	2700K	856Lm	360
751001C	2700K	856Lm	360
751001D	2700K	856Lm	360
751002	2700K	695Lm	180
751002C	2700K	695Lm	180
751002D	2700K	695Lm	180
751010	3000K	712Lm	360
751010C	3000K	712Lm	360
751010D	3000K	712Lm	360
751011	3000K	856Lm	360
751011C	3000K	856Lm	360
751011D	3000K	856Lm	360
751012	3000K	695Lm	180
751012C	3000K	695Lm	180
751012D	3000K	695Lm	180
751020	4000K	712Lm	360
751020C	4000K	712Lm	360
751020D	4000K	712Lm	360
751021	4000K	856Lm	360
751021C	4000K	856Lm	360
751021D	4000K	856Lm	360
751022	4000K	695Lm	180
751022C	4000K	695Lm	180
751022D	4000K	695Lm	180



Screen 20W	CCT	FLUX	LENS
751100	2700K	990Lm	360
751100C	2700K	990Lm	360
751100D	2700K	990Lm	360
751101	2700K	1225Lm	360
751101C	2700K	1225Lm	360
751101D	2700K	1225Lm	360
751102	2700K	965Lm	180
751102C	2700K	965Lm	180
751102D	2700K	965Lm	180
751110	3000K	990Lm	360
751110C	3000K	990Lm	360
751110D	3000K	990Lm	360
751111	3000K	1225Lm	360
751111C	3000K	1225Lm	360
751111D	3000K	1225Lm	360
751112	3000K	965Lm	180
751112C	3000K	965Lm	180
751112D	3000K	965Lm	180
751120	4000K	990Lm	360
751120C	4000K	990Lm	360
751120D	4000K	990Lm	360
751121	4000K	1225Lm	360
751121C	4000K	1225Lm	360
751121D	4000K	1225Lm	360
751122	4000K	965Lm	180
751122C	4000K	965Lm	180
751122D	4000K	965Lm	180



STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

Beacon mA	350mA
Bollard mA	500mA
V	100-240V
Hz	50-60Hz
Power factor	0.90
Low ripple	<30%
Lifetime	50000h

- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

- DALI-2 dimmable
- PUSH SWITCH compatible
- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

TCI

Beacon mA	350mA
Bollard mA	500mA
V	220-240V
Hz	50-60Hz
Power factor	0.95
Low ripple	<3%
Lifetime	50000h

- DALI-2 dimmable
- PUSH SWITCH compatible
- Overload protection
- Short-circuit protection
- Overheating protection
- SELV (Safety Extra Low Voltage)

Screen


Body Aluminium/Aluminio
Diff Transparent Polycarbonate/
 Policarbonato trasparente



COB LED
MacAdam Steps
Risk Group
Lumen maintenance
Heat dissipation

VOSSLOH-SCHWABE
 2
 1
 L90 B10 up to 89.000h
 Tested at high ambient temperature

IP65 |
 CRI90 |
 IK10 |
 100-240V |
 50-60Hz |
 Driver incl. |
 optional |
 optional



Screen 38W	CCT	FLUX	LENS
751200	2700K	2370Lm	360
751200C	2700K	2370Lm	360
751200D	2700K	2370Lm	360
751201	2700K	2692Lm	360
751201C	2700K	2692Lm	360
751201D	2700K	2692Lm	360
751202	2700K	1819Lm	180
751202C	2700K	1819Lm	180
751202D	2700K	1819Lm	180
751210	3000K	2370Lm	360
751210C	3000K	2370Lm	360
751210D	3000K	2370Lm	360
751211	3000K	2692Lm	360
751211C	3000K	2692Lm	360
751211D	3000K	2692Lm	360
751212	3000K	1819Lm	180
751212C	3000K	1819Lm	180
751212D	3000K	1819Lm	180
751220	4000K	2370Lm	360
751220C	4000K	2370Lm	360
751220D	4000K	2370Lm	360
751221	4000K	2692Lm	360
751221C	4000K	2692Lm	360
751221D	4000K	2692Lm	360
751222	4000K	1819Lm	180
751222C	4000K	1819Lm	180
751222D	4000K	1819Lm	180

Screen 38W	CCT	FLUX	LENS
751300	2700K	2661Lm	360
751300C	2700K	2661Lm	360
751300D	2700K	2661Lm	360
751301	2700K	2145Lm	360
751301C	2700K	2145Lm	360
751301D	2700K	2145Lm	360
751302	2700K	1656Lm	180
751302C	2700K	1656Lm	180
751302D	2700K	1656Lm	180
751310	3000K	2661Lm	360
751310C	3000K	2661Lm	360
751310D	3000K	2661Lm	360
751311	3000K	2145Lm	360
751311C	3000K	2145Lm	360
751311D	3000K	2145Lm	360
751312	3000K	1656Lm	180
751312C	3000K	1656Lm	180
751312D	3000K	1656Lm	180
751320	4000K	2661Lm	360
751320C	4000K	2661Lm	360
751320D	4000K	2661Lm	360
751321	4000K	2145Lm	360
751321C	4000K	2145Lm	360
751321D	4000K	2145Lm	360
751322	4000K	1656Lm	180
751322C	4000K	1656Lm	180
751322D	4000K	1656Lm	180



STANDARD Driver incl.



*DALI option



*CASAMBI option



VOSSLOH-SCHWABE

mA 1050mA
V 100-240V
Hz 50-60Hz
Power factor 0.90
Low ripple <30%
Lifetime 50000h
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)

TCI

mA 1050mA
V 220-240V
Hz 50-60Hz
Power factor 0.95
Low ripple <3%
Lifetime 50000h
 DALI-2 dimmable
 PUSH SWITCH compatible
 Overload protection
 Short-circuit protection
 Overheating protection
 SELV (Safety Extra Low Voltage)



Rush H.3700 mm


38W

3000K

Ref. 750210

Optics 360°

Luminaire interdistance/Interdistancia entre luminarias 10mt.



Rush H.3100 mm


38W

3000K

Ref. 750311

Optics 360° Wide

Luminaire interdistance/Interdistancia entre luminarias 12mt.

**Screen** H.3700 mm


38W

3000K

Ref. 751312

Optics 180°

Luminaire interdistance/Interdistancia entre luminarias 10mt.

**Screen** H.3100 mm

38W

3000K

Ref. 751311

Optics 360° Wide

Luminaire interdistance/Interdistancia entre luminarias 12mt.



Bu-Oh by Estudi Ribaudí

71209 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 42W 3000K 2700Lm

CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ


IP 65



Bollard
444



Wall
530



Tram by Estudi Ribaudí

75532 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 43W 3000K 3000Lm

Recom. Bulb 17463/17498

CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 55


IK 05



Beacon
426



Wall
506



Datna by Àlex & Manel Llusçà

74444E ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 37W 3000K 2700Lm

CRI 85

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ


IP 44



Bollard
426



Wall
512



outdoor

Floor / Suelo





Grop

75602

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 27W 3000K 1300Lm

CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54



Beret

75524

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 16W 4000K 625Lm

CRI >80

Driver incl. Yes

Class I


Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

IK 04



Bollard
432



Plaza

75607

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 24W 3000K 1120Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

IK 08



outdoor

Floor / Suelo





Mistu by Faro Lab

74435F2-02 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	2 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Bollard
436




Post
434



Suspended
492



Wall
514



Muffin by Àlex & Manel Llusçà

74435F2-04 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	2 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Bollard
436




Post
434



Suspended
492



Wall
514



Blubs by Estudi Ribaudí

74435F2-03 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	2 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Bollard
436




Post
434



Suspended
492



Wall
514








Mistu by Faro Lab

74436F3-02 ● Dark Grey/Gris Oscuro


Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	3 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Muffin by Àlex & Manel Llusçà

74436F3-04 ● Dark Grey/Gris Oscuro


Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	3 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44



Blubs by Estudi Ribaudí

74436F3-03 ● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	3 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	I
IP	44







Nautica

71116

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

I

IP


33



Suspended
493



Wall
518



Nautica

71117

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

33



Nautica

71118

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

3 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

33







outdoor

exterior

Projectors

Proyectorres



70036 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 13W 3000K 750Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 08

Beam angle 28°



70037 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 13W 3000K 750Lm

CRI >80

Driver incl. Yes

Class I


Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 08

Beam angle 28°

Cable 1.5 MT



70038 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 13W 3000K 750Lm

CRI >80

Driver incl. Yes

Class I


Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 08


Beam angle 28°

Cable 1.5 MT





70035	● Dark Grey/Gris Oscuro
Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 13W 3000K 750Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Beam angle	28°





Spike accessory 60cm / *Accesorio estaca 60cm*

- 71548  Matt Black/Negro Mate
- 71549  Beige

Material Body Aluminium/Aluminio



- 71546  Matt Black/Negro Mate
- 71547  Beige

Material Body PC
Diff Opal PC/PC Opal

Light Source 1 GU10 max. 5W

Bulb incl. No


Recom. Bulb 17316/97685327

Class II

IP 65

Cable 2.5 MT

SEA SIDE SUITABLE  





71528

 Matt Black/Negro Mate

Material **Body** PC
 Diff Transparent PC/PC Transparente

Light Source 1 GU10 max. 5W

Bulb incl. No


Recom. Bulb 17316/97685327

Class II

IP 65

Cable 2.5 MT

SEA SIDE SUITABLE





Alfa by Àlex & Manel Lluscà

70025 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 13W 3000K 900Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

Beam angle 80°



Mini-Project by Àlex & Manel Lluscà

71383 ● Grey/Gris
71390 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



Light Source 1 GU10 max. 5W

Bulb incl. No

Recom. Bulb 97685327

Class I

IP 65



Project by Àlex & Manel Lluscà

71389 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente



Light Source 1 E27 PAR38 max. 15W

Bulb incl. No

Recom. Bulb 17398/17400

Class I

IP 65






Oki

70160

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 2W 3000K 110Lm
CRI	>80
Driver incl.	No
Recom. Driver	98324006
Class	III
IP	65
IK	04
Beam angle	30°
Cable	0.2 MT
Spike not incl.	70525




Oko

70161

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 20W 3000K 1400Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
IK	08
Beam angle	30°




Plom

70912

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent PMMA/PMMA Transparente
Light Source	COB LED 9W 3000K 635Lm
Dimmable W	200Lm / 635Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	64





Lit

70260

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 5W

Bulb incl.

No

Recom. Bulb

97685327

Class


I

IP

54

Beam angle

20°
↙ ↘ 180°



Foc

70156

● Dark Grey/Gris Oscuro



Spike
485

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 16W 3000K 800Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


220V- 240V/50-60HZ

IP

65

Beam angle

36°



Foc

70157

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 16W 3000K 800Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


220V- 240V/50-60HZ

IP

65

Beam angle

36°





Toran

70140 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 4W 4000K 345Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 44

IK 08

Beam angle 115°



Vic

70581 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 56W 3000K 2700Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 07

Beam angle 25°



Karl

70261 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 14W 3000K 1100Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 65


Beam angle 110°



Piccola by Faro Lab



70245	●	Matt Black/Negro Mate
70246	●	Matt White/Blanco Mate
Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal	
Light Source	SMD LED 6W 2700K 360Lm	
CRI	>80	
Driver incl.	Yes	
Class	I	
Voltage (V/Hz)	100V-240V/50-60HZ	
IP	65	
IK	08	
Cable	1.5 MT	





Seth

70227

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

Light Source SMD LED 6W 2700K 450Lm

CRI >80

Driver incl. Yes


Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 44

Beam angle 40°

Cable 2 MT



Seth

70226

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

Light Source SMD LED 6W 2700K 450Lm

CRI >80

Driver incl. Yes


Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 44

Beam angle 40°

Cable 2 MT



Foc

70158

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 16W 3000K 800Lm

CRI >80

Driver incl. Yes



Class I

Voltage (V/Hz) 220V- 240V/50HZ

IP 65

Beam angle 36°

Cable 0.5 MT



Foc

70159

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 16W 3000K 800Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 220V- 240V/50HZ

IP 65

Beam angle 36°

Cable 0.5 MT





Sobek

70151 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 7W 3000K 550Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 06

Beam angle 50°



Balder

70469 ● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 3W 3000K 110Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 67

Beam angle 50°

Cable 2 MT



Plom

70913 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

Light Source COB LED 9W 3000K 635Lm

Dimmable W 200Lm / 635Lm

CRI >80



Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 64

Cable 0.3 MT



Andy

71613 ● Satin Gold/Oro Satinado

Material Body Steel/Acero
Diff Transparent PC/PC Transparente

Light Source 1 GU10 max. 5W


Bulb incl. No

Recom. Bulb 17316/97685327

Class I

IP 65

Cable 2 MT





Tono

73150 Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Glass/Cristal

Light Source 1 GU10 max. 8W


Bulb incl. No

Recom. Bulb 97685327

Class I

IP 44

Cable 2 MT



Garten

73111 Matt Black/Negro Mate

Material Body ABS

Light Source 1 E27 PAR38 max. 15W


Bulb incl. No

Recom. Bulb 17400

Class II

IP 44

Cable 2.5 MT



Garten

73100 Matt Black/Negro Mate

Material Body ABS


Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 44

Cable 2.5 MT



Accessories/Accesorios



Connection box T
75801
IP 68



Connection box
75800
IP 68



outdoor


exterior

Suspended Suspensión




Scuba

75753

 Chrome/Cromo

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Opal PC/PC Opal
Light Source	SMD LED 20W 3000K 3200Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	66
IK	10
Beam angle	120°
Cable	3 MT



Wall
508




Scuba

75754

 Chrome/Cromo

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Opal PC/PC Opal
Light Source	SMD LED 36W 3000K 5760Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	66
IK	10
Beam angle	120°
Cable	3 MT



Canopy accessory for wall & suspension / Accesorio florón para aplique y suspensión



75755

 Matt Black/Negro Mate

Material **Body** Aluminium/Aluminio

outdoor

Suspended / Suspensión





Muffin by Àlex & Manel Llusçà

74427C-04 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




Light Source 3 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Mistu by Faro Lab

74427C-02 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Blubs by Estudi Ribaudi

74427C-03 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal



Light Source 3 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Moon by Faro Lab

74427C-01 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal




Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437


Class I

IP 44



outdoor

Suspended / Suspensión



Nautica

71106

● Matt White/Blanco Mate

71138

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class


I

IP

33

Cable

1 MT



Nautica

71139

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

I

IP

33

Cable


1 MT



Pole
472



Wall
518



Honey

73696

● Matt Black/Negro Mate

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I

IP


44

Cable

0.7 MT



Wall
517



Estoril

71143

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

I

IP


33

Cable

0.7 MT



Wall
519



Wilma

75002

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class

I

IP

44

Cable


1.5 MT



Post
431



Wall
516






outdoor

exterior

Ceiling Techo

NEW



Kila

71740

71741

71742

● ● Dark Grey/Gris Oscuro +Transparent/Transparente

● ● Dark Grey/Gris Oscuro +Smoked/Fumé

● ● Dark Grey/Gris Oscuro +Amber/Ámbar

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class

I

IP


65



Bollard
429



Wall
512



Olot

71372

71374

● Matt White/Blanco Mate

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb


97685327

Class

I

IP

44



Tami

70799

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 9W 3000K 600Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ


IP

54

Beam angle

40°

20°



Goz

70575

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 9W 3000K 500Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65

Beam angle

40°








Tasa

70806
70821

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	97687127
Class	I
IP	44




Dakron

70722

- Matt White/Blanco Mate

Material	Body ABS
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	II
IP	65
IK	10

SEA SIDE
SUITABLE




Yen

70690

- Grey/Gris

Material	Body Aluminium/Aluminio
	Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	54







outdoor

exterior

Surface


Superfície

Mask by Lucid Product Design



71279	● Dark Grey/Gris Oscuro
71282	● Matt White/Blanco Mate
Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	SMD LED 15W 3000K 550Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	06

SEA SIDE
SUITABLE



Anti corrosion

Mask has been designed to withstand the most extreme weather and atmospheric conditions. Thanks to the high quality of the aluminum and the surface protection treatments applied to it, we offer a 15-year guarantee, ensuring during this time the maximum surface protection against corrosion.



Pals by Faro Lab

- 70290 ● Matt White/Blanco Mate
- 70291 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 65

IK 06



Twist by Estudi Ribaudí

- 71285 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 10W 3000K 500Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65



Beacon 424



Half by Nahtrang

- 71536 ● Matt White/Blanco Mate
- 71537 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 20W 3000K 1350Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65



outdoor

Surface / Superficie





Block by Àlex & Manel Llusçà

74139 ● Grey Cement/Cemento Gris

Material Body Concrete/Cemento
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17462/17498 Smart Bulb

Class I


IP 65

IK 06

SEA SIDE
SUITABLE



Beacon
422



Tram by Estudi Ribaudí

75533 ● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I


IP 44



Beacon
426



Pole
464



Shelby by Conillas

75536 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 10W 3000K 600Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 44



Beacon
424








Scuba

75750

 Chrome/Cromo

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Opal PC/PC Opal
Light Source	SMD LED 20W 3000K 3200Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	66
IK	10
Beam angle	120°
Cable	3 MT



Suspended
490




Scuba

75751

 Chrome/Cromo

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Opal PC/PC Opal
Light Source	SMD LED 36W 3000K 5760Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	66
IK	10
Beam angle	120°
Cable	3 MT



Canopy accessory for wall & suspension / Accesorio florón para aplique y suspensión



75755

 Matt Black/Negro Mate

Material **Body** Aluminium/Aluminio





Plim

71296

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 10W 3000K 250Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65



Beacon
428



Plim

71297

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 10W 3000K 250Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65





Kerala

74453

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 13W 3000K 600Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54



Portable
404



Orwell

75700

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 8W 3000K 450Lm



CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 54



Orwell

75701

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 13W 480Lm

Dimmable W 4w 95Lm / 13w 480Lm

Dimmable K 3000 - 6500K


CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 54



NEW



Kila

71743
71744
71745

- Dark Grey/Gris Oscuro +Transparent/Transparente
- Dark Grey/Gris Oscuro +Smoked/Fumé
- Dark Grey/Gris Oscuro +Amber/Ámbar

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463

Class I


IP 65



Ceiling
496



Bollard
429



Ceres by Àlex & Manel Llusçà

71607

● Matt Black/Negro Mate

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Datna by Àlex & Manel Llusçà

74440

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I


IP 44



Bollard
426



Pole
464



outdoor

Surface / Superficie





Muffin by Àlex & Manel Llusçà

74432A-04 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
436




Pole
468



Post
434



Suspended
492



Mistu by Faro Lab

74432A-02 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
436




Pole
468



Post
434



Suspended
492



Blubs by Estudi Ribaudi

74432A-03 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44



Bollard
436




Pole
468



Post
434



Suspended
492



Moon by Faro Lab

74432A-01 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 44




Bollard
436



Post
434



Suspended
492



outdoor

Surface / Superficie





Toc

70780

● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 8W 3000K 600Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 65



Portable
402



Wilma

74998

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I


IP 44



Post
431



Suspended
493



Wilma

75000

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44





Honey


73695

 Matt Black/Negro Mate

Material	Body Steel/Acero
	Diff Transparent Glass/Cristal Transparente
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I
IP	44



Suspended
493




Argot

71424

 Rust Brown/Marrón Oxido

Material	Body Steel/Acero
	Diff Transparent Glass/Cristal Transparente
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	44




Dado

71606

 Rust Brown/Marrón Oxido

Material	Body Steel/Acero
	Diff Transparent Glass/Cristal Transparente
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	23





Nautica

71110 ● Rust Brown/Marrón Oxido

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I


IP 33



Pole
472



Suspended
493



Nautica

71128 ● Rust Brown/Marrón Oxido

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 33



Nautica

71129 ● Rust Brown/Marrón Oxido

Material Body Steel/Acero
Diff Transparent Glass/Cristal Transparente


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 33





Estoril

71140

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463/17498 Smart Bulb

Class


I

IP

33



Suspended
493



Estoril

71141

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17462/17498 Smart Bulb

Class



I

IP

33

IK

06



Wally

74261

● Rust Brown/Marrón Oxido

Material

Body Steel/Acero

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

44





Timon

70996  Brass/Latón

Material Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44

SEA SIDE
SUITABLE



Noray

70999  Brass/Latón

Material Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 65

SEA SIDE
SUITABLE



Nahir

70992  Brass/Latón

Material Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W



Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44

SEA SIDE
SUITABLE



Borda

70997  Brass/Latón

Material Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44

SEA SIDE
SUITABLE



Cabo

70998  Brass/Latón

Material Body Brass/Latón
Diff Transparent Glass/Cristal Transparente

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 65

SEA SIDE
SUITABLE







Nala

70773

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17463

Class


I

IP

54



Post
438



Tamashi

71303

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17428

Class

I

IP

65



Pomo

71306

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

2 E27 max. 15W

Bulb incl.

No

Recom. Bulb

17426

Class


I

IP

65

IK

06



Pivot

71304

● Matt White/Blanco Mate

71305

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 10W 3000K 500Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

65

IK

06







Sun

70823

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 4W 3000K 275Lm



CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54



Tom

70665

● Matt White/Blanco Mate

70666

● Dark Grey/Gris Oscuro

Material Body ABS
Diff Opal PC/PC Opal

Light Source SMD LED 7W 3000K 400Lm

CRI >80

Driver incl. Yes


Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 10

SEA SIDE SUITABLE



Tom

70682

● Dark Grey/Gris Oscuro

70683

● Matt White/Blanco Mate

Material Body ABS
Diff Opal PC/PC Opal

Light Source SMD LED 11W 3000K 600Lm

CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 10

SEA SIDE SUITABLE






Hikari

71274

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 10W 3000K 400Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	10



Kubick


70689

● Dark Grey/Gris Oscuro

70715

● Grey/Gris

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	44




Lur

70827

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 12W 3000K 950Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54





Mol

70720

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source

1 E27 max. 15W

Bulb incl.

No

Recom. Bulb


17463/17498 Smart Bulb

Class

I

IP

44



Pol

70829

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal PMMA/PMMA Opal

Light Source

SMD LED 8W 3000K 550Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

54



Fred

70663

● Dark Grey/Gris Oscuro

70664

● Matt White/Blanco Mate

Material

Body ABS

Diff Opal PC/PC Opal

Light Source

SMD LED 7W 3000K 400Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65

IK

10

SEA SIDE
SUITABLE



Fred XL

70667

● Dark Grey/Gris Oscuro

70668

● Matt White/Blanco Mate

Material

Body ABS

Diff Opal PC/PC Opal

Light Source

SMD LED 11W 3000K 600Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

100V-240V/50-60HZ


IP

65

IK

10

SEA SIDE
SUITABLE



outdoor

Surface / Superficie



Natron

70887 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17437

Class I

IP 54

IK 06



Tejo

70573 ● Dark Grey/Gris Oscuro
70573B ● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 54

IK 06



Negus

70696 ● Grey/Gris

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 54

IK 10



Bonn

70697 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44






Cela

72281

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 304/Acero inoxidable 304 Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	II
IP	54




Cela

72280

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 304/Acero inoxidable 304 Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	II
IP	54




Fedón

70714

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 304/Acero inoxidable 304 Diff Opal PC/PC Opal
Light Source	1 E27 max. 15W
Bulb incl.	No
Recom. Bulb	17463/17498 Smart Bulb
Class	I
IP	54





Estay

72010
72011

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44



Derby

72002

- Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44



Derby

72000
72001

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44





Bu-Oh by Estudi Ribaudí

71212 ● Dark Grey/Gris Oscuro
71215 ● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source SMD LED 12W 3000K 310Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65



Bollard
444



Pole
464



Lotus by Estudi Ribaudí


71222 ● Matt White/Blanco Mate
71223 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 18W 3000K 1120Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65
IK 08



Bollard
422




Future by Estudi Ribaudí

71516 ● Matt White/Blanco Mate
71517 ● Dark Grey/Gris Oscuro

Material Body PC
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W
Bulb incl. No
Recom. Bulb 17437
Class II
IP 44

SEA SIDE
SUITABLE







Sticker by Lucid Product Design

75540 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PMMA/PMMA Opal

Light Source SMD LED 13W 3000K 770Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 55



Bollard
426



View by Estudi Ribaudí

71519 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class II

IP 54

SEA SIDE
SUITABLE



Dragma by Àlex & Manel Lluscà

71362L ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 15W 3000K 500Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65



Ancora by Àlex & Manel Lluscà

74401 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44









Alp

74450

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 8W 3000K 350Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54



Axel

71272

● Matt White/Blanco Mate

71273

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 6W 3000K 360Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	07




Bracket

72272

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	SMD LED 6W 3000K 270Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	44





Quart

70579

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 30W 3000K 1200Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

220V- 240V/50HZ

IP

65



Takua

71277

● Dark Grey/Gris Oscuro

71308

● Matt White/Blanco Mate

71309

● Rust Brown/Marrón Oxido

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

SMD LED 10W 3000K 450Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

65

IK

06



Oval

71276

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 10W 3000K 450Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

65

IK

06





NEW



Lako

71909
71910
71911
71898 NEW

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido
- Teak/Teca

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 8W 3000K 600Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 65

Beam angle 90°



NEW



Doro

71900
71901
71902
71899 NEW

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido
- Teak/Teca

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 13W 3000K 1000Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 65



Doro

71903
71904
71905

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 20W 3000K 1800Lm


CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 65






Doro

- 71906 ● Matt White/Blanco Mate
- 71907 ● Dark Grey/Gris Oscuro
- 71908 ● Rust Brown/Marrón Oxido

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 28W 3000K 2700Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 220V- 240V/50-60HZ
IP 65




Toluca

- 71052 ● Satin Aluminium/Aluminio Satinado

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 16W 3000K 900Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 220V- 240V/50-60HZ
IP 65
IK 09





Tacana

- 71049 ● Satin Aluminium/Aluminio Satinado

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 24W 3000K 1700Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 65
IK 09






Kaula

70405

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 9W 3000K 400Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	44




Kaula

70406

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 316L/Acero inoxidable 316L Diff Opal PMMA/PMMA Opal
Light Source	SMD LED 14W 3000K 650Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	44




Thon

70283

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	COB LED 15W 3000K 825Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	55
Beam angle	18°






Thon

70284

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	COB LED 30W 3000K 1538Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	55
Beam angle	18°



Aday



70644

● Matt White/Blanco Mate

70645

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	SMD LED 6W 3000K 450Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	54
IK	08



Aday


70646


● Matt White/Blanco Mate

70647

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal Glass/Cristal Opal
Light Source	SMD LED 13W 3000K 787Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	54
IK	08





Tane

72269

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 7W 3000K 280Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 44



West

70888

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17437

Class I

IP 54



West

70899

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17437

Class I

IP 54





Lace

70811

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

HIGH POWER LED 6W 4000K 315Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

54

Beam angle

110°



Bruc

70828

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Opal Glass/Cristal Opal

Light Source

SMD LED 13W 3000K 830Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)



100V-240V/50-60HZ

IP

54

IK

06



Ling

70812

● Dark Grey/Gris Oscuro

70813

● Matt White/Blanco Mate

Material

Body Aluminium/Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

HIGH POWER LED 6W 4000K 630Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)


100V-240V/50-60HZ

IP

54

Beam angle

110°





Lacre

70802

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 54



Log

70264

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 9W 3000K 600Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 54



Blind

70267

● Matt White/Blanco Mate

70268

● Rust Brown/Marrón Oxido

70634

● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 6W 3000K 180Lm


CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 65






Olan

70269
70270
70637

- Matt White/Blanco Mate
- Rust Brown/Marrón Oxido
- Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 6W 3000K 200Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 220V- 240V/50-60HZ
IP 65
IK 06




Sunset

70686
70687

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material **Body** Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 6W 3000K 260Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 220V- 240V/50-60HZ
IP 54




Canon

70566N
70567N

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate

Material **Body** Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source HIGH POWER LED 4W 3000K 130Lm
CRI >80
Driver incl. Yes
Class I
Voltage (V/Hz) 100V-240V/50-60HZ
IP 44
Beam angle 120°





Nairobi

70830
70832

- Matt White/Blanco Mate
- Rust Brown/Marrón Oxido

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 6W 3000K 380Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54



Tinia

71353

- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal


Light Source 1 E27 max. 15W

Bulb incl. No

Recom. Bulb 17063

Class I

IP 44



Ele

74419

- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 6W 3000K 450Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 54

Beam angle 95°





Gina

71363
71366
71367

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source GU10 8W

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 44



Bollard
449



Taima

71388

- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 6W 3000K 310Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

Beam angle 180°
↕ 90°



Wood

74455

- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 11W 3000K 600Lm

CRI >80


Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

Beam angle 95°
↕ 90°





Proa by Àlex & Manel Llusà

74400 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


Light Source 1 GU10 max. 8W

Bulb incl. No

Recom. Bulb 17316/97685327

Class I

IP 44



Steps by Estudi Ribaudí

75500 ● Matt White/Blanco Mate

75501 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


Light Source 2 GU10 max. 8W

Bulb incl. No

Recom. Bulb 17320/97685327

Class I

IP 44



Steps by Estudi Ribaudí

75502 ● Matt White/Blanco Mate

75503 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


Light Source 4 GU10 max. 8W

Bulb incl. No

Recom. Bulb 17320/97685327

Class I

IP 44







Bronx by Àlex & Manel Llusçà

- 71194 ● Brown/Marrón
- 71195 ● White/Blanco
- 71196 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


Light Source 1 GU10 max. 8W

Bulb incl. No

Recom. Bulb 97685327

Class I

IP 44



Klamp by Àlex & Manel Llusçà

- 74407 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source 1 GU10 max. 8W

Bulb incl. No


Recom. Bulb 17316/97685327

Class I

IP 44



Bollard
448



Klamp by Àlex & Manel Llusçà

- 74408 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente


Light Source 2 GU10 max. 8W

Bulb incl. No

Recom. Bulb 17316/97685327

Class I

IP 44







Pill

70824
70825
70826

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro
- Rust Brown/Marrón Oxido

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source COB LED 4W 3000K 110Lm



CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54



Drak

72330

- Brass/Latón

Material Body Aluminium/Aluminio
Diff Transparent PMMA/PMMA Transparente

Light Source SMD LED 6W 3000K 160Lm

CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 44

IK 08

SEA SIDE
SUITABLE



Brow

70408
70409

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material Body PC
Diff Opal PMMA/PMMA Opal

Light Source COB LED 3W 3000K 100Lm


CRI >80

Driver incl. Yes

Class II

Voltage (V/Hz) 220V- 240V/50HZ

IP 44





Kala

70582
70583

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 16W 2700K 1200Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 54



Guiza

71278

- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source COB LED 10W 3000K 400Lm

CRI >80



Driver incl. Yes

Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 06



Suma

70749

- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal


Light Source 2 E27 max. 15W

Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb

Class I

IP 44






Keenan

70546

● Matt Nickel/Níquel Mate

Material	Body Aluminium/Aluminio Diff Transparent PC/PC Transparente
Light Source	SMD LED 1W 6500K 20Lm
CRI	>80
Driver incl.	No
Recom. Driver	98111020
Class	III
IP	67
IK	08

SEA SIDE
SUITABLE





Keenan

70547

● Matt Nickel/Níquel Mate

Material	Body Aluminium/Aluminio Diff Transparent PC/PC Transparente
Light Source	SMD LED 1W 6500K 40Lm
CRI	>80
Driver incl.	No
Recom. Driver	98111020
Class	III
IP	67
IK	08

SEA SIDE
SUITABLE




Keenan


70564

● Matt Nickel/Níquel Mate

Material	Body Aluminium/Aluminio Diff Transparent PC/PC Transparente
Light Source	SMD LED 1W 6500K 80Lm
CRI	>80
Driver incl.	No
Recom. Driver	98111020
Class	III
IP	67
IK	08

SEA SIDE
SUITABLE





Loth

70285

Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source COB LED 6W 3000K 165Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 67

IK 10



Loth

70286

Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source COB LED 13W 3000K 235Lm

CRI >80



Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 67

IK 10



Loth

70287

Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source COB LED 13W 3000K 400Lm

CRI >80


Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 67

IK 10





Grant

70655

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Transparent PC/PC Transparente

Light Source

SMD LED 1W 3000K 65Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65



IK

10

Beam angle

120°

SEA SIDE
SUITABLE



Grant

70656

● Dark Grey/Gris Oscuro

Material

Body ABS

Diff Transparent PC/PC Transparente

Light Source

SMD LED 1W 3000K 65Lm

CRI

>80

Driver incl.

Yes

Class

II

Voltage (V/Hz)

100V-240V/50-60HZ

IP

65


IK

10

Beam angle

120°

SEA SIDE
SUITABLE



Path

70501

● Matt White/Blanco Mate

70508

● Dark Grey/Gris Oscuro

Material

Body Aluminium/Aluminio

Diff Transparent PC/PC Transparente

Light Source

SMD LED 9W 3000K 390Lm

CRI

>80

Driver incl.

Yes

Class


I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

44





Grada

- 70906 ● Dark Grey/Gris Oscuro
- 70907 ● Rust Brown/Marrón Oxido

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 3W 3000K 86Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 54



Grada

- 70908 ● Dark Grey/Gris Oscuro
- 70909 ● Rust Brown/Marrón Oxido

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 6W 3000K 208Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 54



Grada

- 70910 ● Dark Grey/Gris Oscuro
- 70911 ● Rust Brown/Marrón Oxido

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source SMD LED 12W 3000K 443Lm


CRI >80

Driver incl. Yes

Class I

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 54






Must

70657

● Dark Grey/Gris Oscuro

Material	Body ABS Diff Transparent PC/PC Transparente
Light Source	SMD LED 2W 3000K 80Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
IK	10

SEA SIDE
SUITABLE




Must

70658

● Dark Grey/Gris Oscuro

Material	Body ABS Diff Transparent PC/PC Transparente
Light Source	SMD LED 3W 3000K 220Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
IK	10

SEA SIDE
SUITABLE




Must

70659

● Dark Grey/Gris Oscuro

Material	Body ABS Diff Transparent PC/PC Transparente
Light Source	SMD LED 4W 3000K 240Lm
CRI	>80
Driver incl.	Yes
Class	II
Voltage (V/Hz)	220V- 240V/50-60HZ
IP	65
IK	10

SEA SIDE
SUITABLE







outdoor

exterior

Recessed Empotrables




Galo

70265

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 3W 3000K 200Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
IK	05
Cut out	73x73




Galo

70266

● Matt White/Blanco Mate

Material	Body Aluminium/Aluminio Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 3W 3000K 200Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	54
IK	05
Cut out	73x73




Dang

70446

● Satin Stainless/Inoxidable Satinado

Material	Body Aluminium+316 Stainless Steel/Aluminio+Acero Inox 316 Diff Transparent Glass/Cristal Transparente
Light Source	COB LED 3W 3000K 80Lm
CRI	>80
Driver incl.	No
Recom. Driver	98324006
Class	III
IP	67
IK	05
Beam angle	40°
Cut out	ø88x100



SEA SIDE
SUITABLE

*Drivers info pag. 746-747



Nase

70395
70398

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 3W 3000K 49Lm

CRI >80

Driver incl. Yes


Class II

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 44

Beam angle 120°

Cut out 92x87x80



Nase

70396
70399

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 3W 3000K 49Lm

CRI >80

Driver incl. Yes



Class II

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 44

Beam angle 120°

Cut out 132x90x80



Uve

70397

- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 2W 3000K 70Lm

CRI >80

Driver incl. Yes

Class II


Voltage (V/Hz) 220V- 240V/50-60HZ

IP 44

IK 08

Beam angle 120°

Cut out ø78





Fro1

70135

● Satin Nickel/Niquel Satinado

Material Body Stainless steel 304/Acero inoxidable 304

Diff Opal PC/PC Opal

Light Source SMD LED 1W 3000K 55Lm

CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 65

Cut out 92x92x50



Gron

70134

● Satin Nickel/Niquel Satinado

Material Body Stainless steel 304/Acero inoxidable 304

Diff Opal PC/PC Opal

Light Source SMD LED 1W 3000K 70Lm

CRI >80


Driver incl. Yes

Class II

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 65

Cut out 105x66x50



Stripe-2

72092

● Dark Grey/Gris Oscuro

72093

● Matt White/Blanco Mate

Material Body Aluminium/Aluminio

Diff Opal PC/PC Opal

Light Source SMD LED 5W 3000K 50Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

IK 07

Cut out 230x89





Liso

71490
71491

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb


Class I

IP 44

Cut out 230x89



Recessed box/Caja de empotrar
71482



Stripe-1

72094
72095

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 5W 3000K 70Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 54

IK 07

Cut out 230x89



Esca

71480
71481

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Opal Glass/Cristal Opal

Light Source 1 E27 max. 15W


Bulb incl. No

Recom. Bulb 17463/17498 Smart Bulb


Class I

IP 44

Cut out 230x89



Recessed box/Caja de empotrar
71482



Dart

70272

70273

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body PC

Diff Transparent Glass/Cristal Transparente

Light Source COB LED 2W 2700K 70Lm

CRI >80

Driver incl. Yes


Class II

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 65

Beam angle 100°

Cut out ø68



Choose required mounting accessory/Elija el accesorio de montaje necesario



Recessed box/Caja de empotrar

70276

- Black/Negro



Surface box/Caja de superficie

70274

70275

- White/Blanco
- Black/Negro



Dart

70277

70278

- Matt White/Blanco Mate
- Matt Black/Negro Mate

Material

Body PC

Diff Transparent Glass/Cristal Transparente

Light Source COB LED 5W 2700K 275Lm

CRI >80

Driver incl. Yes


Class II

Voltage (V/Hz) 220V- 240V/50-60HZ

IP 65

Beam angle 100°

Cut out 160x68



Choose required mounting accessory/Elija el accesorio de montaje necesario



Recessed box/Caja de empotrar

70281

- Black/Negro



Surface box/Caja de superficie

70279

70280

- White/Blanco
- Black/Negro

outdoor

Recessed / Empotrables



Spark-2

- 70164 ● Dark Grey/Gris Oscuro
- 70165 ● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 5W 3000K 100Lm

CRI >80

Driver incl. Yes


Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 10

Cut out 95x65x40



Spark-1

- 70162 ● Dark Grey/Gris Oscuro
- 70163 ● Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Opal PC/PC Opal

Light Source SMD LED 5W 3000K 230Lm

CRI >80

Driver incl. Yes



Class I

Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 10

Cut out 95x65x40



Racing

- 70403 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 1W 4000K 30Lm

CRI >80

Driver incl. Yes

Class II


Voltage (V/Hz) 220V- 240V/50-60HZ

IP 44

IK 08

Beam angle 45°

Cut out ø76x50



Carter

- 70402 ● Dark Grey/Gris Oscuro

Material Body Aluminium/Aluminio
Diff Transparent PC/PC Transparente

Light Source SMD LED 1W 4000K 30Lm

CRI >80

Driver incl. Yes

Class II


Voltage (V/Hz) 220V- 240V/50-60HZ

IP 44

IK 08

Beam angle 45°

Cut out ø76x50





Soun

70833
70834

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 5W 3000K 280Lm

CRI >80

Driver incl. Yes

Class I


Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 08

Beam angle 120°

Cut out 220x95x75



Soun

70900
70901

- Dark Grey/Gris Oscuro
- Matt White/Blanco Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 8W 3000K 630Lm

CRI >80

Driver incl. Yes

Class I


Voltage (V/Hz) 100V-240V/50-60HZ

IP 65

IK 08

Beam angle 120°

Cut out 183x225x75



Filter

70450

- Grey/Gris

Material Body Aluminium+ABS/Aluminio+ABS
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 2W 2700K 75Lm

CRI >80

Driver incl. Yes

Class I


Voltage (V/Hz) 100V-240V/50-60HZ


IP 65

IK 10

Beam angle 120°

Cut out 98x160x85






Sedna

70146

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 1W 3000K 30Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Beam angle	70°
Cut out	80x75




Sedna

70147

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 3W 3000K 90Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Beam angle	70°
Cut out	125x58





Sedna

70148

● Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio Diff Opal PC/PC Opal
Light Source	SMD LED 3W 3000K 90Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Beam angle	70°
Cut out	128x112






Nat

70271
70638

- Matt White/Blanco Mate
- Dark Grey/Gris Oscuro

Material	Body Aluminium/Aluminio
	Diff Transparent PC/PC Transparente
Light Source	SMD LED 8W 3000K 330Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Cut out	215x65x70




Horus

70155

- Grey/Gris

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	SMD LED 4W 3000K 60Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Beam angle	50°
Cut out	62x98




Horus

70154

- Grey/Gris

Material	Body Aluminium/Aluminio
	Diff Transparent Glass/Cristal Transparente
Light Source	SMD LED 4W 3000K 60Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	100V-240V/50-60HZ
IP	65
IK	08
Beam angle	50°
Cut out	62x98







Grund

70726
70730

- Satin Stainless/Inoxidable Satinado
- Satin Black/Negro Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable
316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

HIGH POWER LED 2W 3000K 152Lm

CRI

>90

Driver incl.

No

Recom. Driver

98310206E

Class

III

IP

67

IK


08

Beam angle

15°

Cut out

ø32x90



SEA SIDE
SUITABLE

*Drivers info pag. 746-747



Grund

70728
70731

- Satin Stainless/Inoxidable Satinado
- Satin Black/Negro Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable
316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 3000K 420Lm

CRI

>90

Driver incl.

No

Recom. Driver

98310620

Class

III

IP

67

IK


08

Beam angle

36°

Cut out

90



SEA SIDE
SUITABLE

*Drivers info pag. 746-747



Grund

70729
70732

- Satin Stainless/Inoxidable Satinado
- Satin Black/Negro Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable
316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 13W 3000K 846Lm

CRI

>90

Driver incl.

No

Recom. Driver

98310620

Class

III

IP

67

IK


08

Beam angle

36°

Cut out

90



SEA SIDE
SUITABLE

*Drivers info pag. 746-747



Grund

70733
70735

- Satin Aluminium/Aluminio Satinado
- Satin Black/Negro Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

HIGH POWER LED 2W 2700K

CRI

>90

Driver incl.

No

Recom. Driver

98310206E

Class

III

IP

67

IK


08

Beam angle

15°

Cut out

ø32x90



SEA SIDE
SUITABLE

*Drivers info pag. 746-747



Grund

70734
70736

- Satin Aluminium/Aluminio Satinado
- Satin Black/Negro Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 2700K

CRI

>90

Driver incl.

No

Recom. Driver

98310620

Class

III

IP

67

IK


08

Beam angle

36°

Cut out

ø60x90



SEA SIDE
SUITABLE

*Drivers info pag. 746-747



Curtis

70462N

- Satin Stainless/Inoxidable Satinado

Material

Body Aluminium+ABS/Aluminio+ABS
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 2W 3000K 77Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP


67

IK

08

Cut out

ø80x100



SEA SIDE
SUITABLE




Crosby

70459N

● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 316L+Aluminium+ABS/Acero inoxidable 316L+Aluminio+ABS Diff Opal Glass/Cristal Opal
Light Source	HIGH POWER LED 2W 3000K 77Lm
CRI	>80
Driver incl.	Yes
Class	I
Voltage (V/Hz)	120V-240V/50-60HZ
IP	67
IK	08
Beam angle	120°
Cut out	ø80x100

SEA SIDE
SUITABLE




Crosby

70453


● Satin Stainless/Inoxidable Satinado

Material	Body Stainless steel 316L+Aluminium+ABS/Acero inoxidable 316L+Aluminio+ABS Diff Opal Glass/Cristal Opal
Light Source	HIGH POWER LED 2W 3000K 77Lm
CRI	>80
Driver incl.	No
Recom. Driver	98324006,98324015U
Class	III
IP	67
IK	08
Beam angle	120°
Cut out	ø80x100

SEA SIDE
SUITABLE



*Drivers info pag. 746-747



*Drivers info pag. 746-747

Kane

70660

● Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 316L/Acero inoxidable 316L

Diff Transparent Glass/Cristal Transparente

Light Source COB LED 3W 3000K 120Lm

CRI >80

Driver incl. No

Recom. Driver 98324006,98324020U

Class III



IP 67

IK 08

Beam angle 120°

Cut out ø40x90

SEA SIDE
SUITABLE



*Drivers info pag. 746-747

Kane

70661

● Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 316L/Acero inoxidable 316L

Diff Transparent Glass/Cristal Transparente

Light Source COB LED 3W 3000K 120Lm

CRI >80

Driver incl. No

Recom. Driver 98324006

Class III



IP 67

IK 08

Beam angle 120°

Cut out ø40x90

SEA SIDE
SUITABLE



*Drivers info pag. 746-747

Kane

70662

● Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 316L/Acero inoxidable 316L

Diff Transparent Glass/Cristal Transparente

Light Source COB LED 3W 3000K 120Lm

CRI >80

Driver incl. No

Recom. Driver 98324006

Class III


IP 67

IK 08

Beam angle 120°

Cut out ø40x90

SEA SIDE
SUITABLE





Tras

71701

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 4W 3000K 462Lm

CRI 90

Driver incl. No

Recom. Driver 98324020U

Class III


Voltage (V/Hz) 24V DC

IP 67

IK 08

Beam angle 13°

Cut out ø82x56
30°



Tras

71702

● Matt Black/Negro Mate

Material Body Aluminium/Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 8W 3000K 924Lm

CRI 90

Driver incl. No

Recom. Driver 98324015U

Class III


Voltage (V/Hz) 24V DC

IP 67

IK 09

Beam angle 13°

Cut out ø82x56




Accessories/Acesorios



Recessed box/Caja de empotrar

71703



Tras

71716 13°

● Black/Negro

71717 40°

● Black/Negro

Material Body Aluminium+ABS/Aluminio+ABS
Diff Transparent Glass/Cristal Transparente

Light Source SMD LED 25W 3000K 2580Lm

CRI 90

Driver incl. No


Recom. Driver 98324030

Class III

IP 67

IK 10

Cut out 250x235x105



*Drivers info pag. 746-747





Geiser

70304

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

17324

Class

I

IP

67

IK

08

Cut out

ø116



Geiser

70305

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 3000K 400Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

67

IK

08

Beam angle

38°

Cut out

ø116



Geiser

70310

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

97685327

Class

I

IP

67


IK

08

Cut out

ø120x135





Geiser

70302 10°
70303 38°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 3000K 400Lm

CRI

>80

Driver incl.

Yes

Class

I

IP


67

IK

08

Cut out

ø90x135



Geiser

70308 10°
70309 38°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 15W 3000K 900Lm

CRI

>80

Driver incl.

Yes

Class

I

IP


67

IK

08

Cut out

190



Geiser

70306 10°
70307 38°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 29W 3000K 1800Lm

CRI

>80

Driver incl.

Yes

Class

I

IP


67

IK

08

Cut out

ø200x265





Suria

70588 24°

70592N 60°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 3W 3000K 175Lm

CRI

>80

Driver incl.

Yes

Class

I

IP

67


IK

08

Cut out

ø100x95

SEA SIDE
SUITABLE



Suria

70589 24°

70593N 60°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 12W 3000K 1280Lm

CRI

>80

Driver incl.

Yes

Class

I

IP

67


IK

08

Cut out

ø165x125

SEA SIDE
SUITABLE



Suria

70586 24°

70587 60°

- Satin Stainless/Inoxidable Satinado
- Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 24W 3000K 1870Lm

CRI

>80

Driver incl.

Yes

Class

I

IP

67


IK

08

Cut out

ø209x130

SEA SIDE
SUITABLE





Led-18

- 71496N 6000K ● Satin Stainless/Inoxidable Satinado
- 71498N 3000K ● Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 316L+Aluminium/Acero inoxidable
316L+Aluminio
Diff Opal Glass/Cristal Opal

Light Source HIGH POWER LED 3W 100Lm

CRI >80

Driver incl. Yes

Class I


Voltage (V/Hz) 220V- 240V/50-60HZ

IP 67

IK 08

Cut out ø90x65

SEA SIDE
SUITABLE



Led-18

- 71499N 3000K ● Satin Stainless/Inoxidable Satinado

Material Body Stainless steel 316L+Aluminium/Acero inoxidable
316L+Aluminio
Diff Opal Glass/Cristal Opal

Light Source HIGH POWER LED 3W 100Lm

CRI >80

Driver incl. Yes

Class I


Voltage (V/Hz) 220V- 240V/50-60HZ

IP 67

IK 08

Cut out 80x80x70

SEA SIDE
SUITABLE





Salt

70591

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 9W 3000K 500Lm

CRI

90

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

67

IK

08


Beam angle

45°

Cut out

ø170x122

SEA SIDE
SUITABLE



Taro

70449

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio

Diff Transparent Glass/Cristal Transparente

Light Source

COB LED 7W 3000K 280Lm

CRI

>80

Driver incl.

Yes

Class

I

Voltage (V/Hz)

100V-240V/50-60HZ

IP

67

IK

08


Beam angle

30°

Cut out

ø90x135

SEA SIDE
SUITABLE





Tecno

71489N

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+Aluminium/Acero inoxidable 316L+Aluminio
Diff Transparent Glass/Cristal Transparente

Light Source

1 GU10 max. 8W

Bulb incl.

No

Recom. Bulb

17324

Class

I

IP

67


IK

08

Cut out

ø100x125

SEA SIDE
SUITABLE



Lio

71495

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel/Acero inoxidable
Diff Opal Glass/Cristal Opal

Light Source

1 GX53 max. 6W

Bulb incl.

No

Recom. Bulb

17340

Class

I

IP

67


IK

10

Cut out

ø90x75

SEA SIDE
SUITABLE



Edel

70455

● Satin Stainless/Inoxidable Satinado

Material

Body Stainless steel 316L+ABS/Acero inoxidable 316L+ABS
Diff Opal Glass/Cristal Opal

Light Source

HIGH POWER LED 18W 4000K 900Lm

CRI

>80

Driver incl.

No

Recom. Driver

98324020U

Class

III

Voltage (V/Hz)

24V DC/50-60HZ

IP

68

IK

08


Beam angle

25°

Cut out

ø156

SEA SIDE
SUITABLE



Falls



71730 ● Satin Stainless/Inoxidable Satinado
Light Source SMD LED 8W 3000K 672Lm
Beam angle 25°



71732 ● Satin Stainless/Inoxidable Satinado
Light Source SMD LED 16W 3000K 1367Lm
Beam angle 25°

71731 ● Satin Stainless/Inoxidable Satinado
Light Source SMD LED 8W 3000K 669Lm
Beam angle 30°

71733 ● Satin Stainless/Inoxidable Satinado
Light Source SMD LED 16W 3000K 1413Lm
Beam angle 30°

Material Body Stainless steel 316L/Acero inoxidable 316L
CRI 90
Driver incl. No
Recom. Driver 98324020U
Class III
IP 67
IK 09
Cut out 310x52x100

Material Body Stainless steel 316L/Acero inoxidable 316L
CRI 90
Driver incl. No
Recom. Driver 98324020U
Class III
IP 67
IK 09
Cut out 520x53x100





71734 ● Satin Stainless/Inoxidable Satinado
Light Source SMD LED 6W 2700K 190Lm



71736 ● Satin Stainless/Inoxidable Satinado
Light Source SMD LED 12W 2700K 291Lm

71735 ● Satin Stainless/Inoxidable Satinado
Light Source SMD LED 6W 200Lm

71737 ● Satin Stainless/Inoxidable Satinado
Light Source SMD LED 12W 2700K 316Lm

Material **Body** Stainless steel 316L/Acero inoxidable 316L
Diff Glass/Cristal
CRI 90
Driver incl. No
Recom. Driver 98324020U
Class III
IP 67
IK 09
Cut out 310x52x100

Material **Body** Stainless steel 316L/Acero inoxidable 316L
Diff Glass/Cristal
CRI 90
Driver incl. No
Recom. Driver 98324020U
Class III
IP 67
IK 09
Cut out 520x53x100





fan
ventilación



Healthy & environmental friendly
Saludable y sostenible

It improves the air quality and contributes to our well-being and health. It does not emit toxic gases dangerous to the environment.

*Mejora la calidad del aire contribuyendo a nuestro bienestar y salud.
No emite gases tóxicos.*



Cost-effective
Eficiente

It ventilates and cool spaces with energy consumption 50% lower than other systems.

Ventila y refresca los espacios con un consumo energético un 50% más bajo que otros sistemas.



Decorative
Decorativo

It brings personality and distinction to spaces.

Aporta personalidad y distinción a los espacios.



Summer and Winter use
Uso verano e invierno

The rotation of the blades creates a refreshing breeze in summer and eliminates air stratification in winter.

La rotación de las aspas crea una brisa refrescante en verano y elimina la estratificación del aire en invierno.

WHY A FAN?



The ceiling fan has become an essential element in the interior design of a space, providing style, functionality, efficiency and sustainability.

El ventilador de techo se ha convertido en un elemento imprescindible en el interiorismo de un espacio, aportando estilo, funcionalidad, eficiencia y sostenibilidad.



Engine guaranteed for 15 years
Motor con garantía de 15 años



Wide range. Over 80 designs
Amplia gama. Más de 80 diseños



High performance
Altas prestaciones




DC motor. Better performance
Motor DC. Un mejor rendimiento

BEST CHOICE



Over 40 years of experience in fan, we are your best choice.

Con más de 40 años de experiencia en la ventilación de techo, somos tu mejor elección.



Ebook Fan

Smart fan connection guide

Guía conexión smart fan



Add a device.
In this case a ceiling fan.

*Añade un dispositivo.
En este caso un ventilador de techo.*



Enter your WIFI password.
Make sure you are connected to a 2.4 GHz network.

*Introduce la contraseña de tu WIFI.
Asegúrate de estar conectado a una red de 2.4 GHz.*



Pair your fan.
Choose the option of new fan to make the connection.

*Empareja tu ventilador.
Elige la opción de nuevo ventilador para realizar la conexión.*



Configure the fan.
Select the mode you want to use your fan in.

*Configura el ventilador.
Selecciona el modo en el que quieres usar tu ventilador.*



Regulate the light on your fan.
You can modify the light emitted by your fan through the app.

*Regula la luz de tu ventilador.
Podrás modificar la luz emitida por tu ventilador a través de la app.*



Regulates fan speed.
You can modify the speed of your fan through the app.

*Regula la velocidad del ventilador.
Podrás modificar la velocidad de tu ventilador a través de la app.*

Compatible con / Compatible with



GOOGLE
ASSISTANT



SIRI



ALEXA

SMART FAN



Download app
Descarga la app

wiz

Available on the iPhone
App Store

ANDROID APP ON
Google play





To ensure that the ceiling fan works properly, the size of the fan is a key factor. If a fan is too large, it may not be aesthetically pleasing. On the other hand, if the fan is too small, the airflow may be inadequate for that area. For safety reasons, there should be a minimum height of 2.3 m from the floor to the blades, and for heights above 2.8 m, extension poles should be used.

Para garantizar el buen funcionamiento del ventilador de techo, el tamaño de éste es un factor clave. Si un ventilador es demasiado grande, puede resultar poco estético. Por otro lado, si el ventilador es demasiado pequeño, el flujo de aire puede ser inadecuado para esa área. Por razones de seguridad, debe haber una altura mínima de 2,3 m desde el suelo hasta las aspas y, para alturas superiores a 2,8 m, deben utilizarse extensiones de tijas.

XL

28 m² o más/or more
300 SQ.FT or more



más/over ø165 CM.
over ø56 INCH.

L

17,6-28 m²
190-300 SQ.FT



ø 132-164CM.
ø50-54 INCH.

M

13-17,6 m²
140-190 SQ.FT



ø107-131 CM.
ø44-48 INCH.

S


13 m² o menos/or less
140 SQ.FT or less



ø106 CM. o menos/or less
ø42 INCH. or less

SIZE IT





How you want to control your fan
Múltiples opciones de control

on/off
voice / voz
remote control / mando a distancia
wall control / regulador de pared
KNX



Our fans around the world
Adaptado a cualquier parte del mundo

We adapt the electrical voltage and frequency you need in your country
Adaptamos la tensión y frecuencia eléctrica que necesites en tu región



We adapt fan speeds to your needs
Velocidad personalizada



We modify the memory of your fan
Memoria personalizada

Tell us your needs and we will make it happen
Dinos tus necesidades y lo hacemos realidad

Send your demand on / envíanos tu petición a fanprojects@faro.es

CUSTOM FANS



We personalise and adapt fan functions to your project needs.


Personalizamos y adaptamos las funciones del ventilador a las necesidades de tu proyecto.



Ebook Fan

	S	M	L	XL	Motor	IP44	Summer Winter	With light	Without light	LED	Optional	Control remote	Wall control	Chain	Ceiling mounted	Inclining roof
Alo (Light)			•				•	•		•		incl.				•
Alo			•				•		•			incl.				•
Aloha			•				•		•		•	incl.				•
Andros				•	•		•		•			incl.				•
Aoba				•	•		•		•			incl.				
Attos				•	•		•			•		incl.				•
Barth N			•		•		•			•		incl.				•
Cebu	•						•		•			incl.				•
Century				•	•		•		•			incl.				•
Chicago	•								•			incl.				•
Cies				•	•		•		•		•	incl.				•
Cocos			•		•		•			•		incl.				•
Copper		•			•		•		•			incl.				
Cuba			•				•		•			optional		incl.	•	•
Decofan	•				•		•		•		•	incl.				
Disc			•		•		•			•		incl.				•
Easy	•						•		•			incl.			•	•
Eco Indus		•					•		•			optional	incl.			•
Eterfan		•			•		•		•		•	incl.				
Factory	•						•		•					incl.		•
Fraser	•				•		•			•		incl.				
Grid			•		•		•		•		•	incl.				
Gotland			•		•		•		•			incl.				•
Hvar N	•				•		•			•		incl.				•
Hydra			•		•		•		•		•	incl.				•
Ibiza			•				•		•			incl.				•
Icaria			•				•		•			incl.				•
Ice			•				•		•		•	incl.				•
Indus			•						•				incl.			
Islot			•		•		•		•			incl.				
Izaro			•		•		•		•		•	incl.				•
Just Fan S	•				•		•		•		•	incl.				•
Just Fan M		•			•		•		•		•	incl.				•
Just Fan XL				•	•		•		•		•	incl.				•
Kauai				•	•		•		•			incl.				•
Keiki	•						•		•				incl.			•
Khios XXL				•	•		•		•		•	incl.				
Komodo		•					•		•					incl.		•
Lama			•				•		•			incl.				
Lantau L			•				•		•			incl.				•
Lantau L (Light)			•				•		•		•	incl.				•
Lantau XL				•			•		•			incl.				•
Lantau XL (Light)				•			•		•		•	incl.				•
Lisboa	•						•		•			optional		incl.	•	•
Lombok			•				•		•			optional		incl.		•
Luzon			•						•			incl.				•

	S	M	L	XL	Motor	IP44	Summer Winter	With light	Without light	LED	Optional	Control remote	Wall control	Chain	Ceiling mounted	Inclining roof
Mallorca			•				•		•			incl.				•
Malvinas			•		•		•		•				incl.			•
Manhattan				•	•		•	•		•		incl.				•
Mediterráneo	•							•						incl.		
Meno				•			•		•			incl.				•
Milos			•		•		•		•			incl.				•
Mini Eterfan		•			•		•		•		•	incl.				
Mini Icaria	•						•	•				incl.				•
Mini Indus	•								•				incl.			
Mini Lantau	•						•		•			incl.				•
Mini Mallorca	•						•		•			incl.				•
Mini Tube		•			•		•		•		•	incl.				
Mini Ufo	•						•	•				incl.				
Molokai		•			•		•		•			incl.				•
Morea			•		•		•		•			incl.				•
Nassau		•			•		•		•			incl.				•
Nias			•		•		•		•			incl.			•	
Nuu			•		•		•		•			incl.				•
Nuu (Light)			•		•		•	•		•		incl.				•
Oboe	•						•		•							•
Palao	•						•	•				optional		incl.		•
Palk			•		•		•	•				incl.				•
Panay		•						•				incl.				•
Pemba			•		•		•		•		•	incl.				
Polaris			•		•		•	•		•		incl.				•
Polea			•		•		•		•			incl.				•
Poros			•		•		•	•		•		incl.				•
Punt			•		•	•		•		•		incl.				•
Samos			•		•		•		•			incl.				
Saona			•		•		•	•		•		incl.				•
Sioux			•		•	•	•		•			incl.				•
Siros			•		•		•		•			incl.				•
Rodas			•		•		•	•		•		incl.				•
Tabarca			•				•	•				incl.				•
Tilos				•	•		•	•				incl.				•
Timor			•				•	•		•		incl.				
Tonic			•		•		•		•	•		incl.				•
Tonsay			•				•	•				incl.				
Tube		•							•		•	incl.				
Typhoon			•		•	•	•				•	incl.				•
Vanu				•			•	•				incl.			•	•
Vedra	•						•		•			optional	incl.			•
Vulcano			•				•	•		•		incl.				•
Winch			•				•	•				incl.			•	•
Winche			•		•	•	•				•	incl.				•
Yakarta		•					•		•			optional		incl.		•




Suitable for high ceilings
Ideal para techos altos



High airflow
Alto flujo de aire



Programmable from 1-4-8h
Programable de 1-4-8h



Light output. 1700lm 30w
Rendimiento lumínico.
1700lm 30w

KHIOS



XXL
SIZE

Ø **305**
CM

> 28 M²
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER


REMOTE
CONTROL



34250
34250A **NEW**
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

Material Body Steel/Acero
Material Blades Aluminium/Aluminio
Programmer 1-4-8hr
W 16-47-70-93-116-140
RPM 38-56-64-70-74-77
Airflow m3 min
V/Hz 220V- 240V/50-60HZ

Light SMD LED 30W 2700K 1700Lm
CRI >80
Driver incl. Yes
Diff PC



A	A1
670/26.38"	630/24.8"
B	C
200/7.87"	300/11.81"
D	E
170/6.7"	240/9.45"
F	G
ø3050/120.1"	1400/55.12"



Suitable for high ceilings
Ideal para techos altos



Color temp. adjustable
Temp. de color regulable



High airflow
Alto flujo de aire

MANHATTAN



ø244
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER

REMOTE
CONTROL


INCLINING
ROOF




33496
Body Satin Nickel/Níquel Satinado
Blades Satin Stainless/Inoxidable Satinado

Material Body Steel/Acero
Material Blades Aluminium/Aluminio
W 15-20-25-30-35-56
RPM 50-55-60-65-70-78
Airflow 269.12 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738


Light SMD LED 16W 3000K
Dimmable K 2700 - 3300 - 4600K
CRI >80
Driver incl. Yes
Diff PC



A	A1
360/14.17"	325/12.8"
B	C
200/7.87"	130/5.12"
D	E
55/2.2"	130/5.12"
F	G
ø2440/96.1"	1160/45.67"



2 downrods incl. 4.9" / 9.8"
2 tijas incl. 125mm / 250mm



Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h



Natural wood
Madera natural

KAUAI



ø240
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER


WITH
PROGRAMMER

INCLINING
ROOF



34200A
34200WPA ***Smart Fan**
Body Dark Brown/Marrón Oscuro
Blades Pine/Pino

Material Body Steel/Acero
Material Blades Wood/Madera
Programmer 1-4-8hr
W 13.4-17-20.7-35.7-54.5
RPM 79-86-93-110-126
Airflow 254.85 m3 min
V/Hz 220V- 240V/50-60HZ
Downrods 125-250mm



A	A1
480/18.9"	430/16.93"
B	C
170/6.69"	210/8.27"
D	E
65/2.6"	150/5.91"
F	G
ø2400/94.5"	1000/39.37"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Suitable for high ceilings
Ideal para techos altos



Color temp. adjustable
Temp. de color regulable



Smart option
Opción inteligente

ATTOS



ø213
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF




33494
33494WP ***Smart Fan**
Body Matt White/Bianco Mate
Blades Matt White/Bianco Mate




33495
33495WP ***Smart Fan**
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro

Material Body	Steel/Acero	Light	SMD LED 18W 3000K
Material Blades	ABS	Dimmable K	2700 - 3300 - 4600K
W	5-7-12-18-28-44	CRI	>80
RPM	30-44-58-72-86-103	Driver incl.	Yes
Airflow	m3 min	Diff	PC
V/Hz	220V- 240V/60HZ		
Opt. downrod	Page 738		



A	A1
340/13.39"	210/8.27"
B	C
120/4.72"	130/5.12"
D	E
60/2.4"	130/5.12"
F	G
ø2130/83.9"	1020/40.16"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



Suitable for high ceilings
Ideal para techos altos



3 opt heights. 48" / 35" / 23"
3 opciones alturas 1220mm /
900mm / 600mm



High airflow
Alto flujo de aire

ANDROS



ø213 CM	 > 28 M2 > 300 SQ.FT	DC MOTOR	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
-------------------	----------------------------	--------------------	----------------------	-----------------------	-----------------------



33461A
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate



33462A
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro



33465A
Body Satin Nickel/Níquel Satinado
Blades Satin Nickel/Níquel Satinado

Optional downrod/Tijas opcionales ☒



34002 1220/48" Satin Nickel
Níquel Satinado



34007 900/35.4" Dark Brown
Marrón Oscuro



34009 600/23.6" Matt White
Blanco Mate

34008 1220/48" Dark Brown
Marrón Oscuro

34010 900/35.4" Matt White
Blanco Mate


34006 600/23.6" Dark Brown
Marrón Oscuro

34011 1220/48" Matt White
Blanco Mate


34000 600/23.6" Satin Nickel
Níquel Satinado

34009 600/23.6" Matt White
Blanco Mate


- Material Body** Steel/Acero
- Material Blades** Aluminium/Aluminio
- W** 4-6-10-15-22-35
- RPM** 30-41-53-64-74-88
- Airflow** 406.4 m3 min
- V/Hz** 220V- 240V/50-60HZ
- Downrods** 600-900-1220mm
- Opt. downrod** Page 738



A	A1
460/18.11"	425/16.73"
B	C
220/8.66"	240/9.45"
D	E
50/2"	150/5.91"
F	G
ø2130/83.9"	950/37.4"



Adjustable intensity
Intensidad regulable



Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h



High airflow
Alto flujo de aire

CIES



ø210
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33512A
33512WPA ***Smart Fan**
Body Shiny White/Blanco Brillo
Blades Shiny White/Blanco Brillo




with light/con luz

SMD LED 17W 3000K >80 Driver incl. Yes
Diff ABS

33512WPA-1 ***Smart Fan**
33512A-1 **NEW**
Body Shiny White/Blanco Brillo
Blades Shiny White/Blanco Brillo

Material Body Steel/Acero
Material Blades ABS
Programmer 1-4-8hr
W 6-9-15-28-44
RPM 54-67-79-98-112
Airflow 344.4 m3 min
V/Hz 220V- 240V/50-60HZ



A	A1
430/16.93"	380/14.96"
B	C
250/9.84"	230/9.06"
D	E
50/2"	148/5.83"
F	G
ø2108/83"	930/36.61"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



3 downrods incl. 8" / 12" / 20"
3 tijas incl. 203mm / 305mm /
510mm



Wood
Madera

AOBA



Ø 180
CM


> 28 M2
> 300 SQ.FT

REMOTE CONTROL




33349
Body Matt Black/Negro Mate
Blades Reddish Walnut/Nogal Rojizo


Material Body Steel/Acero
Material Blades Wood/Madera
W 30-70-88
RPM 74-125-152
Airflow 120 m3 min
V/Hz 220V- 240V/50HZ
Accesories ☒ 33928 Wall Control 3 speeds
 33929 Remote Control/dimer-on-off
 33937 Remote Control/Programmer
Downrods 203-305-510mm



A	A1
520/20.47"	410/16.14"
B	C
200/7.87"	230/9.06"
D	E
145/5.7"	160/6.3"
F	G
ø1800/70.9"	780/30.71"



Smart option
Opción inteligente



3 downrods incl. 3.9" / 7.8" / 17.7"
3 tijas incl. 101mm / 203mm / 457mm



Ø **178**
CM


> 28 M2
> 300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz


SUMMER
WINTER


REMOTE
CONTROL


INCLINING
ROOF



33430
33430WP *Smart Fan
Body Matt Black/Negro Mate
Blades Dark Walnut/Nogal Oscuro



33432
33432WP *Smart Fan
Body Matt Black/Negro Mate
Blades Black/Negro




Ø1280
699



Ø810
733

Material Body Steel/Acero
Material Blades ABS
W 4-6-9-12-17-31
RPM 48-64-82-98-114-145
Airflow 175.28 m3 min
V/Hz 220V- 240V/50-60HZ
Downrods 101-203-457mm



A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	130/5.12"
D	E
55/2.2"	130/5.12"
F	G
Ø1780/70.1"	890/35.04"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Suitable for high ceilings
Ideal para techos altos

NISOS



Ø 178
CM

> 28 M2
> 300 SQ.FT

SUMMER
WINTER


INCLINING
ROOF

DIRECT
CEILING
MOUNTING


CONTROLLED
BY CHAINS



33363A
Body Dark Brown/Marrón Oscuro
Blades Cherry/Cerezo
 +Dark Walnut/Nogal Oscuro



Material Body Steel/Acero
Material Blades Plywood
W 26-50-88
RPM 59-83-113
Airflow 154 m3 min
V/Hz 220V- 240V/50HZ
Accesories ☒ 33928 Wall Control 3 speeds
 33929 Remote Control/dimer-on-off
 33937 Remote Control/Programmer
Opt. downrod Page 738



A	A1
860/33.86"	820/32.28"
B	C
200/7.87"	300/11.81"
D	E
60/2.4"	130/5.12"
F	G
Ø1780/70.1"	750/29.53"



High airflow
Alto flujo de aire



Wood
Madera

LANTAU



ø 168
CM

> 28 M2
> 300 SQ.FT

DC
OPTION

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33464

33464DC

DC Motor

Body Satin Nickel/Níquel Satinado
Blades Dark Walnut/Nogal Oscuro



33504

33504DC

DC Motor

Body Satin Nickel/Níquel Satinado
Blades Pine/Pino



with light/con luz

33463

Body Satin Nickel/Níquel Satinado
Blades Dark Walnut/Nogal Oscuro

SMD LED 15W 3000K 900Lm >80 Driver incl. Yes
Diff Glass/Cristal

33505

33505DC

DC Motor

Body Satin Nickel/Níquel Satinado
Blades Pine/Pino




ø1320
651




ø1070
719

Material Body Steel/Acero
Material Blades Wood/Madera
W 24-39-82
RPM 70-95-135
Airflow 261.6 m3 min
V/Hz 220V- 240V/50HZ
Accesories ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
Opt. downrod Page 738



A	A1
410/16.14"	335/13.19"
B	C
180/7.09"	180/7.09"
D	E
70/2.8"	150/5.91"
F	G
ø1680/66.1"	840/33.07"



Suitable for high ceilings
Apto ideal para techos altos



3 optional downrod
Opcional 3 tjas

TILOS



Ø 168
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33466A

Body Dark Brown/Marrón Oscuro

Blades Dark Brown/Marrón Oscuro

Optional downrod/Tijas opcionales ☒



34005 1220/48" Dark Brown Marrón Oscuro




34004 900/35.4" Dark Brown Marrón Oscuro




34003 600/23.6" Dark Brown Marrón Oscuro

Material Body Steel/Acero
Material Blades ABS
W 4-6-9-14-21-35
RPM 31-43-55-67-78-95
Airflow 264.05 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738


Light 2 E27 max. 15W
Bulb incl. No
Rec. Bulb 17463/17498
Diff Glass/Cristal



A	A1
500/19.69"	440/17.32"
B	C
290/11.42"	220/8.66"
D	E
60/2.4"	140/5.51"
F	G
Ø1685/66.3"	750/29.53"



Adjustable intensity
Intensidad regulable



Smart option
Opción inteligente

CENTURY



ø **165**
CM

> 28 M2
> 300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF




33553A
33553WPA *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate



33554A
33554WPA *Smart Fan
Body Satin Nickel/Níquel Satinado
Blades Grey/Gris

Material Body Steel/Acero
Material Blades Plywood
W 5-8-12-17-25-35
RPM 60-80-95-110-125-140
Airflow 233.41 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738

Light SMD LED 15W 3000K 1200Lm
CRI >80
Driver incl. Yes
Diff PMMA



A	A1
330/12.99"	250/9.84"
B	C
170/6.69"	150/5.91"
D	E
50/2"	130/5.12"
F	G
ø1650/65"	750/29.53"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

Thanks to Beti Guasch y Estudi Nou Arquitectes photo by Sara Adroer



Wood
Madera

ALO



Ø152
CM

> 17.6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33718
Body Matt Black/Negro Mate
Blades Pine/Pino



33728
Body Matt White/Blanco Mate
Blades Pine/Pino




with light/con luz

SMD LED 17W 3000K 600Lm >80 Driver incl. Yes
Diff Glass/Cristal

33719
Body Matt Black/Negro Mate
Blades Pine/Pino

33727
Body Matt White/Blanco Mate
Blades Pine/Pino

- Material Body** Steel/Acero
- Material Blades** Wood/Madera
- W** 14-30-56
- RPM** 80-113-155
- Airflow** 129.29 m3 min
- V/Hz** 220V- 240V/50HZ
- Accesories** ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
- Opt. downrod** Page 738



A	A1
335/13.19"	320/12.6"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
Ø1520/59.8"	760/29.92"



Smart option
Opción inteligente



Glass diffuser
Difusor de cristal



Light performance 2000lm
Rendimiento lumínico 2000lm

VULCANO




152 CM	 > 17.6-28 M2 190-300 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	 SUMMER WINTER	 REMOTE CONTROL	 INCLINING ROOF
------------------	-----------------------------------	--------------------	---	----------------------	-----------------------	-----------------------



33549
33549WP *Smart Fan
Body Matt White/Bianco Mate
Blades Matt White/Bianco Mate

Material Body	Steel/Acero	Light	SMD LED 25W 3000K 2000Lm
Material Blades	ABS	CRI	>80
W	5-8-10.5-14.7-16.9-21.4	Driver incl.	Yes
RPM	80-108-126-149-161-180	Diff	Glass/Cristal
Airflow	177.88 m3 min		
V/Hz	220V- 240V/50-60HZ		
Opt. downrod	Page 738		




A	A1
330/12.99"	250/9.84"
B	C
123/4.84"	284/11.18"
D	E
55/2.2"	139/5.47"
F	G
ø1524/60"	645/25.39"


*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Accessory cap
Tapa accesorio



Adjustable intensity
Intensidad regulable



Smart option
Opción inteligente

TONIC



Ø **152**
CM

> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUN
SNOW
SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF




33552
33552WP *Smart Fan
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro




33551 NEW
33551WP NEW *Smart Fan
Body White/Blanco
Blades White/Blanco

Material Body	Steel/Acero	Light	SMD LED 15W 3000K 1200Lm
Material Blades	ABS	CRI	>80
W	5-7-9-11-14-18	Driver incl.	Yes
RPM	100-120-140-160-180-200	Diff	PC
Airflow	180.57 m3 min		
V/Hz	220V- 240V/50-60HZ		
Opt. downrod	Page 738		



A	A1
310/12.2"	250/9.84"
B	C
190/7.48"	180/7.09"
D	E
50/2"	130/5.12"
F	G
Ø1520/59.8"	870/34.25"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h

MOREA



Ø **152**
CM

> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF




33511
33511WP ***Smart Fan**
Body Dark Brown/Marrón Oscuro
Blades Dark Walnut/Nogal Oscuro



33519
33519WP ***Smart Fan**
Body Dark Brown/Marrón Oscuro
Blades Pine/Pino

Material Body Steel/Acero
Material Blades ABS
Programmer 1-4-8hr
W 3-7-12-17-38
RPM 58-105-131-148-195
Airflow 211.7 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738



A	A1
280/11.02"	215/8.46"
B	C
130/5.12"	170/6.69"
D	E
50/2"	148/5.83"
F	G
Ø1520/59.8"	750/29.53"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



High airflow
Alto flujo de aire

LAMA



ø 143
CM

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL




33506
Body Satin Nickel/Níquel Satinado
Blades Pine/Pino



33507
Body Matt Black/Negro Mate
Blades Reddish Walnut/Nogal Rojizo

- Material Body** Steel/Acero
- Material Blades** Wood/Madera
- W** 16-27-44
- RPM** 84-114-143
- Airflow** 178.83 m3 min
- V/Hz** 220V- 240V/50HZ
- Accesories** ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer



A	A1
272/10.71"	220/8.66"
B	C
120/4.72"	180/7.09"
D	E
25/1"	190/7.48"
F	G
ø1430/56.3"	610/24.02"

INDUS



ø140
CM

> 17.6-28 M2
190-300 SQ.FT

WALL
CONTROL



33001
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate



33002
Body Shiny Chrome/Cromo Brillo
Blades Shiny Chrome/Cromo Brillo




ø1200
712



ø920
727

Material Body Steel/Acero
Material Blades Steel/Acero
W 16-21-26-32-48
RPM 113-142-173-203-260
Airflow 155.52 m3 min
V/Hz 220V- 240V/50HZ



A	A1
483/19.02"	440/17.32"
B	C
160/6.3"	180/7.09"
D	E
120/4.7"	145/5.71"
F	G
ø1400/55.1"	555/21.85"

MALVINAS



Ø140
CM

> 17.6-28 M2
190-300 SQ.FT

SUMMER
WINTER

WALL
CONTROL

INCLINING
ROOF




33110
Body Dark Grey/Gris Oscuro
Blades Walnut/Nogal
+Reddish Mahogany/Caoba Rojizo



33111
Body Brown/Marrón
Blades Mahogany/Caoba
+Reddish Mahogany/Caoba Rojizo

Material Body Steel/Acero
Material Blades MDF
W 24-37-48-57-80
RPM 111-145-170-187-229
Airflow 176.22 m3 min
V/Hz 220V- 240V/50HZ



A	A1
600/23.62"	500/19.69"
B	C
160/6.3"	200/7.87"
D	E
60/2.4"	130/5.12"
F	G
Ø1400/55.1"	590/23.23"

COCOS



Ø137
CM

> 176-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF




Smart option
Opción inteligente



33548
33548WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body	Steel/Acero	Light	SMD LED 20W 3000K 1600Lm
Material Blades	ABS	CRI	>80
W	7-10-13-17-24-29	Driver incl.	Yes
RPM	66-88-104-115-138-146	Diff	PC
Airflow	234 m3 min		
V/Hz	230V/50-60HZ		
Opt. downrod	Page 738		



A	A1
260/10.24"	200/7.87"
B	C
90/3.54"	200/7.87"
D	E
55/2.2"	140/5.51"
F	G
Ø1370/53.9"	585/23.03"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

HYDRA



Ø 133
CM


> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF




33725
Body Matt Black/Negro Mate
Blades Dark Walnut/Nogal Oscuro



33726
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades Plywood
W 5-7-10-13-18-25
RPM 99-116-134-154-172-193
Airflow 175.99 m3 min
V/Hz 220V- 240V/50HZ
Accesories ☒ 33974 DC Wall Control
Opt. downrod Page 738

Light SMD LED 22W 3000K 1200Lm
CRI >80
Driver incl. Yes
Diff ABS



A	A1
340/13.39"	300/11.81"
B	C
130/5.12"	250/9.84"
D	E
70/2.8"	130/5.12"
F	G
Ø1330/52.4"	540/21.26"



Adjustable intensity
Intensidad regulable



Programmable from 1-4-8h
Programable de 1-4-8h



ø132
CM

> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

DIM

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF




34260
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate



34261
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

Material Body Steel/Acero
Material Blades Plywood
Programmer 1-4-8hr
W 3-5-9-14-24
RPM 93-128-166-192-233
Airflow 247 m3 min
V/Hz 220V- 240V/50-60HZ

Light SMD LED 24W 6000K
Dimmable K 2700 - 4350 - 6000K
CRI >80
Driver incl. Yes
Diff PP



A	A1
291/11.46"	220/8.66"
B	C
136/5.35"	
D	E
60/2.4"	150/5.91"
F	G
ø1320/52"	542/21.34"



Smart option
Opción inteligente



Small and aesthetic motor
Motor pequeño y estético

MILOS



∅132
CM

> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



34100


34100WP

***Smart Fan**

Body Matt Black/Negro Mate

Blades Matt Black/Negro Mate

Material Body Steel/Acero
Material Blades Plywood
W 4-6-10-16-28-34
RPM 50-73-96-118-143-188
Airflow 116.1 m3 min
V/Hz 220V- 240V/50-60HZ



A	A1
270/10.63"	260/10.24"
B	C
120/4.72"	70/2.76"
D	E
60/2.4"	140/5.51"
F	G
∅1320/52"	600/23.62"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

MENO



ø135
CM

> 17.6-28 M2
190-300 SQ.FT

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF




Programmable from 1-4-8h
Programable de 1-4-8h



33782
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

- Material Body** ABS
- Material Blades** ABS
- Programmer** 1-4-8hr
- W** 22-43-85
- RPM** 108-162-235
- Airflow** 192 m3 min
- V/Hz** 220V- 240V/50HZ
- Accesories** ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
- Opt. downrod** Page 738



A	A1
320/12.6"	275/10.83"
B	C
160/6.3"	260/10.24"
D	E
60/2.4"	150/5.91"
F	G
ø1350/53.1"	540/21.26"

GOTLAND



Ø **132**
CM

> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER WINTER

WITH PROGRAMMER

INCLINING ROOF



33446
33446WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate




33447
33447WP *Smart Fan
Body Black/Negro
Blades Walnut/Nogal



Programmable from 1-4-8h
Programable de 1-4-8h

- Material Body** Steel/Acero
- Material Blades** ABS
- Programmer** 1-4-8hr
- W** 4-6-10-17-23-30
- RPM** 95-121-148-177-198-214
- Airflow** 218.9 m3 min
- V/Hz** 220V- 240V/50-60HZ
- Accesorios** 33974 DC Wall Control
- Opt. downrod** Page 738



A	A1
250/9.84"	250/9.84"
B	C
130/5.12"	170/6.69"
D	E
55/2.2"	130/5.12"
F	G
Ø1320/52"	580/22.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

SIROS



Ø **132**
CM

> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



Small and aesthetic motor
Motor pequeño y estético



Smart option
Opción inteligente




Programmable from 1-4-8h
Programable de 1-4-8h



33804
33804WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades ABS
Programmer 1-4-8hr
W 6-12-19-25-38
RPM 85-108-129-150-180
Airflow 188 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738



A	A1
250/9.84"	280/11.02"
B	C
80/3.15"	204/8.03"
D	E
60/2.4"	150/5.91"
F	G
Ø1320/52"	580/22.83"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

SAMOS



Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER




Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h

33729
33729WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades ABS
Programmer 1-4-8hr
W 4-6-10-17-23-31
RPM 104-130-160-196-214-236
Airflow 116.14 m3 min
V/Hz 220V- 240V/50-60HZ
Accesories ☒ 33974 DC Wall Control
Downrods 152-254mm
Opt. downrod Page 738



A	A1
355/13.98"	300/11.81"
B	C
170/6.69"	165/6.5"
D	E
70/2.8"	130/5.12"
F	G
Ø1320/52"	570/22.44"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

SAONA



Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

DIM

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



Adjustable intensity
Intensidad regulable



Smart option
Opción inteligente




Programmable from 1-4-8h
Programable de 1-4-8h



33803
33803WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades ABS
Programmer 1-4-8hr
W 5-8-14-21-38
RPM 85-105-126-155-180
Airflow 188 m3 min
V/Hz 220V- 240V/50-60HZ

Light SMD LED 24W 2475Lm
Dimmable K 3000 - 4000 - 6000K
CRI >80
Driver incl. Yes
Diff PC



A	A1
330/12.99"	250/9.84"
B	C
150/5.91"	330/12.99"
D	E
58/2.3"	150/5.91"
F	G
Ø1320/52"	490/19.29"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

ISLOT



Ø **132**
CM

> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz


SUN & SNOW
SUMMER
WINTER

WITH
PROGRAMMER


INCLINING
ROOF



Thanks to MIKIMAX




Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h

33802
33802WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades ABS
W 6-9-15-23-38
RPM 109-140-168-200-235
Airflow 185 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738




A	A1
280/11.02"	230/9.06"
B	C
100/3.94"	300/11.81"
D	E
70/2.8"	150/5.91"
F	G
Ø1320/52"	520/20.47"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Adjustable intensity
Intensidad regulable



Smart option
Opción inteligente



Programmable from 2-6h
Programable de 2-6h



Glass diffuser
Difusor de cristal

RODAS



Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

DIM

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33522
33522WP
Body Matt White/Blanco Mate
Blades Pine/Pino
+White/Blanco


*Smart Fan



33523
33523WP
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro

*Smart Fan

Material Body	Steel/Acero	Light	SMD LED 20W 3000K 1200Lm
Material Blades	Plywood	Dimmable W	5-20w
Programmer	2-6h	CRI	>80
W	7-9-12-16-21-26	Driver incl.	Yes
RPM	130-145-160-178-194-210	Diff	Glass/Cristal
Airflow	246 m3 min		
V/Hz	220V- 240V/50-60HZ		
Accesorios ☒	33974 DC Wall Control		
Opt. downrod	Page 738		



A	A1
370/14.57"	250/9.84"
B	C
230/9.06"	310/12.2"
D	E
70/2.8"	160/6.3"
F	G
Ø1320/52"	580/22.83"


*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



Adjustable intensity
Intensidad regulable



High airflow
Alto flujo de aire



Smart option
Opción inteligente



Programmable from 2-6h
Programable de 2-6h



Glass diffuser
Difusor de cristal

POROS



Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

DIM

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33524


33524WP

***Smart Fan**

Body Matt White/Bianco Mate

Blades Pine/Pino

Material Body	Steel/Acero	Light	SMD LED 15W 2700K 900Lm
Material Blades	Wood/Madera	Dimmable W	5-15W
Programmer	2-6h	CRI	>80
W	7-9-12-15-20-26	Driver incl.	Yes
RPM	120-132-145-160-174-185	Diff	Glass/Cristal
Airflow	240 m3 min		
V/Hz	220V- 240V/50-60HZ		
Accesories ☒	33974 DC Wall Control		
Opt. downrod	Page 738		



A	A1
370/14.57"	280/11.02"
B	C
160/6.3"	180/7.09"
D	E
70/2.8"	160/6.3"
F	G
Ø1320/52"	560/22.05"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.

Thanks to María Villalón Studio Photo by Alberto Monteagudo



LANTAU



ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
OPTION

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33370
Body Satin Nickel/Níquel Satinado
Blades Dark Walnut/Nogal Oscuro



33373
Body Satin Nickel/Níquel Satinado
Blades Pine/Pino



33516DC NEW **DC Motor**
Body Matt Black/Negro Mate
Blades Dark Walnut/Nogal Oscuro



with light/con luz

SMD LED 15W 3000K 900Lm >80 Driver incl. Yes
Diff Glass/Cristal

33518
33518DC NEW **DC Motor**
Body Satin Nickel/Níquel Satinado
Blades Dark Walnut/Nogal Oscuro

33560DC NEW **DC Motor**
Body Satin Nickel/Níquel Satinado
Blades Pine/Pino




ø1680
617



ø1070
719

Material Body Steel/Acero
Material Blades Wood/Madera
W 14-30-65
RPM 90-140-180
Airflow 147.56 m3 min
V/Hz 220V- 240V/50HZ
Accesories ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
Opt. downrod Page 738



A	A1
330/12.99"	320/12.6"
B	C
165/6.5"	160/6.3"
D	E
70/2.8"	160/6.3"
F	G
ø1320/52"	660/25.98"



Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h

GRID



Ø **132**
CM

> 17.6-28 M²
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUN
WINTER
SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33341
33341WP *Smart Fan
Body Matt White/Blanco Mate
Blades Cherry/Cerezo



33345
33345WP *Smart Fan
Body Matt Black/Negro Mate
Blades Brown/Marrón




with light/con luz

SMD LED 18W 3000K 1500Lm >80 Driver incl. Yes
Diff PMMA

33341-2
33341WP-2 *Smart Fan
Body Matt White/Blanco Mate
Blades Walnut/Nogal

33345-2
33345WP-2 *Smart Fan
Body Matt Black/Negro Mate
Blades Dark Walnut/Nogal Oscuro

Material Body Steel/Acero
Material Blades ABS
Programmer 1-4-8hr
W 5-9-17-20-30
RPM 86-135-159-175-197
Airflow 134 m3 min
V/Hz 220V- 240V/50-60HZ



A	A1
340/13.39"	290/11.42"
B	C
130/5.12"	190/7.48"
D	E
50/2"	140/5.51"
F	G
Ø1320/52"	560/22.05"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente



Programmable from 2-6h
Programable de 2-6h

PUNT



Ø132
CM

> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33814
33814WP *Smart Fan
Body White/Blanco
Blades Matt White/Blanco Mate



33815
33815WP *Smart Fan
Body Black/Negro
Blades Matt Black/Negro Mate



33816
33816WP *Smart Fan
Body White/Blanco
Blades Wood/Madera



33817
33817WP *Smart Fan
Body Black/Negro
Blades Wood/Madera



with light/con luz

SMD LED 35W 1300Lm Driver incl. Yes
Diff Glass/Cristal


33814-20
33814WP-20 *Smart Fan
Body White/Blanco
Blades Matt White/Blanco Mate

33815-21
33815WP-21 *Smart Fan
Body Black/Negro
Blades Matt Black/Negro Mate

33816-20
33816WP-20 *Smart Fan
Body White/Blanco
Blades Wood/Madera

33817-21
33817WP-21 *Smart Fan
Body Black/Negro
Blades Wood/Madera

Material Body Steel/Acero
Material Blades ABS
Programmer 2-6h
W 6-7-12-19-25-35
RPM 110-128-146-170-185-200
Airflow 187.46 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738



A	A1
322/12.68"	290/11.42"
B	C
	150/5.91"
D	E
59/2.3"	132/5.2"
F	G
Ø1300/51.2"	578/22.76"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente




Programmable from 1-4-8h
Programable de 1-4-8h



Minimal design
Diseño minimal

NUU

— Estudi Ribaudí 



∅132
CM

 **> 17.6-28 M2**
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

 **SUMMER**
WINTER

 **WITH**
PROGRAMMER

 **INCLINING**
ROOF



33721
33721WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate




with light/con luz

SMD LED 15W 3000K 600Lm >80 Driver incl. Yes
Diff PC

33722
33722WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades ABS
Programmer 1-4-8hr
W 5-8-11-14-21-35
RPM 106-126-147-165-186-212
Airflow 104.58 m3 min
V/Hz 220V- 240V/50-60HZ



A	A1
330/12.99"	290/11.42"
B	C
160/6.3"	110/4.33"
D	E
55/2.2"	130/5.12"
F	G
∅1320/52"	600/23.62"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.




Music player bluetooth
Altavoz bluetooth



Aesthetic light kit
Kit de luz estético

ICE

— Estudi Ribaudí 



Ø132
CM

> 17.6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF




33460
Body Matt White/Blanco Mate
Blades White/Blanco
+Maple/Arce



Material Body Steel/Acero
Material Blades MDF
W 13-25-55
RPM 75-135-180
Airflow 157.52 m3 min
V/Hz 220V- 240V/50HZ
Opt. downrod Page 738

Light SMD LED 15W 3000K 800Lm
CRI >80
Driver incl. Yes
Diff Glass/Cristal



A	A1
385/15.16"	270/10.63"
B	C
210/8.27"	230/9.06"
D	E
65/2.6"	150/5.91"
F	G
Ø1320/52"	555/21.85"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Programmable from 1-4-8h
Programable de 1-4-8h



Up and down light
Luz arriba y abajo

DISC

— Conillas



Ø **132**
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



33397


Body Shiny White/Blanco Brillo
Blades White/Blanco
+Maple/Arce



LIGHT DOWN
22W 962lm




LIGHT UP
11W 396lm



LIGHT UP & DOWN
33W 1351lm

Material Body Steel/Acero
Material Blades MDF
Programmer 1-4-8hr
W 6-10-13-23-37
RPM 100-135-160-195-230
Airflow 211.72 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738

Light SMD LED 19W 2700K
Dimmable W 962Lm-1351Lm
CRI >80
Driver incl. Yes
Diff PC



A	A1
460/18.11"	330/12.99"
B	C
280/11.02"	145/5.71"
D	E
55/2.2"	150/5.91"
F	G
Ø1320/52"	576/22.68"




Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h



∅132
CM


> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz


SUMMER
WINTER


WITH
PROGRAMMER


INCLINING
ROOF



33724


33724WP

Body Brown/Marrón
Blades Walnut/Nogal
+Black/Negro

***Smart Fan**



Material Body Steel/Acero
Material Blades Plywood
W 5-7-10-14-20-33
RPM 86-102-119-131-151-167
Airflow 111.3 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738




A	A1
372/14.65"	254/10"
B	C
118/4.65"	228/8.98"
D	E
56/2.2"	130/5.12"
F	G
∅1322/52"	547/21.54"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Without downrod option
Opción sin tija

WINCH

— Faro Lab 



Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF

DIRECT
CEILING
MOUNTING




33396

Body Dark Brown/Marrón Oscuro

Blades Dark Brown/Marrón Oscuro

Material Body Steel/Acero
Material Blades MDF
W 15-30-60
RPM 90-145-190
Airflow 151.38 m3 min
V/Hz 220V- 240V/50HZ
Opt. downrod Page 738

Light 2 E27 max. 15W
Bulb incl. No
Rec. Bulb 17463/17498
Diff Glass/Cristal



A	A1
520/20.47"	370/14.57"
B	C
350/13.78"	400/15.75"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	560/22.05"



2 downrods incl. 4.13" / 5.98"
2 tijas incl. 105mm / 152mm

LUZON



Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

REMOTE CONTROL

INCLINING ROOF




33750
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate



33751
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro

Material Body Steel/Acero
Material Blades ABS
W 23-42-65
RPM 90-120-155
Airflow 215.73 m3 min
V/Hz 220V- 240V/50HZ
Accesories ☒ 33928 Wall Control 3 speeds
 33929 Remote Control/dimer-on-off
 33937 Remote Control/Programmer
Downrods 105-152mm
Opt. downrod Page 738



A	A1
285/11.22"	235/9.25"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	140/5.51"
F	G
Ø1320/52"	590/23.23"

SIoux



Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

IP44
OUTDOOR

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



2 downrods incl. 5" / 10"
2 tijas incl. 127mm / 254mm



IP44 outdoor
IP44 exterior



Smart option
Opción inteligente




Programmable from 1-4-8h
Programable de 1-4-8h



33770
33770WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades ABS
Programmer 1-4-8hr
W 5-10-16-23-38
RPM 106-143-174-198-233
Airflow 164.32 m3 min
V/Hz 220V- 240V/50-60HZ
Downrods 127-254mm
Opt. downrod Page 738



A	A1
320/12.6"	260/10.24"
B	C
200/7.87"	220/8.66"
D	E
70/2.8"	170/6.69"
F	G
Ø1320/52"	590/23.23"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

POLARIS



Ø **132**
CM

> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF




Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h

33346
33346WP ***Smart Fan**
Body White/Blanco
Blades Matt White/Blanco Mate

Material Body	Steel/Acero	Light	SMD LED 18W 2700K 1500Lm
Material Blades	ABS	CRI	>80
Programmer	1-4-8hr	Driver incl.	Yes
W	4-9-16-23-35	Diff	PC
RPM	86-108-130-145-175		
Airflow	163 m3 min		
V/Hz	220V- 240V/50-60HZ		
Opt. downrod	Page 738		



A	A1
350/13.78"	275/10.83"
B	C
180/7.09"	170/6.69"
D	E
50/2"	130/5.12"
F	G
Ø1320/52"	555/21.85"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

TIMOR



Ø 132
CM


> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL



Direct to the ceiling
Directo al techo




Suitable for low ceilings
Ideal techos bajos



33372
Body Matt White/Blanco Mate
Blades White/Blanco
+Maple/Arce



Material Body	Steel/Acero	Light	SMD LED 12W 2300K 900Lm
Material Blades	MDF	CRI	>80
W	17-30-50	Driver incl.	Yes
RPM	90-130-170	Diff	PC
Airflow	134.28 m3 min		
V/Hz	220V- 240V/50HZ		
Accesories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		



A	A1
270/10.63"	320/12.6"
B	C
80/3.15"	175/6.89"
D	E
50/2"	175/6.89"
F	G
Ø1320/52"	570/22.44"

PALK



Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

REMOTE
CONTROL


INCLINING
ROOF



33470
Body Satin Nickel/Níquel Satinado
Blades Maple/Arce

Material Body Steel/Acero
Material Blades Plywood
W 3-5-8-13-21-32
RPM 50-77-104-131-158-185
Airflow 198.22 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738

Light 2 E14 max. 8W
Bulb incl. No
Rec. Bulb 17461
Diff Glass/Cristal



A	A1
390/15.35"	325/12.8"
B	C
140/5.51"	150/5.91"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	570/22.44"



Direct to the ceiling
Directo al techo



Suitable for low ceilings
Ideal techos bajos

TONSAY



Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL



33384
Body White/Blanco
Blades White/Blanco
+Maple/Arce




33385
Body Matt Nickel/Níquel Mate
Blades Grey/Gris
+Mahogany/Caoba



33386
Body Dark Brown/Marrón Oscuro
Blades Cedro
+Wengue/Wengué



Material Body	Steel/Acero	Light	2 E27 max. 15W
Material Blades	Plywood	Bulb incl.	No
W	10-24-46	Rec. Bulb	17463/17498
RPM	83-132-180	Diff	Glass/Cristal
Airflow	145.63 m3 min		
V/Hz	220V- 240V/50HZ		
Accesories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		



A	A1
305/12.01"	
B	C
300/11.81"	238/9.37"
D	E
190/7.48"	
F	G
Ø1320/52"	535/21.06"



Direct to the ceiling
Directo al techo



Suitable for low ceilings
Ideal techos bajos

PEMBA



Ø132
CM

> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

REMOTE
CONTROL



33471N
Body Shiny White/Blanco Brillo
Blades Matt White/Blanco Mate



33491
Body Grey/Gris
Blades Grey/Gris



33492
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro

with light/con luz

SMD LED 15W 3000K 800Lm >95 Driver incl. Yes
Diff PC




33471N-3
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

33491-4
Body Grey/Gris
Blades Grey/Gris

33492-5
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro

Material Body Steel/Acero
Material Blades ABS
W 3-5-9-14-21-32
RPM 50-76-102-127-157-180
Airflow 191.14 m3 min
V/Hz 220V- 240V/50-60HZ



A	A1
215/8.46"	
B	C
250/9.84"	180/7.09"
D	E
170/6.69"	
F	G
Ø1320/52"	570/22.44"

NIAS



Ø132
CM

> 17.6-28 M2
190-300 SQ.FT

DC
MOTOR

SUMMER
WINTER

REMOTE
CONTROL



33472N
Body Satin Nickel/Níquel Satinado
Blades Dark Walnut/Nogal Oscuro


with light/con luz

Light SMD LED 15W 3000K
CRI >80
Driver incl. Yes
Diff PC



33472N-6
Body Satin Nickel/Níquel Satinado
Blades Dark Walnut/Nogal Oscuro

Material Body Steel/Acero
Material Blades Plywood
W 2-7-9-14-21-32
RPM 50-82-114-146-178-210
Airflow 195.39 m3 min
V/Hz 220V- 240V/50-60HZ



A	A1
190/7.48"	
B	C
155/6.1"	140/5.51"
D	E
	170/6.69"
F	G
Ø1320/52"	630/24.8"

VANU



Ø 132
CM

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF

DIRECT
CEILING
MOUNTING




Direct to the ceiling.
Directo al techo.



Suitable for low ceilings
Ideal techos bajos

33314
Body Dark Brown/Marrón Oscuro
Blades Dark Walnut/Nogal Oscuro

Material Body	Steel/Acero	Light	1 E27 max. 15W
Material Blades	Plywood	Bulb incl.	No
W	14-31-60	Rec. Bulb	17463/17498
RPM	75-120-172	Diff	Glass/Cristal
Airflow	163.61 m3 min		
V/Hz	220V- 240V/50HZ		
Accessories ☒	33928 Wall Control 3 speeds		
Opt. downrod	Page 738		



A	A1
430/16.93"	300/11.81"
B	C
220/8.66"	240/9.45"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	540/21.26"



ICARIA



Ø132
CM

> 17.6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF




33700
Body White/Blanco
Blades White/Blanco
+Maple/Arce



33701
Body Aluminum/Aluminio
Blades Grey/Gris
+Maple/Arce



33702
Body Brown/Marrón
Blades Bleached Oak/Roble Emblanquecido
+Mahogany/Caoba




33705
Body Old Gold/Oro Viejo
Blades Brown/Marrón
+Oak/Roble



Ø1070
715

Material Body	Steel/Acero	Light	2 E27 max. 15W
Material Blades	MDF	Bulb incl.	No
W	15-30-56	Rec. Bulb	17463/17498
RPM	100-150-205	Diff	Glass/Cristal
Airflow	155.62 m3 min		
V/Hz	220V- 240V/50HZ		
Accessories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		
Opt. downrod	Page 738		




A	A1
415/16.34"	330/12.99"
B	C
280/11.02"	270/10.63"
D	E
50/2"	150/5.91"
F	G
Ø1320/52"	520/20.47"



Ø132
CM

> 17.6-28 M2
190-300 SQ.FT



33284
Body White/Blanco
Blades White/Blanco




33287
Body Matt Nickel/Níquel Mate
Blades Grey/Gris
+Maple/Arce



33288
Body Rust Brown/Marrón Oxido
Blades Mahogany/Caoba
+Bleached Oak/Roble Emblanquecido

- Material Body** Steel/Acero
- Material Blades** Plywood
- W** 16-29-49
- RPM** 113-162-212
- Airflow** 149.57 m3 min
- V/Hz** 220V- 240V/50HZ
- Accesories** ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
- Opt. downrod** Page 738



A	A1
330/12.99"	270/10.63"
B	C
170/6.69"	175/6.89"
D	E
60/2.4"	130/5.12"
F	G
ø1320/52"	570/22.44"

MALLORCA



Ø132
CM

> 17.6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33350
Body White/Blanco
Blades White/Blanco
+Maple/Arce




33351
Body Dark Brown/Marrón Oscuro
Blades Mahogany/Caoba
+Bleached Oak/Roble Emblanquecido



Ø1070
717

- Material Body** Steel/Acero
- Material Blades** MDF
- W** 15-30-56
- RPM** 100-150-205
- Airflow** 154.3 m3 min
- V/Hz** 220V- 240V/50HZ
- Accesories** ☒ 33928 Wall Control 3 speeds
- 33929 Remote Control/dimer-on-off
- 33937 Remote Control/Programmer
- Opt. downrod** Page 738



A	A1
380/14.96"	330/12.99"
B	C
180/7.09"	250/9.84"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	520/20.47"



CUBA



Ø 132
CM

> 17.6-28 M2
190-300 SQ.FT

SUMMER
WINTER

INCLINING
ROOF

CONTROLLED
BY CHAINS




33352
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro



33352B
Body Old Gold/Oro Viejo
Blades Brown/Marrón

Material Body Steel/Acero
Material Blades ABS
W 20-34-65
RPM 73-99-145
Airflow 127.45 m3 min
V/Hz 220V- 240V/50HZ
Accesories ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
Opt. downrod Page 738



A	A1
510/20.08"	450/17.72"
B	C
350/13.78"	370/14.57"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	600/23.62"

LOMBOK



Ø132
CM

> 17.6-28 M2
190-300 SQ.FT

SUMMER
WINTER

INCLINING
ROOF

CONTROLLED
BY CHAINS




Glass diffuser
Difusor de cristal



33019
Body Dark Brown/Marrón Oscuro
Blades Pine/Pino

Material Body	Steel/Acero	Light	2 E27 max. 15W
Material Blades	Wood/Madera	Bulb incl.	No
W	14-29-58	Rec. Bulb	17443
RPM	85-135-185	Diff	Glass/Cristal
Airflow	123.72 m3 min		
V/Hz	220V- 240V/50HZ		
Accesories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		
Opt. downrod	Page 738		



A	A1
500/19.69"	246/9.69"
B	C
330/12.99"	285/11.22"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	541/21.3"

ALOHA



Ø132
CM

> 17.6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33710
Body Dark Brown/Marrón Oscuro
Blades Walnut/Nogal
+Dark Walnut/Nogal Oscuro


with light/con luz

Light 3 E27 max. 15W
Bulb incl. No
Rec. Bulb 17426
Diff Glass/Cristal



33710-13
Body Dark Brown/Marrón Oscuro
Blades Walnut/Nogal

Material Body Steel/Acero
Material Blades Plywood
W 15-32-58
RPM 80-125-180
Airflow 128.95 m3 min
V/Hz 220V- 240V/50HZ
Accesories ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
Opt. downrod Page 738



A	A1
350/13.78"	285/11.22"
B	C
130/5.12"	240/9.45"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	530/20.87"

TABARCA



Ø132
CM

> 17,6-28 M2
190-300 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL


INCLINING
ROOF



33752
Body Shiny White/Blanco Brillo
Blades White/Blanco
+Maple/Arce



Material Body	Steel/Acero	Light	2 E27 max. 15W
Material Blades	Plywood	Bulb incl.	No
W	23-34-50	Rec. Bulb	17463/17498
RPM	125-160-200	Diff	Glass/Cristal
Airflow	141.95 m3 min		
V/Hz	220V- 240V/50-60HZ		
Accessories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		



A	A1
450/17.72"	330/12.99"
B	C
300/11.81"	220/8.66"
D	E
60/2.4"	130/5.12"
F	G
Ø1320/52"	540/21.26"



Ø **130**
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



Glass diffuser
Difusor de cristal



Smart option
Opción inteligente




Programmable from 1-4-8h
Programable de 1-4-8h

33514
33514WP *Smart Fan
Body Shiny White/Blanco Brillo
Blades White/Blanco

Material Body Steel/Acero
Material Blades Plywood
Programmer 1-4-8hr
W 5-10-16-25-37
RPM 100-142-165-192-226
Airflow 190.12 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738

Light SMD LED 15W 3000K 850Lm
CRI >80
Driver incl. Yes
Diff Glass/Cristal



A	A1
420/16.54"	270/10.63"
B	C
260/10.24"	230/9.06"
D	E
70/2.8"	150/5.91"
F	G
Ø1300/51.2"	540/21.26"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34151 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34151 del receptor. El precio del receptor es con el descuento PRO35.



IP44 outdoor
IP44 exterior



Smart option
Opción inteligente

TYPHOON

— Jordi Busquets



ø 130 CM	13-17 M2 140-190 SQ.FT	DC MOTOR	OPTION SMART 100-240V 50-60Hz	IP44 OUTDOOR	SUMMER WINTER	REMOTE CONTROL	INCLINING ROOF
--------------------	---------------------------	--------------------	--	-----------------	------------------	-------------------	-------------------



33480
33480WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate



33489
33489WP *Smart Fan
Body Grey/Gris
Blades Grey/Gris



33490
33490WP *Smart Fan
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro



with light/con luz


SMD LED 19W 3000K 900Lm >80 Driver incl. Yes
Diff ABS

33480-14
33480WP-14 *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

33489-15
33489WP-15 *Smart Fan
Body Grey/Gris
Blades Grey/Gris

33490-16
33490WP-16 *Smart Fan
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro

Material Body Steel/Acero
Material Blades ABS
W 3-5-8-12-21-31
RPM 50-71-93-115-138-162
Airflow 183.09 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738




A	A1
390/15.35"	370/14.57"
B	C
200/7.87"	200/7.87"
D	E
55/2.2"	130/5.12"
F	G
ø1300/51.2"	530/20.87"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Ref.33481 IP44 outdoor
Ref.33481 IP44 exterior



Smart option
Opción inteligente

WINCHE

— Conillas



Ø **130**
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33481
33481WP *Smart Fan
Body Matt Black/Negro Mate
Blades Dark Brown/Marrón Oscuro



33482
33482WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Brown/Marrón




with light/con luz

SMD LED 15W 3000K 800Lm >80 Driver incl. Yes
Diff ABS

33481-7
33481WP-7 *Smart Fan
Body Matt Black/Negro Mate
Blades Dark Walnut/Nogal Oscuro

33482-8
33482WP-8 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Dark Walnut/Nogal Oscuro

Material Body Steel/Acero
Material Blades ABS
W 3-5-8-12-21-35
RPM 50-71-93-115-138-162
Airflow 183.01 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738




A	A1
390/15.35"	355/13.98"
B	C
210/8.27"	190/7.48"
D	E
55/2.2"	130/5.12"
F	G
Ø1270/50"	530/20.87"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Aesthetic motor
Motor estético



Smart option
Opción inteligente



3 downrods incl. 3.9" / 7.8" / 17.7"
3 tijas incl. 100mm / 200mm / 450mm

COPPER

— Conillas



∅ **128**
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33451


33451WP

***Smart Fan**

Body Matt Black/Negro Mate

Blades Walnut/Nogal

Material Body Steel/Acero
Material Blades PC
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145.66 m3 min
V/Hz 220V- 240V/50-60HZ
Downrods 100-200-450mm



A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
∅1280/50.4"	555/21.85"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
 Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Additional kit
Kit adicional



Smart option
Opción inteligente

MINI ETERFAN

— Conillas



ø 128
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL



33382
33382WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



32020
32020WP *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente



32025
32025WP *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente



32026
32026WP *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente



32027
32027WP *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente



32028
32028WP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



32029
32029WP *Smart Fan
Body Shiny Red/Rojo Brillo
Blades Transparent/Transparente



32030
32030WP *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

with light/con luz

SMD LED 16W 3000K 709Lm >80 Driver incl. Yes
Diff Glass/Cristal



33382-9
33382WP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

32026-10
32026WP-10 *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente

32029-9
32029WP-9 *Smart Fan
Body Shiny Red/Rojo Brillo
Blades Transparent/Transparente

32020-9
32020WP-9 *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente


32027-10
32027WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente

32030-10
32030WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Black/Negro

32025-9
32025WP-9 *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente

32028-10
32028WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

Material Body Steel+Glass/Acero+Cristal
Material Blades PC
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145.66 m3 min
V/Hz 220V- 240V/50-60HZ



A	A1
450/17.72"	420/16.54"
B	C
420/16.54"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Additional kit
Kit adicional



Smart option
Opción inteligente

ETERFAN

— Conillas



ø 128
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL



33381
33381WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



32000WP *Smart Fan
32000
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente



32001
32001WP *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente



32002
32002WP *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente



32003
32003WP *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente



32004
32004WP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



32005
32005WP *Smart Fan
Body Shiny Red/Rojo Brillo
Blades Transparent/Transparente



32006
32006WP *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

with light/con luz

SMD LED 16W 3000K 709Lm >80 Driver incl. Yes
Diff Glass/Cristal



33381-9
33381WP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

32002-10
32002WP-10 *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente

32005-9
32005WP-9 *Smart Fan
Body Shiny Red/Rojo Brillo
Blades Transparent/Transparente

32000-9
32000WP-9 *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente


32003-10
32003WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente

32006-10
32006WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Black/Negro

32001-9
32001WP-9 *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente

32004-10
32004WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

Material Body Steel+Glass/Acero+Cristal
Material Blades PC
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145.66 m3 min
V/Hz 220V- 240V/50-60HZ




A	A1
640/25.2"	760/29.92"
B	C
630/24.8"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"


*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente



Additional kit
Kit adicional



3 downrods incl. 3.9" / 7.8" / 17.7"
3 tijas incl. 100mm / 200mm / 450mm



128
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33394
33394WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



33395
33395WP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



33398
33398WP *Smart Fan
Body Old Gold/Oro Viejo
Blades Walnut/Nogal



33399
33399WP *Smart Fan
Body Copper/Cobre
Blades Walnut/Nogal



32100
32100WP *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate



33417
33417WP *Smart Fan
Body Old Gold/Oro Viejo
Blades Matt Black/Negro Mate



33418
33418WP *Smart Fan
Body Copper/Cobre
Blades Matt Black/Negro Mate

with light/con luz

SMD LED 16W 3000K 709Lm >80 Driver incl. Yes
Diff Glass/Cristal



33394-9
33394WP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

33395-10
33395WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

33398-10
33398WP-10 *Smart Fan
Body Old Gold/Oro Viejo
Blades Walnut/Nogal

33399-10
33399WP-10 *Smart Fan
Body Copper/Cobre
Blades Dark Walnut/Nogal Oscuro

32100-10
32100WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

33417-10
33417WP-10 *Smart Fan
Body Old Gold/Oro Viejo
Blades Black/Negro

33418-10
33418WP-10 *Smart Fan
Body Copper/Cobre
Blades Black/Negro




1780
613



810
733

Material Body	Steel/Acero
Material Blades	PC
W	4-6-9-13-22-32
RPM	51-77-103-129-155-185
Airflow	145.66 m3 min
V/Hz	220V- 240V/50-60HZ
Downrods	100-200-450mm




A	A1
640/25.2"	630/24.8"
B	C
180/7.09"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
1280/50.4"	555/21.85"


*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente



Aesthetic glass
Cristal estético



Additional kit
Kit adicional

DECOFAN

— Conillas



ø 128
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL



33394D
33394DWP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



33395D
33395DWP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



33398D
33398DWP *Smart Fan
Body Old Gold/Oro Viejo
Blades Walnut/Nogal



33399D
33399DWP *Smart Fan
Body Copper/Cobre
Blades Walnut/Nogal



with light/con luz

SMD LED 16W 3000K 709Lm >80 Driver incl. Yes
Diff Glass/Cristal


33394D-9
33394DWP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

33395D-10
33395DWP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

33398D-10
33398DWP-10 *Smart Fan
Body Old Gold/Oro Viejo
Blades Walnut/Nogal

33399D-10
33399DWP-10 *Smart Fan
Body Copper/Cobre
Blades Walnut/Nogal

Material Body Steel/Acero
Material Blades PC
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145.66 m3 min
V/Hz 220V- 240V/50-60HZ
Downrods 100-200-450mm




A	A1
450/17.72"	420/16.54"
B	C
	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1280/50.4"	555/21.85"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Additional kit
Kit adicional



Smart option
Opción inteligente

MINI TUBE

— Conillas



ø 128
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL



33393
33393WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



32038
32038WP *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente



32039
32039WP *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente



32040
32040WP *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente



32041
32041WP *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente



32042
32042WP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



32043
32043WP *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate



with light/con luz

SMD LED 16W 3000K 709Lm >80 Driver incl. Yes
Diff Glass/Cristal

33393-9
33393WP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

32038-9
32038WP-9 *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente

32039-9
32039WP-9 *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente


32040-10
32040WP-10 *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente

32041-10
32041WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente

32042-10
32042WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

32043-10
32043WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

Material Body Steel+Glass/Acero+Cristal
Material Blades PC
W 4-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145.66 m3 min
V/Hz 220V- 240V/50-60HZ



A	A1
290/11.42"	250/9.84"
B	C
250/9.84"	160/6.3"
D	E
	130/5.12"
F	G
ø1280/50.4"	430/16.93"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Additional kit
Kit adicional



Smart option
Opción inteligente

TUBE

— Conillas



ø 128
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL



33374
33374WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



32033
32033WP *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente



32034
32034WP *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente



32035
32035WP *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente



32036
32036WP *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente



32037
32037WP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



32060
32060WP *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate



with light/con luz

SMD LED 16W 3000K 709Lm >80 Driver incl. Yes
Diff Glass/Cristal

33374-9
33374WP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

32033-9
32033WP-9 *Smart Fan
Body Shiny White/Blanco Brillo
Blades Transparent/Transparente

32034-9
32034WP-9 *Smart Fan
Body Matt White/Blanco Mate
Blades Transparent/Transparente


32035-10
32035WP-10 *Smart Fan
Body Shiny Black/Negro Brillo
Blades Transparent/Transparente

32036-10
32036WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Transparent/Transparente

32037-10
32037WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Dark Walnut/Nogal Oscuro

32060-10
32060WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Black/Negro

Material Body Steel+Glass/Acero+Cristal
Material Blades PC
W 3-6-9-13-22-32
RPM 51-77-103-129-155-185
Airflow 145.66 m3 min
V/Hz 220V- 240V/50-60HZ



A	A1
450/17.72"	420/16.54"
B	C
420/16.54"	160/6.3"
D	E
	130/5.12"
F	G
ø1280/50.4"	430/16.93"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Smart option
Opción inteligente



High airflow
Alto flujo de aire

NASSAU



Ø 128
CM

13-17 M²
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33478
33478WP ***Smart Fan**
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro



33487
33487WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate


Optional downrod/Tijas opcionales



33479
Body Dark Brown/Marrón Oscuro

33488
Body Matt White/Blanco Mate

Material Body Steel/Acero
Material Blades Plywood
W 4-6-10-16-24-37
RPM 50-87-125-162-199-237
Airflow 222.41 m³ min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738



A	A1
400/15.75"	370/14.57"
B	C
170/6.69"	120/4.72"
D	E
60/2.4"	130/5.12"
F	G
Ø1280/50.4"	575/22.64"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

MOLOKAI



ø 125
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33475
Body Satin Nickel/Níquel Satinado
Blades Dark Walnut/Nogal Oscuro


with light/con luz

Light SMD LED 18W 3000K
1200Lm
CRI >80
Driver incl. Yes



33475-17
Body Satin Nickel/Níquel Satinado
Blades Dark Walnut/Nogal Oscuro

Material Body Steel/Acero
Material Blades Plywood
W 3-5-8-13-21-31
RPM 50-76-102-128-155-180
Airflow 195.66 m3 min
V/Hz 220V- 240V/50-60HZ
Opt. downrod Page 738



A	A1
335/13.19"	300/11.81"
B	C
200/7.87"	150/5.91"
D	E
65/2.6"	140/5.51"
F	G
ø1250/49.2"	600/23.62"

PANAY



Ø 122
CM

13-17 M2
140-190 SQ.FT

REMOTE CONTROL

INCLINING ROOF




33607
Body White/Blanco
Blades White/Blanco
+Maple/Arce



33608
Body Matt Nickel/Níquel Mate
Blades Matt Nickel/Níquel Mate
+Mahogany/Caoba

Material Body Steel/Acero
Material Blades MDF
W 14-30-58
RPM 95-150-200
Airflow 116.2 m3 min
V/Hz 220V- 240V/50HZ
Opt. downrod Page 738

Light 2 E14 max. 8W
Bulb incl. No
Rec. Bulb 17461
Diff Glass/Cristal



A	A1
280/11.02"	180/7.09"
B	C
150/5.91"	210/8.27"
D	E
65/2.6"	130/5.12"
F	G
Ø1220/48"	495/19.49"



YAKARTA



Ø 121
CM

13-17 M2
140-190 SQ.FT

SUMMER
WINTER


INCLINING
ROOF

DIRECT
CEILING
MOUNTING

CONTROLLED
BY CHAINS



33711
Body Old Gold/Oro Viejo
Blades Dark Oak/Roble Oscuro
+Bleached Oak/Roble Emblanquecido



33712
Body White/Blanco
Blades White/Blanco
+Maple/Arce



33713
Body Brown/Marrón
Blades Mahogany/Caoba
+Dark Walnut/Nogal Oscuro



with light/con luz


3 E27 max. 60W **Bulb incl. No Rec. Bulb** 17463/17498

33711-11
Body Old Gold/Oro Viejo
Blades Dark Oak/Roble Oscuro

33712-12
Body White/Blanco
Blades White/Blanco

33713-13
Body Brown/Marrón
Blades Mahogany/Caoba

- Material Body** Steel/Acero
- Material Blades** Plywood
- W** 14-23-51
- RPM** 115-150-205
- Airflow** 94.57 m3 min
- V/Hz** 220V- 240V/50HZ
- Accesories** ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
- Opt. downrod** Page 738



A	A1
350/13.78"	300/11.81"
B	C
130/5.12"	
D	E
60/2.4"	130/5.12"
F	G
Ø1210/47.6"	465/18.31"

ECO INDUS



Ø120
CM

13-17 M2
140-190 SQ.FT

WALL
CONTROL

INCLINING
ROOF

EASY
INSTALL



33005
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate




Ø1400
632



Ø920
727

- Material Body** Steel/Acero
- Material Blades** Steel/Acero
- W** 16-26-68
- RPM** 150-225-322
- Airflow** 189.47 m3 min
- V/Hz** 220V- 240V/50HZ
- Accessories** ☒ 33928 Wall Control 3 speeds
- 33929 Remote Control/dimer-on-off
- 33937 Remote Control/Programmer



A	A1
320/12.6"	270/10.63"
B	C
160/6.3"	190/7.48"
D	E
60/2.4"	130/5.12"
F	G
Ø1200/47.2"	485/19.09"

FRASER



Ø 120
CM

13-17 M2
140-190 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER



Glass diffuser
Difusor de cristal




Smart option
Opción inteligente



Programmable from 1-4-8h
Programable de 1-4-8h

33756
33756WP ***Smart Fan**
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body	Steel/Acero	Light	16W 3000K 850Lm
Material Blades	ABS	CRI	>=80
Programmer	1-4-8hr	Driver incl.	Yes
W	5-8-11-16-22-32	Diff	Glass/Cristal
RPM	103-126-145-166-182-209		
Airflow	212 m3 min		
V/Hz	220V- 240V/50-60HZ		
Accesorios ☉	33928 Wall Control 3 speeds		



A	A1
310/12.2"	230/9.06"
B	C
190/7.48"	155/6.1"
D	E
	150/5.91"
F	G
Ø1180/46.5"	530/20.87"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



Glass diffuser
Difusor de cristal

MINI ICARIA



ø107
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33695
Body Old Gold/Oro Viejo
Blades Brown/Marrón
+Oak/Roble



33696
Body Matt Nickel/Níquel Mate
Blades Transparent/Transparente



33697
Body Dark Brown/Marrón Oscuro
Blades Mahogany/Caoba
+Oak/Roble



33698
Body White/Blanco
Blades White/Blanco
+Maple/Arce




33699
Body Matt Nickel/Níquel Mate
Blades Grey/Gris
+Maple/Arce



ø1320
679

Material Body	Steel/Acero	Light	2 E14 max. 8W
Material Blades	MDF	Bulb incl.	No
W	16-24-35	Rec. Bulb	17461
RPM	135-175-210	Diff	Glass/Cristal
Airflow	101.09 m3 min		
V/Hz	220V- 240V/50HZ		
Accesories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		
Opt. downrod	Page 738		



A	A1
405/15.94"	270/10.63"
B	C
280/11.02"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
ø1070/42.1"	425/16.73"

FEROE



Ø 107
CM

< 13 M2
< 140 SQ.FT

REMOTE
CONTROL

INCLINING
ROOF



Glass diffuser
Difusor de cristal




33600
Body White/Blanco
Blades White/Blanco
+Maple/Arce



Material Body Steel/Acero
Material Blades MDF
W 10-21-41
RPM 80-145-180
Airflow 64.16 m3 min
V/Hz 220V- 240V/50HZ
Opt. downrod Page 738

Light 2 E14 max. 8W
Bulb incl. No
Rec. Bulb 17461
Diff Glass/Cristal



A	A1
320/12.6"	210/8.27"
B	C
160/6.3"	200/7.87"
D	E
60/2.4"	130/5.12"
F	G
Ø1070/42.1"	420/16.54"

MINI MALLORCA



ø 107
CM

< 13 M2
< 140 SQ.FT

REMOTE
CONTROL

INCLINING
ROOF



Thanks to The Hall Studio & Manu Pagés photo by Jose Hevia



33603
Body Shiny White/Blanco Brillo
Blades White/Blanco
+Maple/Arce




33604
Body Matt Nickel/Níquel Mate
Blades Grey/Gris
+Black/Negro



33605
Body Dark Brown/Marrón Oscuro
Blades Dark Brown/Marrón Oscuro
+Cherry/Cerezo

ø1320
681

Material Body Steel/Acero
Material Blades MDF
W 10-21-41
RPM 80-145-180
Airflow 64.16 m3 min
V/Hz 220V- 240V/50HZ
Opt. downrod Page 738



A	A1
235/9.25"	200/7.87"
B	C
90/3.54"	220/8.66"
D	E
60/2.4"	130/5.12"
F	G
ø1070/42.1"	420/16.54"



MINI LANTAU



<p>ø 107 CM</p>	<p>< 13 M2 < 140 SQ.FT</p>	<p>DC OPTION</p>	<p>SUMMER WINTER</p>	<p>REMOTE CONTROL</p>	<p>INCLINING ROOF</p>
---------------------	--------------------------------------	-----------------------------	--------------------------	---------------------------	---------------------------



33508
33508DC NEW **DC Motor**
 Body Matt Nickel/Níquel Mate
 Blades Walnut/Nogal



33509
33509DC NEW **DC Motor**
 Body Matt Nickel/Níquel Mate
 Blades Pine/Pino



33517
33517DC NEW **DC Motor**
 Body Matt Black/Negro Mate
 Blades Walnut/Nogal




ø1680
617



ø1320
651

- Material Body** Steel/Acero
- Material Blades** Wood/Madera
- W** 13-26-55
- RPM** 105-150-210
- Airflow** 143.2 m3 min
- V/Hz** 220V- 240V/50HZ
- Accesories** ☒ 33928 Wall Control 3 speeds
 33929 Remote Control/dimer-on-off
 33937 Remote Control/Programmer
- Opt. downrod** Page 738



A	A1
340/13.39"	300/11.81"
B	C
110/4.33"	150/5.91"
D	E
65/2.6"	150/5.91"
F	G
ø1070/42.1"	460/18.11"

LISBOA



Ø 107
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER


INCLINING
ROOF

DIRECT
CEILING
MOUNTING


CONTROLLED
BY CHAINS



33102
Body Dark Brown/Marrón Oscuro
Blades Mahogany/Caoba
+Dark Walnut/Nogal Oscuro



Material Body	Steel/Acero	Light	3 E27 max. 15W
Material Blades	MDF	Bulb incl.	No
W	27-35-47	Rec. Bulb	17462
RPM	130-185-235	Diff	Glass/Cristal
Airflow	99.96 m3 min		
V/Hz	220V- 240V/50HZ		
Accesories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		
Opt. downrod	Page 738		



A	A1
460/18.11"	240/9.45"
B	C
220/8.66"	300/11.81"
D	E
60/2.4"	130/5.12"
F	G
Ø1070/42.1"	420/16.54"

KOMODO



Ø106
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

INCLINING
ROOF


CONTROLLED
BY CHAINS



33723
Body Matt Black/Negro Mate
Blades Black/Negro
 +Walnut/Nogal



Material Body	Steel/Acero	Light	2 E14 max. 8W
Material Blades	Plywood	Bulb incl.	No
W	15-24-46	Rec. Bulb	17461
RPM	146-182-256	Diff	Glass/Cristal
Airflow	88.89 m3 min		
V/Hz	220V- 240V/50HZ		
Accessories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		
Opt. downrod	Page 738		



A	A1
370/14.57"	220/8.66"
B	C
200/7.87"	225/8.86"
D	E
60/2.4"	130/5.12"
F	G
Ø1070/42.1"	450/17.72"

FACTORY



Ø106
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

INCLINING
ROOF


CONTROLLED
BY CHAINS



33611
Body Aluminum/Aluminio
Blades Grey/Gris
+Black/Negro



Material Body Steel/Acero
Material Blades MDF
W 20-29-42
RPM 80-140-190
Airflow 109 m3 min
V/Hz 220V- 240V/50HZ
Accessories ☒ 33928 Wall Control 3 speeds
33929 Remote Control/dimer-on-off
33937 Remote Control/Programmer
Opt. downrod Page 738



A	A1
300/11.81"	157/6.18"
B	C
160/6.3"	170/6.69"
D	E
60/2.4"	130/5.12"
F	G
ø1060/41.7"	420/16.54"

EASY



ø 105
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF

EASY
INSTALL




33415
Body White/Blanco
Blades White/Blanco



33416
Body Grey/Gris
Blades Grey/Gris

Material Body Steel+ABS/Acero+ABS
Material Blades ABS
Programmer 1-4-8hr
W 11-23-68
RPM 105-185-285
Airflow 159.76 m3 min
V/Hz 220V- 240V/50HZ

Light 2 E27 max. 15W
Bulb incl. No
Rec. Bulb 17463/17498
Diff ABS



A	A1
460/18.11"	320/12.6"
B	C
100/3.94"	210/8.27"
D	E
75/3"	140/5.51"
F	G
ø1050/41.3"	420/16.54"

OBOE



Ø105
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL


INCLINING
ROOF



33610
Body Shiny White/Blanco Brillo
Blades White/Blanco
 +Maple/Arce



Material Body Steel/Acero
Material Blades MDF
W 8-22-38
RPM 85-140-180
Airflow 64.16 m3 min
V/Hz 220V- 240V/50HZ
Accessories ☒ 33928 Wall Control 3 speeds
 33929 Remote Control/dimer-on-off
 33937 Remote Control/Programmer



A	A1
360/14.17"	270/10.63"
B	C
220/8.66"	160/6.3"
D	E
60/2.4"	130/5.12"
F	G
Ø1050/41.3"	420/16.54"

CEBU



Ø102
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL


INCLINING
ROOF



33606
Body Shiny White/Blanco Brillo
Blades White/Blanco
+Maple/Arce



Material Body	Steel/Acero	Light	2 E14 max. 8W
Material Blades	MDF	Bulb incl.	No
W	8-22-38	Rec. Bulb	17461
RPM	84-140-180	Diff	Glass/Cristal
Airflow	109 m3 min		
V/Hz	220V- 240V/50HZ		
Accessories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		
Opt. downrod	Page 738		



A	A1
410/16.14"	270/10.63"
B	C
300/11.81"	180/7.09"
D	E
60/2.4"	140/5.51"
F	G
Ø1020/40.2"	420/16.54"

MINI UFO



ø 101
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

REMOTE
CONTROL




33454
Body White/Blanco
Blades White/Blanco
+Maple/Arce



33455
Body Matt Nickel/Níquel Mate
Blades Grey/Gris
+Maple/Arce

Material Body Steel/Acero
Material Blades MDF
W 8-18-42
RPM 90-150-200
Airflow 106.92 m3 min
V/Hz 220V- 240V/50HZ

Light 2 E27 max. 15W
Bulb incl. No
Rec. Bulb 17463/17498
Diff Glass/Cristal



A	A1
370/14.57"	
B	C
260/10.24"	260/10.24"
D	E
120/4.7"	150/5.91"
F	G
ø1015/40"	384/15.12"

MINI INDUS



ø92
CM

< 13 M2
< 140 SQ.FT

WALL
CONTROL

EASY
INSTALL



33011
Body Matt White/Blanco Mate
Blades White/Blanco




ø1400
632



ø1200
712

Material Body Steel/Acero
Material Blades Steel/Acero
W 10-13-17-22-43
RPM 183-225-272-299-330
Airflow 74.56 m3 min
V/Hz 220V- 240V/50HZ



A	A1
483/19.02"	440/17.32"
B	C
160/6.3"	120/4.72"
D	E
120/4.7"	145/5.71"
F	G
ø920/36.2"	320/12.6"



CHICAGO



ø91
CM

< 13 M2
< 140 SQ.FT


REMOTE
CONTROL

INCLINING
ROOF



33703
Body Matt Black/Negro Mate
Blades Walnut/Nogal

Material Body	Steel/Acero	Light	1 E27 max. 15W
Material Blades	MDF	Bulb incl.	No
W	15-26-49	Rec. Bulb	17463/17498
RPM	136-192-225		
Airflow	96.71 m3 min		
V/Hz	220V- 240V/50HZ		
Accesories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		
Opt. downrod	Page 738		



A	A1
475/18.7"	295/11.61"
B	C
295/11.61"	140/5.51"
D	E
50/2"	150/5.91"
F	G
ø915/36"	380/14.96"



ø97
CM

< 13 M2
< 140 SQ.FT

DC
MOTOR

DIM

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

WITH
PROGRAMMER

INCLINING
ROOF



Adjustable intensity
Intensidad regulable




Programmable from 1-4-8h
Programable de 1-4-8h



34300
34300WP *Smart Fan
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

Material Body	Steel/Acero	Light	SMD LED 24W 6500K 1600Lm
Material Blades	ABS	Dimmable K	3000 - 4500 - 6500K
Programmer	1-4-8hr	CRI	>80
W	5.5-8.8-14-20.6-27.5-34.8	Driver incl.	Yes
RPM	139-172-206-245-268-300	Diff	PMMA
Airflow	130 m3 min		
V/Hz	220V- 240V/50HZ		
Downrods	127mm		



A	A1
549/21.61"	447/17.6"
B	C
295/11.61"	
D	E
80/3.1"	165/6.5"
F	G
ø970/38.2"	328/12.91"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount. Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.

MEDITERRÁNEO



ø81
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

CONTROLLED
BY CHAINS




33704
Body White/Blanco
Blades White/Blanco
+Maple/Arce



33706
Body Matt Nickel/Níquel Mate
Blades Maple/Arce
+Mahogany/Caoba

Material Body	Steel/Acero	Light	1 E14 max. 8W
Material Blades	MDF	Bulb incl.	No
W	14-23-47	Rec. Bulb	17461
RPM	198-232-280	Diff	Glass/Cristal
Airflow	85.38 m3 min		
V/Hz	220V- 240V/50HZ		
Accessories ☒	33928 Wall Control 3 speeds		
	33929 Remote Control/dimer-on-off		
	33937 Remote Control/Programmer		



A	A1
385/15.16"	
B	C
260/10.24"	190/7.48"
D	E
110/4.3"	130/5.12"
F	G
ø815/32.1"	310/12.2"



Smart option
Opción inteligente



2 downrods incl. 3.9" / 7.8"
2 tijas incl. 100mm / 200mm



ø81
CM

< 13 M2
< 140 SQ.FT

DC
MOTOR

OPTION
SMART
100-240V
50-60Hz

SUMMER
WINTER

REMOTE
CONTROL

INCLINING
ROOF



33426
33426WP *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente



33425
33425WP *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal



33428
33428WP *Smart Fan
Body Old Gold/Oro Viejo
Blades Dark Walnut/Nogal Oscuro



33423
33423WP *Smart Fan
Body Copper/Cobre
Blades Walnut/Nogal



33424
33424WP *Smart Fan
Body Matt Black/Negro Mate
Blades Black/Negro



33429
33429WP *Smart Fan
Body Old Gold/Oro Viejo
Blades Matt Black/Negro Mate



33427
33427WP *Smart Fan
Body Copper/Cobre
Blades Matt Black/Negro Mate

with light/con luz

SMD LED 16W 3000K 709Lm >80 Driver incl. Yes
Diff Glass/Cristal



33426-9
33426WP-9 *Smart Fan
Body Shiny Chrome/Cromo Brillo
Blades Transparent/Transparente

33425-10
33425WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Walnut/Nogal

33428-10
33428WP-10 *Smart Fan
Body Old Gold/Oro Viejo
Blades Walnut/Nogal

33423-10
33423WP-10 *Smart Fan
Body Copper/Cobre
Blades Walnut/Nogal

33424-10
33424WP-10 *Smart Fan
Body Matt Black/Negro Mate
Blades Matt Black/Negro Mate

33429-10
33429WP-10 *Smart Fan
Body Old Gold/Oro Viejo
Blades Matt Black/Negro Mate

33427-10
33427WP-10 *Smart Fan
Body Copper/Cobre
Blades Matt Black/Negro Mate




ø1780
613



ø1280
699

Material Body	Steel/Acero
Material Blades	PC
W	2.8-3.2-4-5-6-7-9
RPM	51-86-122-158-195-235
Airflow	121.69 m3 min
V/Hz	220V- 240V/50-60HZ
Downrods	100-200mm



A	A1
390/15.35"	380/14.96"
B	C
180/7.09"	160/6.3"
D	E
55/2.2"	130/5.12"
F	G
ø810/31.9"	358/14.09"

*Order your Smart Fan with the reference of the fan finished in WP and add the reference 34150 of the gear. The price of the gear is with PRO35 discount.
Solicita tu Smart Fan con la referencia del ventilador acabado en WP y añade la referencia 34150 del receptor. El precio del receptor es con el descuento PRO35.



PALAO



ø81
CM

< 13 M2
< 140 SQ.FT

SUMMER
WINTER

INCLINING
ROOF

DIRECT
CEILING
MOUNTING

CONTROLLED
BY CHAINS



33179
Body Matt White/Blanco Mate
Blades Multicolor



33180
Body Matt White/Blanco Mate
Blades White/Blanco



33183
Body Matt Nickel/Níquel Mate
Blades Maple/Arce




33185
Body Dark Brown/Marrón Oscuro
Blades Mahogany/Caoba



33186
Body Grey/Gris
Blades Grey/Gris

Material Body	Steel/Acero	Light	1 E14 max. 8W
Material Blades	MDF	Bulb incl.	No
W	24-28-37	Rec. Bulb	17461
RPM	127-192-241	Diff	Glass/Cristal
Airflow	92.37 m3 min		
V/Hz	220V- 240V/50HZ		
Accesories ☒	33928 Wall Control 3 speeds 33929 Remote Control/dimer-on-off 33937 Remote Control/Programmer		
Opt. downrod	Page 738		



A	A1
390/15.35"	260/10.24"
B	C
190/7.48"	170/6.69"
D	E
60/2.4"	130/5.12"
F	G
ø810/31.9"	350/13.78"

VEDRA



ø46
CM

< 13 M2
< 140 SQ.FT

WALL
CONTROL

INCLINING
ROOF



33450
Body Old Gold/Oro Viejo
Blades Dark Walnut/Nogal Oscuro




33525 NEW
Body Black/Negro
Blades Dark Walnut/Nogal Oscuro



Adjustable inclination
Inclinación regulable



Material Body Steel/Acero
Material Blades Plywood
W 19-22-34-37
RPM 327-369-495-515
Airflow 58.11 m3 min
V/Hz 220V- 240V/50HZ



A	A1
540/21.26"	450/17.72"
B	C
D	E
60/2.4"	145/5.71"
F	G
ø460/18.1"	200/7.87"

KEIKI



<p>43 CM</p>	<p> < 13 M2 < 140 SQ.FT</p>	<p> SUMMER WINTER</p>	<p> WALL CONTROL</p>	<p> INCLINING ROOF</p>
-------------------------	--	----------------------------------	---------------------------------	-----------------------------------




33715
Body Dark Brown/Marrón Oscuro
Blades Dark Walnut/Nogal Oscuro



33720
Body Matt White/Blanco Mate
Blades Matt White/Blanco Mate

























Material Body Steel/Acero
Material Blades Plywood
W 10-19-28
RPM 380-640-890
Airflow 38.61 m3 min
V/Hz 220V- 240V/50HZ



A	A1
505/19.88"	440/17.32"
B	C
D	E
55/2.2"	150/5.91"
F	G
ø430/16.9"	150/5.91"


Downrods

Tijas

	33904	 White/Blanco	Steel/Acero	ø21/0.8" / ø300/11.8"
	33944	 Matt White/Blanco Mate	Steel/Acero	ø21/0.8" / ø400/15.7"
	33948	 Satin Nickel/Níquel Satinado	Steel/Acero	ø21/0.8" / ø400/15.7"
	33954	 Matt White/Blanco Mate	Steel/Acero	ø21/0.8" / ø500/19.7"
	33957	 Old Gold/Oro Viejo	Steel/Acero	ø21/0.8" / ø500/19.7"
	33958	 Grey/Gris	Steel/Acero	ø21/0.8" / ø500/19.7"
	33959	 Grey/Gris	Steel/Acero	ø21/0.8" / ø300/11.8"
	33960	 Old Gold/Oro Viejo	Steel/Acero	ø21/0.8" / ø300/11.8"
	33962	 Dark Brown/Marrón Oscuro	Steel/Acero	ø21/0.8" / ø300/11.8"
	33964	 Dark Brown/Marrón Oscuro	Steel/Acero	ø21/0.8" / ø500/19.7"
	33965	 Satin Nickel/Níquel Satinado	Steel/Acero	ø21/0.8" / ø300/11.8"
	33971	 Satin Nickel/Níquel Satinado	Steel/Acero	ø21/0.8" / ø500/19.7"

Remote control

Mando a distância

	33929	/ ø120/4.7"
	33937	/ ø120/4.7"

AC Wall control

Regulador de pared AC



33928

Steel/Acero

/ ø90/3.5"

3 speeds *The wall control is not compatible with the remote control at same time / El regulador de pared no se puede usar al mismo tiempo que el mando a distancia

DC Wall control

Regulador de pared DC



33974

● White/Blanco

Steel/Acero

/ ø70/2.8"

6 speeds *Compatible with/con: GOTLAND/RODAS/HYDRA/SAMOS/POROS

Light kits

Kits de luz

CIES



33513 white/blanco

GRID



33341K white/blanco

JUSTFAN/ETERFAN/DECOFAN/TUBE



33390 chrome/cromo

33391 black/negro

MOLOKAI



33476 matt nickel/níquel mate

NIAS



33472K matt nickel/níquel mate

PEMBA



33471K white/blanco

33491K grey/gris

33492K brown/marrón

TYPHOON



33483 white/blanco

33489K grey/gris

33490K brown/marrón

WINCHE



33484 black/negro **Indoor/Outdoor IP44**

33486 grey/gris

YAKARTA



33714 dark brown/marrón oscuro

33716 white/blanco

33717 antique brass/oro envejecido



Smart Bulb

Control your light with  app



All luminaires that can be controlled with our Smart Bulb
are identified with **Smart 17498**


*Todos las luminarias que permiten ser controladas con nuestra bombilla
inteligente están identificadas con **Smart 17498***



It works with WiFi / *Funciona con WiFi*



Compatible with / Compatible con
Alexa, Google assistant & Siri



On/Off

Grouping

Scenes

Animation

Gallery

Intensity







Calendar

Timer















Sunrise
& Sunset

Multiple features / *Múltiples funcionalidades*





A60	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17498	E27	2700	806	≥80	A++	7W	360°	APP	220-240	50/60	25.000	Filament	ø60/2,3" 102/4,5"





















LED Module	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	DC Current	Hrs.	*Driver not incl.
	18030	—	2700	930	90	—	12W	12°	✓	350 mA	50.000	98310114C / 98310320
	18031	—	2700	1140	90	—	12W	36°	✓	350 mA	50.000	98310114C / 98310320
	18032	—	3000	1040	90	—	12W	12°	✓	350 mA	50.000	98310114C / 98310320
	18033	—	3000	1140	90	—	12W	36°	✓	350 mA	50.000	98310114C / 98310320
	18034	—	4000	1040	90	—	12W	12°	✓	350 mA	50.000	98310114C / 98310320
	18035	—	4000	1140	90	—	12W	36°	✓	350 mA	50.000	98310114C / 98310320




















GU10




















	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17328	GU10	2700	600	80	A+	7W	120°	—	220-240	50	25.000	—	ø50/1,9" 55/2,3"
	17329	GU10	4000	650	80	A+	7W	120°	—	220-240	50	25.000	—	ø50/1,9" 55/2,3"
	17330	GU10	3000	540	80	A+	7W	38°	—	220-240	50	25.000	Glass	ø53/1,9" 53/2,1"
	17309	GU10	3000	500	>90	A+	7W	40°	—	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17316	GU10	2700	450	80	A+	8W	38°	—	100-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17317	GU10	4000	480	80	A+	8W	38°	—	220-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17320	GU10	2700	500	80	A+	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17321	GU10	4000	520	80	A+	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17318	GU10	2700	450	80	A+	8W	38°	✓	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17319	GU10	4000	480	80	A+	8W	38°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17324	GU10	2700	500	80	A+	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17325	GU10	4000	520	80	A+	8W	60°	—	100-240	50/60	25.000	—	ø50/1,9" 50/1,9"
	17331	GU10	2700	500	80	A+	8W	60°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"
	17332	GU10	4000	520	80	A+	8W	60°	✓	220-240	50/60	25.000	—	ø50/1,9" 54/2,1"

G45

	17472	E27	—	30	—	A+	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17473	E27	—	30	—	A+	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17474	E27	—	30	—	A+	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"
	17475	E27	—	30	—	A+	1W	360°	—	220-240	50/60	25.000	Coloured glass	ø45/1,7" 66/2,6"

C35	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17460	E14	2700	450	80	A++	4W	360°	—	220-240	50/60	25.000	Matt glass	ø35/1,3" 100/4"
G45														
	17461	E14	2700	450	80	A++	4W	360°	—	220-240	50/60	25.000	Matt glass	ø45/1,7" 78/3,1"
	17462	E27	2700	450	80	A++	4W	360°	—	220-240	50/60	25.000	Matt glass	ø45/1,7" 70/2,7"
T45														
	17437	E27	3000	550	80	A++	5W	360°	—	220-240	50/60	25.000	Matt glass	ø45/1,7" 72/2,7"
A60														
	17463	E27	2700	800	80	A++	7W	360°	—	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	17485	E27	2700	900	80	A++	8W	360°	✓	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	17486	E27	4000	950	80	A++	8W	360°	✓	220-240	50/60	25.000	Matt glass	ø60/2,3" 102/4"
	17063	E27	2700	640	80	A+	8W	270°	—	220-240	50/60	25.000	Polycarbonate	ø60/2,3" 110/4,3"
	17064	E27	5000	680	80	A+	8W	270°	—	220-240	50/60	25.000	Polycarbonate	ø60/2,3" 110/4,3"
	17067	E27	2700	810	80	A+	10W	270°	✓	220-240	50/60	25.000	Polycarbonate	ø60/2,3" 120/4,7"
G95														
	17464	E27	2700	800	80	A++	6W	360°	—	220-240	50/60	25.000	Matt glass	ø95/3,7" 138/5,4"
	17482	E27	2700	900	80	A++	8W	360°	✓	220-240	50/60	25.000	Matt glass	ø95/3,7" 130/5,1"
G120														
	17478	E27	2700	1600	80	A+	19W	270°	—	220-240	50/60	25.000	Polycarbonate	ø120/4,7" 155/6,1"
	17479	E27	2700	1600	80	A+	19W	270°	✓	220-240	50/60	25.000	Polycarbonate	ø120/4,7" 155/6,1"
G125														
	17465	E27	2700	800	80	A++	6W	360°	—	220-240	50/60	25.000	Matt glass	ø125/4,9" 175/6,8"
G45														
	17417	E27	2700	220	80	A++	2W	360°	—	220-240	50/60	25.000	Filament	ø45/1,7" 70/2,7"
A60														
	17420	E27	2700	470	80	A++	4W	360°	—	220-240	50/60	25.000	Filament	ø60/2,3" 105/4,7"
ST64														
	17422	E27	2700	470	80	A++	4W	360°	—	220-240	50/60	25.000	Filament	ø64/2,5" 146/5,7"
G95														
	17415	E27	2700	470	80	A++	4W	360°	—	220-240	50/60	25.000	Filament	ø95/3,7" 138/5,4"
G125														
	17423	E27	2700	460	80	A++	4W	360°	—	220-240	50/60	25.000	Filament	ø125/4,9" 175/6,8"

T30	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
	17445	E27	2700	550	80	A+	6W	360°	—	220-240	50/60	25.000	Filament Amber	ø28/1,1" 300/11,8"
C35														
	17427	E14	2200	200	—	A++	2W	360°	—	220-240	50/60	25.000	Filament Amber	ø36/1,4" 100/3,9"
G45														
	17413	E14	2200	200	—	A++	2W	360°	—	220-240	50/60	25.000	Filament Amber	ø45/1,7" 78/3,1"
	17414	E27	2200	200	—	A++	2W	360°	—	220-240	50/60	25.000	Filament Amber	ø45/1,7" 70/2,7"
	17493	E27	2200	300	—	A+	4W	360°	✓	220-240	50/60	25.000	Filament Amber	ø45/1,7" 70/2,7"
A60														
	17426	E27	2200	400	—	A++	4W	360°	—	220-240	50/60	25.000	Filament Amber	ø56/2,2" 102/4"
	17432	E27	2200	400	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø56/2,2" 102/4"
ST64														
	17428	E27	2200	400	—	A++	4W	360°	—	220-240	50/60	25.000	Filament Amber	ø64/2,5" 146/5,7"
	17433	E27	2200	400	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø64/2,5" 146/5,7"
SP64														
	17409	E27	2000	250	—	A	5W	360°	—	220-240	50/60	25.000	Filament Amber	ø64/2,5" 146/5,7"
G95														
	17429	E27	2200	400	—	A++	4W	360°	—	220-240	50/60	25.000	Filament Amber	ø95/3,7" 138/5,3"
G125														
	17425	E27	2200	400	—	A++	4W	360°	—	220-240	50/60	25.000	Filament Amber	ø125/4,9" 175/6,8"
	17434	E27	2200	400	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø125/4,9" 175/6,8"
A160														
	17447	E27	2000	280	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø160/6,3" 300/11,8"
BT180														
	17449	E27	2000	400	—	A+	8W	360°	✓	220-240	50/60	25.000	Filament Amber	ø160/6,3" 390/15,3"
G200														
	17448	E27	2000	280	—	A+	5W	360°	✓	220-240	50/60	25.000	Filament Amber	ø200/7,8" 300/11,8"
A60														
	17496	E27	2700	470	80	A++	4W	360°	—	220-240	50/60	25.000	Gold	ø60/2,3" 102/4"
G95														
	17271	E27	2700	400	80	A++	4W	180°	—	220-240	50/60	25.000	Mirror	ø95/3,7" 128/5"
T26														
	17446	E14	2700	120	80	A++	1W	360°	—	220-240	50/60	25.000	LED	ø25/0,1" 58/2,3"

	Ref	Socket	K	lm	CRI	I.E.E.	P	Beam	Dimm	V	Hz	Hrs.	Caract.	Size
R7S														
	17497	JP117	2700	800	80	A++	8W	360°	—	220-240	50/60	25.000	LED	ø13,5/0,5" 118/4,6"
G4														
	17487	G4	3000	180	80	A++	1,6W	360°	—	12 AC	—	25.000	LED	ø10/0,4" 37/1,4"
	17494	G4	3000	90	80	A++	1,5W	360°	—	12 AC	50/60	25.000	LED	ø11/0,5" 33/1,3"
G9														
	17443	G9	2700	350	80	A++	3,5W	360°	—	220-240	50/60	25.000	—	ø15/0,6" 50/1,9"
	17444	G9	4000	350	80	A++	3,5W	360°	—	220-240	50/60	25.000	—	ø15/0,6" 50/1,9"
	17466	G9	2700	500	80	A++	5W	360°	—	220-240	50/60	25.000	—	ø16/0,7" 60/2,3"
	17467	G9	4000	500	80	A++	5W	360°	—	220-240	50/60	25.000	—	ø16/0,7" 60/2,3"
	17468	G9	2700	350	80	A++	3,5W	360°	✓	220-240	50/60	25.000	—	ø16/0,7" 50/1,9"
	17495	G9	3000	420	80	A++	3,5W	360°	—	220-240	50/60	25.000	—	ø13/0,5" 58/3,3"
PAR38														
	17400	E27	4000	850	80	A+	10W	60°	—	220-240	50/60	30.000	—	ø120/4,7" 140/5,5"
	17398	E27	3000	810	80	A+	12W	23°	—	100-240	50/60	25.000	IP65	ø120/4,7" 134/5,2"
	17399	E27	4000	400	—	A+	10W	60°	—	220-240	50/60	30.000	—	ø120/4,7" 134/5,2"
R80														
	17477	E27	2700	1050	80	A+	12W	120°	—	220-240	50/60	25.000	LED	ø80/3,1" 112/4,4"
JP118														
	17490	R7s	2700	1000	80	A+	12W	—	—	220-240	50/60	25.000	LED	ø23/0,9" 118/4,6"
	17491	R7s	4000	1050	80	A+	12W	—	—	220-240	50/60	25.000	LED	ø23/0,9" 118/4,6"
JP78														
	17488	R7s	2700	600	80	A+	7W	—	—	220-240	50/60	25.000	LED	ø23/0,9" 78/3,07"
	17489	R7s	4000	650	80	A+	7W	—	—	220-240	50/60	25.000	LED	ø23/0,9" 78/3,07"
	17499	R7s	2700	450	80	A++	4W	—	—	220-240	50/60	25.000	LED	ø14/0,5" 78/3,07"
GX53														
	17340	GX53	3000	470	80	A+	6W	—	—	220-240	50/60	25.000	LED	ø76/2,9" 26/1,2"

Drivers / Equipos

		mA	P	V	units		
FOX 3W	02101001 02101002	350mA	3W	100/240V	1-4 units	on/off	98310620
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-5 units	dali	98310536
				220/240V	2-5 units	casambi	98310538
FOX 5W	02101001 02101002	500mA	5W	100/240V	only 1 unit	on/off	98310306
				220/240V	2-4 units	triac	98310321LC
				220/240V	1-5 units	dali	98310536
				220/240V	1-5 units	casambi	98310538
FOX TRIMLESS 3W	02101101 02101102	350mA	3W	100/240V	1-4 units	on/off	98310620
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-5 units	dali	98310536
				220/240V	2-5 units	casambi	98310538
FOX TRIMLESS 5W	02101101 02101102	500mA	5W	100/240V	only 1 unit	on/off	98310306
				220/240V	2-4 units	triac	98310321LC
				220/240V	1-5 units	dali	98310536
				220/240V	1-5 units	casambi	98310538
FOX ORIENTABLE 3W	02101301 02101302	350mA	3W	100/240V	1-4 units	on/off	98310620
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-5 units	dali	98310536
				220/240V	2-5 units	casambi	98310538
FOX ORIENTABLE 5W	02101301 02101302	500mA	5W	100/240V	only 1 unit	on/off	98310306
				220/240V	2-4 units	triac	98310321LC
				220/240V	1-5 units	dali	98310536
				220/240V	1-5 units	casambi	98310538
FOX 7W	02101501	350mA	7W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
FOX 10W	02101601	500mA	10W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310321LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
AIM 3W	02100401	350mA	3W	100/240V	1-4 units	on/off	98310620
				220/240V	2-3 units	triac	98310110LC
				220/240V	3-6 units	dali	98310536
				220/240V	3-6 units	casambi	98310538
CLEAR 7W	02100301	350mA	7W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	1-2 units	dali	98310536
				220/240V	1-2 units	casambi	98310538
BOW 3W	02150101	350mA	3W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
BOW 10W	02150201	350mA	10W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310321LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
BOW 18W	02150301	350mA	18W	100/240V	only 1 unit	on/off	98310620
				220/240V	only 1 unit	triac	98310321LC
				220/240V	only 1 unit	dali	98310536
				220/240V	only 1 unit	casambi	98310538
PLAS 1W	63281 63282 63283 63490	350mA	1W	100/240V	only 1 unit	on/off	98310103
				220/240V	2-3 units	triac	98310110LC
				220/240V	5-17 units	dali	98310536
				220/240V	5-17 units	casambi	98310538

		mA	P	V	units		
SIGNAL 3W	02100101		3W	100/240V	1-2 units	on/off	98310110
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-6 units	dali	98310536
				220/240V	2-6 units	casambi	98310538
SIGNAL 3W	02100101		3W	100/240V	1-2 units	on/off	98310110
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-6 units	dali	98310536
				220/240V	2-6 units	casambi	98310538
TRAS 4W	71701	24V DC	4W	100/240V	only 1 unit	on/off	98324015U
TRAS 8W	71702	24V DC	8W	100/240V	1-2 units	on/off	98324015U
TRAS 25W	71716/71717	24V DC	25W	100/240V	1-2 units	on/off	98324030
DANG 3W	70446		3W	100/240V	1-2 units	on/off	98324006
NAIS ORIENTABLE 7W	02111001 02111002		7W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	1-2 units	dali	98310536
				220/240V	1-2 units	casambi	98310538
SIGNAL 3W	02100101		3W	100/240V	1-2 units	on/off	98310110
				220/240V	2-3 units	triac	98310110LC
				220/240V	2-6 units	dali	98310536
				220/240V	2-6 units	casambi	98310538
WABI 10W	43900		10W	100/240V	only 1 unit	on/off	98310510C
				220/240V	only 1 unit	triac	98310510C
NORD 18W	63290		18W	100/240V	only 1 unit	on/off	98310118LC
				220/240V	only 1 unit	triac	98310118LC
NAIS 7W	02121001 02121002		7W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	1-2 units	dali	98310536
				220/240V	1-2 units	casambi	98310538
GRUND 2W	70726 70730 70733 70735	700mA	2W	100/240V	1-2 units	on/off	98310206E
				220/240V	2-4 units	triac	98310210
				220/240V	4-16 units	dali	98310536
				220/240V	4-16 units	casambi	98310538
GRUND 7W	70728 70731 70734 70736	350mA	7W	100/240V	1-2 units	on/off	98310620
				220/240V	2 units	triac	98310118LC
				220/240V	2 units	dali	98310536
				220/240V	2 units	casambi	98310538
GRUND 13W	70729 70732	350mA	13W	100/240V	1-2 units	on/off	98310620
				220/240V	only 1 unit	triac	98310118LC
				220/240V	only 1 unit	dali	98310536
				220/240V	only 1 unit	casambi	98310538
KANE 3W	70660 70661 70662	24V DC	3W	100/240V	1-2 units	on/off	98324006
				220/240V	1-3 units	triac	98311315
FALLS 6W	71734 71735		6W	100/240V	1-2 units	on/off	98324020U
				220/240V	5-23 units	triac	97397
				220/240V	1-14 units	dali	97308
				220/240V	1-14 units	casambi	98324599
FALLS 12W	71736 71737		12W	100/240V	only 1 unit	on/off	98324020U
				220/240V	2-14 units	triac	97397
				220/240V	1-6 units	dali	97308
				220/240V	1-6 units	casambi	98324599
FALLS ORIENTABLE 8W	71730 71731		8W	100/240V	1-2 units	on/off	98324020U
				220/240V	5-23 units	triac	97397
				220/240V	1-11 units	dali	97308
				220/240V	1-11 units	casambi	98324599
FALLS ORIENTABLE 16W	71732 71733		16W	100/240V	only 1 unit	on/off	98324020U
				220/240V	2-10 units	triac	97397
				220/240V	1-5 units	dali	97308
				220/240V	1-5 units	casambi	98324599
CROSBY 2W	70453		2W	100/240V	1-2 units	on/off	98324006

Shades / Pantallas


Wall lamps Apliques

	2P0111 $\frac{\text{ø}215/8.6''}{\text{ø}190/7.6''}$ 		2P0112 $\frac{\text{ø}215/8.6''}{\text{ø}190/7.6''}$ 		2P0113 $\frac{\text{ø}215/8.6''}{\text{ø}190/7.6''}$ 
	2P0211 $\frac{\text{ø}220/8.6''}{\text{ø}130/5.1''}$ 		2P0212 $\frac{\text{ø}220/8.6''}{\text{ø}130/5.1''}$ 		2P0213 $\frac{\text{ø}220/8.6''}{\text{ø}130/5.1''}$ 
	2P0411 $\frac{190/7.5''}{\text{ø}160/6.3''}$ 		2P0412 $\frac{190/7.5''}{\text{ø}160/6.3''}$ 		2P0413 $\frac{190/7.5''}{\text{ø}160/6.3''}$ 
	2P0311 $\frac{\text{ø}165/6.5''}{\text{ø}130/5.1''}$ 		2P0312 $\frac{\text{ø}165/6.5''}{\text{ø}130/5.1''}$ 		2P0313 $\frac{\text{ø}165/6.5''}{\text{ø}130/5.1''}$ 
	2P0615 $\frac{\text{ø}215/8.6''}{\text{ø}190/7.6''}$ 		2P0616 $\frac{\text{ø}215/8.6''}{\text{ø}190/7.6''}$ 		2P0617 $\frac{\text{ø}215/8.6''}{\text{ø}190/7.6''}$ 
	2P0710 $\frac{\text{ø}210/8.2''}{\text{ø}160/6.3''}$ 		2P0763 $\frac{\text{ø}210/8.3''}{\text{ø}120/4.7''}$ 		


Suspended
Suspensión




2P0141




2P0142




2P0143




2P0645




2P0646




2P0647



2P0710




2P0720




2P0730




2P0765




2P0766




2P0767




2P0768



2P0769



2P0764



Shades / Pantallas


Table lamps Sobremesas

	2P0121 $\varnothing 250/9.8''$ $\varnothing 220/8.6''$ $200/7.9''$		2P0122 $\varnothing 250/9.8''$ $\varnothing 220/8.6''$ $200/7.9''$		2P0123 $\varnothing 250/9.8''$ $\varnothing 220/8.6''$ $200/7.9''$
	2P0221 $\varnothing 270/10.6''$ $\varnothing 160/6.3''$ $200/7.9''$		2P0222 $\varnothing 270/10.6''$ $\varnothing 160/6.3''$ $200/7.9''$		2P0223 $\varnothing 270/10.6''$ $\varnothing 160/6.3''$ $200/7.9''$
	2P0421 $220/8.6''$ $\varnothing 190/7.5''$ $200/7.9''$		2P0422 $220/8.6''$ $\varnothing 190/7.5''$ $200/7.9''$		2P0423 $220/8.6''$ $\varnothing 190/7.5''$ $200/7.9''$
	2P0311 $\varnothing 165/6.5''$ $\varnothing 130/5.1''$ $240/9.4''$		2P0312 $\varnothing 165/6.5''$ $\varnothing 130/5.1''$ $240/9.4''$		2P0313 $\varnothing 165/6.5''$ $\varnothing 130/5.1''$ $240/9.4''$
	2P0625 $\varnothing 250/9.8''$ $\varnothing 220/8.6''$ $200/7.9''$		2P0626 $\varnothing 250/9.8''$ $\varnothing 220/8.6''$ $200/7.9''$		2P0627 $\varnothing 250/9.8''$ $\varnothing 220/8.6''$ $200/7.9''$
	2P0720 $\varnothing 320/12.6''$ $210/8.2''$		2P0763 $\varnothing 210/8.3''$ $\varnothing 120/4.7''$ $160/6.3''$		


Floor lamps
Luminarias de suelo




2P0131




2P0132




2P0133



2P0231




2P0232




2P0233




2P0431




2P0432




2P0433




2P0635



2P0636



2P0637



2P0730



Structures / Estructuras

ARTIS wall/aplique



68490 bronze/bronce

68491 chrome/cromo


ARTIS wall reader/aplique con lector



68492 bronze/bronce

68493 chrome/cromo

ARTIS wall extensible/aplique extensible



68494 bronze/bronce

68495 chrome/cromo

CONGA/MAMBO/SAMBA wall/aplique



64306 matt white/blanco mate

64307 matt black/negro mate

CONGA/MAMBO/SAMBA wall reader/aplique con lector



64308 matt white/blanco mate

64309 matt black/negro mate

CONGA/MAMBO/SAMBA suspended (turnbuckle)/colgante (tensor)



64314 matt black/negro mate

CONGA/MAMBO/SAMBA suspended/colgante



64315 matt black/negro mate

CONGA/MAMBO/SAMBA table (small)/sobremesa (pequeña)



64316 matt white/blanco mate

64317 matt black/negro mate

CONGA/MAMBO/SAMBA table/sobremesa



64310 matt white/blanco mate

64311 matt black/negro mate

CONGA/MAMBO/SAMBA floor/suelo



64312 matt white/blanco mate

64313 matt black/negro mate

ETERNA wall/aplique



24005 chrome/cromo

ETERNA wall reader/aplique con lector



24006 chrome/cromo (right)

24007 chrome/cromo (left)

ETERNA table/sobremesa



24008 chrome/cromo

FRAME wall/aplique



20170 matt nickel/níquel mate

20171 old gold/oro viejo

FRAME wall reader/aplique con lector



20172 matt nickel/níquel mate

20173 old gold/oro viejo

MONTREAL wall/aplique



24030 white/blanco

24031 chrome/cromo

MONTREAL wall reader/aplique con lector



24032 white/blanco

24033 chrome/cromo (left)

MONTREAL table/sobremesa



24034 white/blanco

24035 chrome/cromo

MONTREAL floor/suelo



24036 white/blanco

24037 chrome/cromo

REM wall/aplique



29680 matt nickel/níquel mate

29681 old gold/oro viejo

REM wall reader/aplique con lector



29682 matt nickel/níquel mate

29683 old gold/oro viejo

REM table/sobremesa



29684 matt nickel/níquel mate

29685 old gold/oro viejo

REM floor/suelo



29686 matt nickel/níquel mate

29687 old gold/oro viejo

RON wall/aplique



64400 dark grey/gris oscuro

General information / Información general

EN	ES	FR	ITA
<p>The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.</p> <p>Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.</p> <p>The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.</p> <p>The catalogue prices are public prices.</p> <p>RATES DO NOT INCLUDE VAT.</p> <p>Price list not valid for Italy and Switzerland.</p> <p>Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.</p> <p>Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.</p>	<p>La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.</p> <p>Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.</p> <p>Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones.</p> <p>Los precios mostrados son precios de venta al público (PVP).</p> <p>IVA NO INCLUIDO EN TARIFA</p> <p>Tarifa no válida para Italia y Suiza.</p> <p>Prevía comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.</p> <p>No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.</p>	<p>L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.</p> <p>Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.</p> <p>Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.</p> <p>Les prix du catalogue son les prix de vente public .</p> <p>IVA NON COMPRISE DANS LE TARIF.</p> <p>Liste de prix pas valable pour l'Italie et la Suisse.</p> <p>Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.</p>	<p>La informazione che si riferisce ai nostri articoli può essere soggetta a modifiche con il fine di migliorare le caratteristiche, tecniche o di design, dei nostri prodotti. Faro Barcelona si riserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.</p> <p>Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.</p> <p>I prezzi indicati sono prezzi di vendita al pubblico.</p> <p>IVA NON INCLUSA IN LISTINO.</p> <p>Il listino non è valido per l'Italia e la Svizzera.</p> <p>LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di vetri rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.</p> <p>Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.</p>
PT	GER	NL	GRK
<p>A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.</p> <p>A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.</p> <p>As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).</p> <p>IVA NÃO INCLUIDO NA LISTA DE PREÇOS</p> <p>Lista de preços não é válido para a Itália e Suíça.</p> <p>Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto conosco para lhes enviarmos urgentemente as peças requeridas.</p> <p>Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.</p>	<p>Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.</p> <p>Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.</p> <p>Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.</p> <p>DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN</p> <p>Preisliste gilt nicht für Italien und die Schweiz.</p> <p>Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusendung der notwendigen Teile in Verbindung.</p> <p>Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.</p>	<p>De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.</p> <p>Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.</p> <p>De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.</p> <p>Btw NIET BIJ DE PRIJS INBEGREPEN</p> <p>Taifra niet geldig voor Italië en Zwitserland.</p> <p>Lorefar aanvaardt uitsluitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.</p> <p>Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.</p>	<p>Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.</p> <p>Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιοδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτές που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές. Οι τιμές που εμφανίζονται είναι τιμές λιανικής.</p> <p>Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ</p> <p>Μετά από συνεννόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε τα απαιτούμενα μέρη.</p>
RUS	CZ	BL	PL
<p>Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.</p> <p>Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.</p> <p>Δεν γίνονται αποδεκτές αλλαγές ή επιστροφές για εμπορεύματα σε καλή κατάσταση. Σε περίπτωση ρητής αποδοχής εκ μέρους της Lorefar, κατά την παραλαβή και τον έλεγχο τους θα πραγματοποιηθεί χρέωση 20% για έξοδα απόσβεσης και ταξινόμησης των εμπορευμάτων.</p> <p>Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.</p> <p>БЕЗ УЧЕТА НДС</p> <p>В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.</p>	<p>Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.</p> <p>Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.</p> <p>Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnosti v den vydání katalogu nového.</p> <p>VŠECHNY CENY JSOU UVEDENY BEZ DPH., Zboží může být vráceno pouze po předchozím souhlasu od sPŮLEČNOSTI PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vracení zboží v dobrém technickém stavu je nepřijatelné.</p>	<p>Техническата информация, представена в нашият каталог, може да бъде променяна с цел да подобри представянето или дизайна на продуктите.</p> <p>Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.</p> <p>Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.</p> <p>Цените в каталога са публичните цени.</p> <p>ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.</p> <p>Връщане на закупена стока ще да бъдат приета единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание съчлено стъкло или липсващи части. В такъв случаи моля свържете те с нас, за да ви изпратим липсващите части по спешност.</p> <p>Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от ЛОРЕФАР 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.</p>	<p>Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.</p> <p>Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego infomowania i nie przyjmuje skarg z tego tytułu.</p> <p>Warunki, opis techniczny oraz ceny artykułów, które pojawiają się w katalogu są aktualne do czasu wydruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.</p> <p>CENY NIE ZAWIERAJĄ STAWKI VAT.</p> <p>Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia, że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.</p> <p>Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymaniu i sprawdzeniu, w celu sklasyfikowania uszkodzenia artykułu.</p>

Materials / Materiales

EN	ES	FR	ITA	PT	GER
ABS	ABS	ABS	ABS	ABS	ABS
Acrylic	Acrílico	Acrylique	Acrílico	Acrílico	Acryl
Aluminium	Aluminio	Aluminium	Alluminio	Alumínio	Aluminium
Beige Ribbon Shade	Tela encintada	Tissu adhésif	Tessuto registrato	Tecido gravado	Geklebte Gewebe
Bubble Glass	Cristal Burbuja	Verre bullé	Vetro bolla	Vidro bolha	Blasenglas
Brass	Latón	Laiton	Ottone	Latão	Messing
Die Cast Aluminium	Aluminio Inyectado	Fonte d'aluminium	Ghisa alluminio	Alumínio fundido	Aluminiumguss
Fiber Glass	Fibra de Vidrio	Fibre De Verre	Fibra Di Vetro	Fibra De Vidro	Fiberglas
Glass	Cristal	Verre	Vetro	Virido	Glas
Leather	Piel	Peau	Pelle	Pele	Haut
Linen	Lino	Lin	Biancheria	Roupa de cama	Leinen
Marble	Mármol	Marbre	Marmo	Mármore	Marble
Opal Acrylic	Acrílico Opal	Acrylique opale	Acrílico opale	Opal acrílico	Opalacryl
Opal Glass	Cristal Opal	Verre opale	Vetro opalino	Vidro opal	Opalglas
Opal PMMA	PMMA Opal	PMMA opale	PMMA opale	PMMA opal	Opal PMMA
Opal Polycarbonate	Policarbonato Opal	Polycarbonate opale	Policar-bonato opale	Policar-bonato opal	Opal polycarbonat
Opal PVC	PVC Opal	PVC opale	PVC opale	PVC opal	Opal PVC
Papyrus	Papiro	Papyrus	Papiro	Papiro	Papyrusses
Parchment	Pergamino	Parchemin	Pergamena	Pergaminho	Pergament
PEMD	PEMD	PEMD	PEMD	PEMD	PEMD
PET Polyethylene Terephthalate	PET Polietileno tereftalato	PET Polyéthylène téréphtalate	PET polietilene tereftalato	PET tereftalato de polietileno	PET Polyethylenterephthalat
Plaster	Yeso	Gypse	Gesso	Gesso	Gips
PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
Polycarbonate	Policarbonato	Polycarbonate	Policarbonato	Policarbonato	Polycarbonat
Polyethylene	Polietileno	Polyéthylène	Polietilene	Polietileno	Polyethylen
Polymer	Polímero	Polymères	Polimero	Polímero	Polymer
Polypropylene	Polipropileno	Polyéthylène	Polietilene	Polietileno	Polyethylen
PVC	PVC	PVC	PVC	PVC	PVC
Rattan	Ratán	Rotin	Malacca	Rattan	Rattan
Resine	Resina	Résine	Resina	Resina	Harz
Rustic Glass	Cristal Rústico	Verre rustique	Vetro rustico	Vidro rústico	Rustikale Glass
Silicone	Silicona	Silicone	Silicone	Silicone	Silicon
Stainless Steel	Acero Inoxidable	Acier inoxydable	Acciaio inossi.	Aço inoxidável	Edelstahl Rostfreier
Steel	Acero	Acier	Acciaio	Aço	Stahl
Teflon	Teflón	Teflon	Teflon	Teflon	Teflon
Textile	Téxtil	Textile	Tessile	Têxtil	Textile
Translucent Glass	Cristal Translúcido	Verre translucide	Vetro traslucido	Vidro translúcido	Translucent Glas
Translucent Polycarbonate	Policarbonato Translúcido	Polycarbonate translucide	Policar-bonato transl.	Policar-bonato transl.	Translucent polycarbonat
Transparent Glass	Cristal Transparente	Verre transparent	Vetro trasparente	Vidro transpa.	Transparentem Glas
Transparent PMMA	PMMA Transparente	PMMA transparent	PMMA trasparente	PMMA transpa.	Transparentem PMMA
Wood	Madera	Bois	Legno	Madeira	Holz
Zinc	Zinc	Zinc	Zinco	Zinco	Zink

NL	GRK	RUS	CZ	BL	PL
ABS	ABS	ABS	ABS	ABS	ABS
Acryl	Ακρυλικό	Акриловый	Akryl	Акрил	Akrylowy
Aluminium	Αλουμίνιο	Алюминий	Hliník	Алуминий	Aluminium
Getapete stof	Μαγνητοσκοπημένο ύφασμα	Ткань	Páskové tkaniny	Лепени тъкани	Taśma tekstylna
Bubble glas	Υαλί φούσκα	Рузырь стекло	Bublina sklo	балон стъкло	Szklane bańki
messing	Ορείχαλκος	латунь	Mosaz	месинг	Mosiądz
Gegoten aluminium	Χυτό αλουμίνιο	Ритого алюминия	Z litého hliníku	Рят алуминий	Odlew aluminium
Glasvezel	Πολυεστερικες	Стекловолокно	Laminát	Фибростъкло	Włókno Szklane
Glas	Υαλί	Стекло	Sklo	Стъкло	Szko
Huid	Δέρμα	кожа	Kůže	кожа	Skóra
Linnen	Λευκά είδη	белье	Linen	бельо	Pościel
Marmeren	Μαρμαρα	Мрамор	Mramorová	Мрамор	Marmur
Opaal acrylaat	Οπαλ ακρυλικό	Опалового акрила	Opálový akrylát	Опал акрил	Opal akryl
Opaal glas	Οπαλ υαλί	Матовое стекло	Opálové sklo	Млечно стъкло	Szko mleczne
Opaal PMMA	Οπαλ PMMA	PMMA ακριλωσης	Opal PMMA	Οπαλ PMMA	Mlecznego PMMA
Opaal polycarbonnat	Οπαλ πολυάνθρακας	Опал поликарбонат	Opal polykarbonát	Οπαλ поликарбонат	Mlecznego Poliwęglan
Opaal PVC	Οπαλ PVC	Οπαλ PVC	Opal PVC	Οπαλ PVC	PVC Poliwęglan
Papyrus	Πάπυρος	Папирус	Papyrus	Ραργυρος	Papyrus
Perkament	Περγαμινή	Пергамент	Pergamen	Пергамент	Pergamin
PEMD	PEMD	Пемд	PEMD	PEMD	PEMD
PET Polyethyleentereftalaat	Τερεφθαλικό πολυαιθυλένιο PET	ПЭТ Полиэтилентерефталат	PET polyethylenereftalát	PET полиэтилен терефталат	PET Politereftalan etylenu
Gips	Γύψος	Гипс	Sádrovec	Гипс	Gips
PMMA	PMMA	PMMA	PMMA	PMMA	PMMA
Polycarbonaat	Πολυκαρβονικά	Поликарбонат	Polykarbonát	Поликарбонат	Poliwęglan
Polyethyleen	Πολυαιθυλένιο	полиэтилен	Polyethylen	полиэтилен	Polietylen
Polymeer	Πολυμερές	Полимер	Polymer	Полимер	Polimer
Polyethyleen	Πολυαιθυλένιο	Полиэтилен	Polyethylen	Полиэтилен	Polietylen
PVC	PVC	PVC	PVC	PVC	PVC
Rotan	Rattan	ротанг	Ratan	ратан	Rattan
Hars	Ρητινουχο	Смола	Pryskyřice	Смола	Żywica
Rustieke Glass	ρουστίκ Γυαλί	Сельский стекла	Rustikální sklo	Рустик стъкло	Rustic Szko
Silicone	Σιλικονη	Силикон	Silikonová	Силикон	Silikon
Roestvrij staal	Ανοξειδωτο χάλυβα	нержавеющая сталь	Nerez	неръждаема стомана	Stal nierdzewnej
Staal	χάλυβας	сталь	Ocel	Стомана	Stal
Teflon	Τεφλόν	Тефлон	Teflon	Τεφλοново	Teflon
Textiel	Υφάσματα	Текстильный	Textilní	Текстилен	Włókienniczy
Doorschijnend glas	Διαφανές υαλί	Прозрачные стекла	Translucent stъklo	Průhledné sklo	Przezroczyste szkło
Doorschijnend polycarbo.	Διαφανές πολυάνθρακας	Прозрачные поликарбонат	Translucent polykarbonát	Průhledné поликарбонат	Przezroczyste Poliwęglan
Transparant glas	Διαφανές υαλί	Ррозрачное стекло	Průhledné sklo	Ррозрачно стъкло	Przezroczystego szkła
Transparant PMMA	Διαφανές PMMA	Ррозрачное PMMA	Průhledné PMMA	Ррозрачно PMMA	Przezroczystego PMMA
Hout	Ξύλο	Дерево	Dřevo	Дърво	Drewno
Zink	Ψευδάργυρος	Цинк	Zinek	Цинк	Cynk

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
01000	225	17329	742	19035		20166-95	138
01001	225	17330	742	19036		20166-96	138
01003	299	17331	742	19037		20167	222
01004	299	17332	742	19038		20168	222
01005	299	17340	745	19039		20170	752
01006	299	17398	745	20021	272	20170-01	258
01007A	50	17399	745	20022	272	20170-02	258
01009A	234	17400	745	20023	272	20170-03	258
01014A	234	17409	744	20024	272	20171	752
01015	45	17413	744	20025	106	20171-01	258
01016	45	17414	744	20026	106	20171-02	258
01017	45	17415	743	20029	106	20171-03	258
01025A	50	17417	743	20030	106	20172	752
01026A	234	17420	743	20031-80	228	20172-01	258
01027A	234	17422	743	20031-81	228	20172-02	258
01040	322	17423	743	20031-88	260	20172-03	258
01041	322	17425	744	20032-80	228	20173	752
01045	226	17426	744	20032-81	228	20173-01	258
01046	118	17427	744	20032-88	260	20173-02	258
01205	324	17428	744	20033-80	62	20173-03	258
01206	324	17429	744	20033-81	62	20300-92	242
01207	324	17432	744	20034-80	62	20301-93	242
01208	324	17433	744	20034-81	62	20301-94	242
01997001	192	17434	744	20034-88	96	20302-92	242
01997002	192	17437	743	20045	318	20303-93	242
02100101	364	17443	745	20046	134	20303-94	242
02100101C	364	17444	745	20046-3L	189	20304-82	86
02100301	377	17445	744	20046-5L	189	20305-83	86
02100501	379	17446	744	20046-7L	189	20305-84	86
02100502	379	17447	744	20047	134	20306-85	86
02100503	379	17448	744	20048	134	20307-86	86
02100601	378	17449	744	20049	318	20307-87	86
02100602	378	17460	743	20050	134	20308-89	168
02100603	378	17461	743	20050-3L	189	20309-90	168
02100701	379	17462	743	20050-5L	189	20309-91	168
02100702	379	17463	743	20050-7L	189	20330	221
02100801	379	17464	743	20051	134	20331	221
02100901	377	17465	743	20060	232	20332	221
02101001	376	17466	745	20061	232	24005	752
02101002	376	17467	745	20062	232	24005-10	254
02101101	376	17468	745	20065	230	24005-11	254
02101102	376	17472	742	20066	230	24005-12	254
02101301	376	17473	742	20094	196	24006	752
02101302	376	17474	742	20095	196	24006-10	254
02101401	378	17475	742	20116	128	24006-11	254
02101402	378	17477	745	20117	128	24006-12	254
02101501	376	17478	743	20118	128	24007	752
02101601	377	17479	743	20119	128	24007-10	254
02111001	373	17482	743	20120	128	24007-11	254
02111002	373	17485	743	20121	128	24007-12	254
02121001	373	17486	743	20122	128	24008	752
02121002	373	17487	745	20123	128	24008-13	53
02200501	379	17488	745	20124	128	24008-14	53
02200502	379	17489	745	20125	128	24008-15	53
02200503	379	17490	745	20126	128	24015	289
02300101	378	17491	745	20127	128	24016	289
02400101	378	17493	744	20128	128	24020-31	76
02400102	378	17494	745	20129	128	24020-32	76
17063	743	17495	745	20130	128	24023-33	76
17064	743	17496	744	20131	128	24023-34	76
17067	743	17497	745	20160	138	24030	752
17271	744	17498	741	20160-3L	191	24030-01	244
17309	742	17499	745	20160-5L	191	24030-02	244
17316	742	18030	742	20160-7L	191	24031	752
17317	742	18031	742	20161	138	24031-01	244
17318	742	18032	742	20161-3L	191	24031-02	244
17319	742	18033	742	20161-5L	191	24031-03	244
17320	742	18034	742	20161-7L	191	24032	752
17321	742	18035	742	20164-95	116	24032-01	244
17324	742	19031		20164-96	116	24032-02	244
17325	742	19032		20165-95	222	24033	752
17328	742	19034		20165-96	222	24033-01	244

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
24033-02	244	29041	350	29692D	64	29983	274
24033-03	244	29042	350	29693D	64	29984	92
24034	752	29043	350	29694	136	29985	92
24034-04	84	29044	350	29695	220	29986	174
24034-05	84	29047	72	29696	136	29987	174
24035	752	29048	72	29697	64	29988	174
24035-04	84	29049	72	29698	64	29991	262
24035-05	84	29050	72	29699	136	29992	262
24035-06	84	29306	318	29764	120	29996	260
24036	752	29307	94	29844	236	29997	96
24036-07	84	29309	171	29845	236	29998	96
24036-08	84	29310	318	29846	68	2P0111	748
24037	752	29311	94	29847	68	2P0112	748
24037-07	84	29312	94	29848	130	2P0113	748
24037-08	84	29313	171	29849	130	2P0121	750
24037-09	84	29326	276	29864	170	2P0122	750
24500	144	29327	276	29865	170	2P0123	750
24502	224	29328	276	29866	98	2P0131	751
24504	144	29329	276	29867	98	2P0132	751
24521	60	29330	276	29868	98	2P0133	751
24522	60	29331	276	29869	98	2P0141	749
24523	44	29332	102	29871	384	2P0142	749
24524	44	29333	102	29872	384	2P0143	749
24527	227	29335	102	29873	348	2P0211	748
24528	227	29336	102	29874	348	2P0212	748
28209	140	29340	284	29875	348	2P0213	748
28209-1L	142	29341	284	29876	348	2P0221	750
28209-2L	142	29395	238	29877	202	2P0222	750
28209-3L	142	29396	238	29878	202	2P0223	750
28209-4L	143	29397	132	29879	202	2P0231	751
28209-5L	143	29398	66	29880	202	2P0232	751
28210	140	29399	66	29881	70	2P0233	751
28210-1L	142	29468	176	29882	70	2P0311	748
28210-2L	142	29565	238	29883	70	2P0312	748
28210-3L	142	29566	238	29884	70	2P0313	748
28210-4L	143	29567	132	29886	182	2P0411	748
28210-5L	143	29568	66	29887	182	2P0412	748
28211	51	29569	66	29888	326	2P0413	748
28212	51	29680	752	29894	182	2P0421	750
28370	74	29680-19	256	29895	182	2P0422	750
28371	74	29680-20	256	29896	384	2P0423	750
28373	124	29680-21	256	29897	348	2P0431	751
28374	143	29681	752	29898	70	2P0432	751
28375	140	29681-19	256	29899	70	2P0433	751
28375-1L	142	29681-20	256	29935	278	2P0615	748
28375-2L	142	29681-21	256	29936	278	2P0616	748
28375-3L	142	29682	752	29937	100	2P0617	748
28375-4L	143	29682-19	256	29940	268	2P0625	750
28375-5L	143	29682-20	256	29941	268	2P0626	750
28376	140	29682-21	256	29942	104	2P0627	750
28376-1L	142	29683	752	29943	104	2P0635	751
28376-2L	142	29683-19	256	29944	173	2P0636	751
28376-3L	142	29683-20	256	29945	268	2P0637	751
28376-4L	143	29683-21	256	29946	268	2P0645	749
28376-5L	143	29684	752	29947	104	2P0646	749
28378	51	29684-04	88	29948	104	2P0647	749
28379	51	29684-05	88	29950	278	2P0710	748
28380	52	29684-06	88	29951	278	2P0720	749
28382	52	29685	752	29952	278	2P0730	749
28383	52	29685-04	88	29953	278	2P0763	748
28385	52	29685-05	88	29954	100	2P0764	749
28387	48	29685-06	88	29955	100	2P0765	749
28388	48	29686	752	29958	100	2P0766	749
28394	172	29686-07	88	29959	100	2P0767	749
28398	176	29686-08	88	29974	270	2P0768	749
28399	176	29686-09	88	29975	270	2P0769	749
28401	54	29687	752	29976	270	32000	697
28413	282	29687-07	88	29977	270	32000-9	697
28414	282	29687-08	88	29979	92	32000WP	697
28415	282	29687-09	88	29980	274	32000WP-9	697
29039	350	29690	220	29981	274	32001	697
29040	350	29691	136	29982	274	32001-9	697

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
32001WP	697	32038WP	703	33381-9	697	33426	733
32001WP-9	697	32038WP-9	703	33381WP	697	33426-9	733
32002	697	32039	703	33381WP-9	697	33426WP	733
32002-10	697	32039-9	703	33382	695	33426WP-9	733
32002WP	697	32039WP	703	33382-9	695	33427	733
32002WP-10	697	32039WP-9	703	33382WP	695	33427-10	733
32003	697	32040	703	33382WP-9	695	33427WP	733
32003-10	697	32040-10	703	33384	673	33427WP-10	733
32003WP	697	32040WP	703	33385	673	33428	733
32003WP-10	697	32040WP-10	703	33386	673	33428-10	733
32004	697	32041	703	33390		33428WP	733
32004-10	697	32041-10	703	33391		33428WP-10	733
32004WP	697	32041WP	703	33393	703	33429	733
32004WP-10	697	32041WP-10	703	33393-9	703	33429-10	733
32005	697	32042	703	33393WP	703	33429WP	733
32005-9	697	32042-10	703	33393WP-9	703	33429WP-10	733
32005WP	697	32042WP	703	33394	699	33430	613
32005WP-9	697	32042WP-10	703	33394-9	699	33430WP	613
32006	697	32043	703	33394D	701	33432	613
32006-10	697	32043-10	703	33394D-9	701	33432WP	613
32006WP	697	32043WP	703	33394DWP	701	33446	641
32006WP-10	697	32043WP-10	703	33394DWP-9	701	33446WP	641
32020	695	32060	705	33394WP	699	33447	641
32020-9	695	32060-10	705	33394WP-9	699	33447WP	641
32020WP	695	32060WP	705	33395	699	33450	736
32020WP-9	695	32060WP-10	705	33395-10	699	33451	693
32025	695	32100	699	33395D	701	33451WP	693
32025-9	695	32100-10	699	33395D-10	701	33454	726
32025WP	695	32100WP	699	33395DWP	701	33455	726
32025WP-9	695	32100WP-10	699	33395DWP-10	701	33460	659
32026	695	33001	632	33395WP	699	33461A	607
32026-10	695	33002	632	33395WP-10	699	33462A	607
32026WP	695	33005	712	33396	665	33463	617
32026WP-10	695	33011	727	33397	661	33464	617
32027	695	33019	684	33398	699	33464DC	617
32027-10	695	33102	720	33398-10	699	33465A	607
32027WP	695	33110	633	33398D	701	33466A	619
32027WP-10	695	33111	633	33398D-10	701	33470	671
32028	695	33179	735	33398DWP	701	33471N	675
32028-10	695	33180	735	33398DWP-10	701	33471N-3	675
32028WP	695	33183	735	33398WP	699	33471K	739
32028WP-10	695	33185	735	33398WP-10	699	33472N	676
32029	695	33186	735	33399	699	33472N-6	676
32029-9	695	33284	680	33399-10	699	33472K	739
32029WP	695	33287	680	33399D	701	33475	708
32029WP-9	695	33288	680	33399D-10	701	33475-17	708
32030	695	33314	677	33399DWP	701	33476	739
32030-10	695	33341	653	33399DWP-10	701	33478	707
32030WP	695	33341-2	653	33399WP	699	33478WP	707
32030WP-10	695	33341K	739	33399WP-10	699	33479	707
32033	705	33341WP	653	33415	723	33480	689
32033-9	705	33341WP-2	653	33416	723	33480-14	689
32033WP	705	33345	653	33417	699	33480WP	689
32033WP-9	705	33345-2	653	33417-10	699	33480WP-14	689
32034	705	33345WP	653	33417WP	699	33481	691
32034-9	705	33345WP-2	653	33417WP-10	699	33481-7	691
32034WP	705	33346	669	33418	699	33481WP	691
32034WP-9	705	33346WP	669	33418-10	699	33481WP-7	691
32035	705	33349	611	33418WP	699	33482	691
32035-10	705	33350	681	33418WP-10	699	33482-8	691
32035WP	705	33351	681	33423	733	33482WP	691
32035WP-10	705	33352	683	33423-10	733	33482WP-8	691
32036	705	33352B	683	33423WP	733	33483	739
32036-10	705	33363A	615	33423WP-10	733	33484	739
32036WP	705	33370	651	33424	733	33486	739
32036WP-10	705	33372	670	33424-10	733	33487	707
32037	705	33373	651	33424WP	733	33487WP	707
32037-10	705	33374	705	33424WP-10	733	33488	707
32037WP	705	33374-9	705	33425	733	33490K	739
32037WP-10	705	33374WP	705	33425-10	733	33491K	739
32038	703	33374WP-9	705	33425WP	733	33492K	739
32038-9	703	33381	697	33425WP-10	733	33489	689

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
33489-15	689	33695	715	33929	738	40126	369
33489K	739	33696	715	33937	738	40127	369
33489WP	689	33697	715	33944	738	40135	306
33489WP-15	689	33698	715	33948	738	40136	306
33490	689	33699	715	33954	738	40550	358
33490-16	689	33700	679	33957	738	40551	358
33490WP	689	33701	679	33958	738	40552	358
33490WP-16	689	33702	679	33959	738	40553	358
33491	675	33703	729	33960	738	40554	358
33491-4	675	33704	731	33962	738	40555	358
33492	675	33705	679	33964	738	40556	358
33492-5	675	33706	731	33965	738	40557	358
33494	605	33710	685	33971	738	40563	384
33494WP	605	33710-13	685	33974	739	40660	352
33495	605	33711	711	34000	607	40661	352
33495WP	605	33711-11	711	34001	607	40662	352
33496	601	33712	711	34002	607	40663	352
33504	617	33712-12	711	34003	619	40664	352
33504DC	617	33713	711	34004	619	40665	352
33505	617	33713-13	711	34005	619	40666	352
33505DC	617	33714	739	34006	607	40667	352
33506	631	33715	737	34007	607	40994	291
33507	631	33716	739	34008	607	40996	291
33508	719	33717	739	34009	607	41019	291
33508DC	719	33718	623	34010	607	41020	291
33509	719	33719	623	34011	607	41023	295
33509DC	719	33720	737	34100	639	41025N	292
33511	629	33721	657	34100WP	639	41026	294
33511WP	629	33721WP	657	34150	603	41028	294
33512A	609	33722	657	34151	605	41029	294
33512A-1	609	33722WP	657	34200A	603	41030	294
33512WPA-1	609	33723	721	34200WPA	603	41031	294
33512WPA	609	33724	663	34250	599	41032	294
33513	739	33724WP	663	34250A	599	42919	374
33514	687	33725	635	34260	637	42921	373
33514WP	687	33726	635	34261	637	42926	381
33516DC	651	33727	623	34300	730	42927	381
33517	719	33728	623	34300WP	730	42928	380
33517DC	719	33729	643	40062	321	42929	380
33518	651	33729WP	643	40070	320	42930	380
33518DC	651	33750	667	40076	336	42931	381
33519	629	33751	667	40077	213	43065	368
33519WP	629	33752	686	40078	177	43396	370
33522	647	33756	713	40085	336	43397	370
33522WP	647	33756WP	713	40086	336	43398	370
33523	647	33770	668	40087	336	43399	372
33523WP	647	33770WP	668	40088	336	43400	372
33524	649	33782	640	40090	218	43401	371
33524WP	649	33802	645	40091	218	43402	371
33525	736	33802WP	645	40092	218	43403	371
33548	634	33803	644	40093	218	43404	372
33548WP	634	33803WP	644	40095	216	43405	372
33549	625	33804	642	40096	216	43406	370
33549WP	625	33804WP	642	40097	216	43407	370
33551	627	33814	655	40098	216	43408	370
33551WP	627	33814-20	655	40099	216	43409	372
33552	627	33814WP	655	40110	368	43410	372
33552WP	627	33814WP-20	655	40111	368	43411	371
33553A	621	33815	655	40112	369	43412	371
33553WPA	621	33815-21	655	40113	369	43413	371
33554A	621	33815WP	655	40114	368	43500	354
33554WPA	621	33815WP-21	655	40115	368	43501	354
33560DC	651	33816	655	40116	368	43502	354
33600	716	33816-20	655	40117	368	43520	356
33603	717	33816WP	655	40118	368	43521	356
33604	717	33816WP-20	655	40119	368	43522	356
33605	717	33817	655	40120	368	43523	356
33606	725	33817-21	655	40121	368	43525	356
33607	709	33817WP	655	40122	369	43527	356
33608	709	33817WP-21	655	40123	369	43528	356
33610	724	33904	738	40124	369	43529	202
33611	722	33928	739	40125	369	43530	202

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
43531	202	61082	334	62171	314	63268	205
43532	202	61083	334	62172	314	63269	205
43533	202	61084	334	62300	316	63270	204
43534	202	61085	334	62301	316	63271	204
43535	384	61086	334	62302	316	63272	204
43536	384	61087	334	62303	316	63273	204
43720	386	61088	334	62350	297	63274	204
43721	386	61101	124	62351	297	63275	204
43722	346	61103	124	62352	297	63276	204
43723	346	61104	124	62353	297	63277	204
43724	386	61105	124	62355	304	63278	331
43725	386	61106	126	62360	296	63279	332
43726	346	61107	126	62361	296	63281	366
43727	346	61108	126	62703	295	63282	366
43728	346	61109	126	62704	295	63283	366
43729	346	61110	126	62705	284	63284	331
43730	346	61111	126	62706	284	63285	332
43731	346	61112	126	62707	290	63286	364
43732	346	61113	126	62708	290	63290	364
43740	347	61117	124	62709	290	63291	211
43741	347	61118	126	62710	290	63311	333
43742	347	62099	265	62711	290	63312	333
43743	347	62100	265	62800	180	63313	362
43744	347	62104	300	62801	180	63316	343
43745	347	62105	308	62802	180	63317	343
43746	207	62108	308	62802-3L	191	63318	343
43747	207	62111	300	62802-5L	191	63319	343
43748	326	62114	300	62802-7L	191	63393	209
43749	326	62115	288	62803	180	63394	209
43750	326	62116	300	62803-3L	191	63395	209
43751	326	62117	300	62803-5L	191	63397	210
43752	374	62118	300	62803-7L	191	63398	210
43753	374	62120	300	62804	180	63399	211
43754	182	62121	300	62804-3L	191	63404	210
43755	182	62122	302	62804-5L	191	63405	210
43756	182	62123	302	62804-7L	191	63408	210
43757	386	62124	302	62805	180	63410	210
43758	207	62125	302	62805-3L	191	63480	332
43759	326	62126	300	62805-5L	191	63481	365
43760	326	62128	300	62805-7L	191	63490	366
43761	374	62129	300	62806	180	63500	338
43762	346	62130	305	62807	321	63502	338
43900	374	62131	305	62809	317	63503	338
50121	321	62132	200	62810	317	63504	338
50122	321	62133	200	62819	328	63505	338
51129	293	62134	200	62820	328	63507	340
51133	293	62135	200	62821	328	63508	340
51134	293	62138	153	62822	328	63509	340
51135	293	62139	153	62965	211	63510	336
51908	56	62140	200	62966	211	63512	340
51909	56	62141	200	62968	212	63513	340
51910	56	62142	200	62969	212	63514	340
51916	56	62143	200	62980	211	63600	342
51917	56	62144	200	62981	211	63601	342
52057	58	62145	200	62983	212	63602	342
52058	58	62146	200	62986	335	63603	342
52059	292	62147	200	62987	335	63604	342
52061	292	62150	314	62988	285	63605	342
52064	58	62151	314	63124	206	64026	308
52065	58	62152	314	63125	206	64027	219
52071	58	62153	314	63146	343	64028	219
53414	58	62154	314	63156	335	64030	306
53415	58	62155	314	63167	316	64096	197
57400	56	62156	49	63173	330	64097	197
57401	56	62157	49	63174	330	64099	146
57402	321	62161	298	63175	330	64128	178
57403	321	62162	298	63176	330	64128-3L	190
60000	320	62163	298	63177	331	64128-5L	190
60004	181	62164	298	63178	331	64128-7L	190
60005	317	62168	49	63184	333	64133	179
61080	334	62169	49	63199	328	64133-3L	190
61081	334	62170	314	63225	333	64133-5L	190

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
64133-7L	190	64309	752	64315-47	189	68146-5L	189
64135-3L	190	64309-03	246	64315-48	189	68146-7L	189
64135-5L	190	64309-35	240	64315-49	189	68153	181
64135-7L	190	64309-36	240	64315-54	166	68283	185
64137	178	64309-37	240	64315-55	166	68284	185
64137-3L	190	64309-47	250	64315-56	166	68298	208
64137-5L	190	64309-71	248	64316	752	68317	208
64137-7L	190	64310	752	64316-01	82	68323	208
64159	183	64310-04	82	64316-02	82	68334	56
64160	183	64310-05	82	64316-35	80	68417	112
64162	183	64310-38	80	64316-36	80	68418	112
64168	292	64310-39	80	64316-37	80	68420	285
64169	292	64310-40	80	64317	752	68423	54
64170	152	64311	752	64317-03	82	68461	176
64172	152	64311-06	82	64317-35	80	68462	120
64174	185	64311-38	80	64317-36	80	68463	120
64182	198	64311-39	80	64317-37	80	68467	286
64183	198	64311-40	80	64317-47	78	68468	286
64188	212	64311-48	78	64317-71	54	68488	90
64188N	212	64312	752	64318	291	68489	90
64198	205	64312-07	83	64319	291	68490	752
64199	205	64312-08	83	64320	182	68490-01	252
64200	205	64312-41	81	64321	182	68490-02	252
64201	205	64312-42	81	64322	281	68490-03	252
64202	386	64312-43	81	64323	281	68491	752
64203	386	64313	752	64400	752	68491-01	252
64204	206	64313-09	83	64400-10	264	68491-02	252
64205	206	64313-41	81	64400-11	264	68491-03	252
64206	206	64313-42	81	64400-12	264	68492	752
64207	206	64313-43	81	64500	150	68492-01	252
64210A	387	64313-49	79	64501	150	68492-02	252
64211A	387	64314	752	65071	178	68492-03	252
64212A	387	64314-44	164	65080	178	68493	752
64213A	387	64314-44-3L	189	65080-3L	190	68493-01	252
64214A	387	64314-44-5L	189	65080-5L	190	68493-02	252
64215A	387	64314-44-7L	164	65080-7L	190	68493-03	252
64219	328	64314-45	189	65081	177	68494	752
64223	183	64314-45-3L	189	65082	177	68494-01	252
64224	183	64314-45-5L	189	65133	320	68494-02	252
64231	192	64314-45-7L	189	65134	178	68494-03	252
64232	192	64314-46	164	65134-72	156	68495	752
64250	198	64314-46-3L	189	65134-73	158	68495-01	252
64251	198	64314-46-5L	189	65134-74	158	68495-02	252
64260	147	64314-46-7L	189	65134-75	158	68495-03	252
64261	147	64314-47	162	65134-76	156	68496	290
64262	147	64314-47-3L	188	65134-77	156	68497	290
64263	147	64314-47-5L	188	65137	206	68498	290
64300	280	64314-47-7L	188	66191	318	68499	290
64301	280	64314-48	162	66204	179	68500	110
64302	266	64314-48-3L	188	66205	179	68501	110
64303	266	64314-48-5L	188	66403	312	68502	110
64304	266	64314-48-7L	188	66404	312	68503	110
64305	266	64314-49	162	66405	310	68504	281
64306	752	64314-49-3L	188	66406	310	68505	281
64306-01	246	64314-49-5L	188	66407	310	68506	281
64306-02	246	64314-49-7L	188	66408	310	68507	281
64306-35	240	64314-54	166	66409	310	68530	114
64306-36	240	64314-54-3L	189	66410	310	68531	114
64306-37	240	64314-54-5L	189	66411	312	68532	280
64307	752	64314-54-7L	189	66412	312	68533	184
64307-03	246	64314-55	166	66413	312	68544	285
64307-35	240	64314-55-3L	189	66414	312	68545	108
64307-36	240	64314-55-5L	189	66415	312	68546	108
64307-37	240	64314-55-7L	189	66416	312	68547	109
64307-47	250	64314-56	166	68138	320	68548	184
64307-71	248	64314-56-3L	189	68139	181	68549	184
64308	752	64314-56-5L	189	68145	179	68561	176
64308-01	246	64314-56-7L	189	68145-3L	189	68562	176
64308-02	246	64315	752	68145-5L	189	68563	176
64308-35	240	64315-44	164	68145-7L	189	68564	176
64308-36	240	64315-45	164	68146	179	68569	181
64308-37	240	64315-46	164	68146-3L	189	68590-69	154

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
68590-70	154	70245	484	70579	535	70784	404
68591-1L	148	70246	484	70581	483	70785	450
68591-3L	188	70260	482	70582	551	70786	402
68591-5L	188	70261	483	70583	551	70799	496
68591-7L	188	70264	542	70586	578	70802	542
68592-1L	148	70265	560	70587	578	70806	498
68592-3L	188	70266	560	70588	578	70811	541
68592-5L	188	70267	542	70589	578	70812	541
68592-7L	188	70268	542	70591	580	70813	541
68593-1L	148	70269	543	70592N	578	70821	498
68593-3L	188	70270	543	70593N	578	70823	524
68593-5L	188	70271	568	70634	542	70824	550
68593-7L	188	70272	564	70637	543	70825	550
68594-1L	148	70273	564	70638	568	70826	550
68594-3L	188	70274	564	70644	539	70827	525
68594-5L	188	70275	564	70645	539	70828	541
68594-7L	188	70276	564	70646	539	70829	526
68595-1L	148	70277	564	70647	539	70830	544
68595-3L	188	70278	564	70655	554	70832	544
68595-5L	188	70279	564	70656	554	70833	566
68595-7L	188	70280	564	70657	556	70834	566
68596-1L	148	70281	564	70658	556	70887	527
68596-3L	188	70283	538	70659	556	70888	540
68596-5L	188	70284	539	70660	573	70899	540
68596-7L	188	70285	553	70661	573	70900	566
68597-1L	148	70286	553	70662	573	70901	566
68597-3L	188	70287	553	70663	526	70906	555
68597-5L	188	70290	504	70664	526	70907	555
68597-7L	188	70291	504	70665	524	70908	555
68602	192	70292	420	70666	524	70909	555
68604-44	193	70293	420	70667	526	70910	555
68604-45	193	70302	577	70668	526	70911	555
68604-46	193	70303	577	70682	524	70912	481
68604-47	160	70304	576	70683	524	70913	486
68604-48	160	70305	576	70686	543	70914	406
68604-49	160	70306	577	70687	543	70992	520
68604-54	193	70307	577	70689	525	70993	449
68604-55	193	70308	577	70690	498	70996	520
68604-56	193	70309	577	70696	527	70997	520
68604-62	193	70310	576	70697	527	70998	520
68604-63	193	70395	561	70714	528	70999	520
68604-64	193	70396	561	70715	525	71049	537
68604-65	193	70397	561	70720	526	71052	537
68604-66	193	70398	561	70722	498	71106	493
68604-67	193	70399	561	70726	570	71110	518
68604-68	193	70402	565	70728	570	71116	472
70025	480	70403	565	70729	570	71117	472
70035	477	70405	538	70730	570	71118	472
70036	476	70406	538	70731	570	71128	518
70037	476	70408	550	70732	570	71129	518
70038	476	70409	550	70733	571	71138	493
70134	562	70446	560	70734	571	71139	493
70135	562	70449	580	70735	571	71140	519
70140	483	70450	566	70736	571	71141	519
70146	567	70453	572	70749	551	71143	493
70147	567	70455	581	70753	446	71194	548
70148	567	70459N	572	70754	446	71195	548
70151	486	70462N	571	70755	446	71196	548
70154	568	70469	486	70756	446	71198	446
70155	568	70498	406	70761	431	71199	446
70156	482	70499	406	70767	430	71206	442
70157	482	70501	554	70768	430	71207	442
70158	485	70508	554	70771	438	71208	442
70159	485	70546	552	70772	438	71209	464
70160	481	70547	552	70773	522	71212	530
70161	481	70564	552	70774	450	71213	444
70162	565	70566N	543	70775	402	71214	444
70163	565	70567N	543	70776	402	71215	530
70164	565	70573	527	70777	402	71216	432
70165	565	70573B	527	70780	516	71217	433
70226	485	70575	496	70782	448	71222	530
70227	485	70576	448	70783	449	71223	530

Ref	Pag.	Ref	Pag.	Ref	Pag.	Ref	Pag.
71224	422	71569-01	390	71902	536	74436F3-04	470
71225	422	71569-04	390	71903	536	74440	512
71242	412	71569-05	390	71904	536	74441	426
71243	412	71569-06	390	71905	536	74442	426
71244	412	71569-07	390	71906	537	74444E	464
71253	418	71569-08	390	71907	537	74450	534
71254	418	71575-01	390	71908	537	74451	447
71256	418	71575-04	390	71909	536	74452	447
71257	418	71575-05	390	71910	536	74453	511
71262	410	71575-06	390	71911	536	74454	404
71263	410	71575-07	390	71912	400	74455	545
71264	410	71575P-01	394	71913	400	74465	42
71272	534	71575P-03	394	71914	400	74997	431
71273	534	71575P-04	394	72000	529	74998	516
71274	525	71575P-05	394	72001	529	75000	516
71276	535	71575P-06	394	72002	529	750000	454
71277	535	71575P-07	394	72010	529	750000C	454
71278	551	71576-01	390	72011	529	750000D	454
71279	502	71576-04	390	72092	562	750001	454
71282	502	71576P-03	394	72093	562	750001C	454
71285	504	71576P-04	394	72094	563	750001D	454
71286	424	71579-02	396	72095	563	750002	454
71287	424	71579C-03	396	72269	540	750002C	454
71296	510	71579C-04	396	72272	534	750002D	454
71297	510	71579C-05	396	72280	528	75001	431
71299	428	71579C-06	396	72281	528	750010	454
71300	428	71579C-07	396	72298	449	750010C	454
71301	428	71579H-03	396	72310	438	750010D	454
71303	522	71579H-04	396	72311	440	750011	454
71304	522	71579H-05	396	72312	440	750011C	454
71305	522	71579H-06	396	72330	550	750011D	454
71306	522	71579H-07	396	73100	487	750012	454
71308	535	71584-01	392	73111	487	750012C	454
71309	535	71584-02	416	73150	487	750012D	454
71352	449	71584-03	392	73695	517	75002	493
71353	544	71584-04	392	73696	493	750020	454
71362L	532	71584-05	392	74139	506	750020C	454
71363	545	71584-06	392	74141	422	750020D	454
71366	545	71584-07	392	74142	422	750021	454
71367	545	71584-08	392	74155	420	750021C	454
71372	496	71606	517	74156	420	750021D	454
71374	496	71607	512	74261	519	750022	454
71383	480	71613	486	74400	546	750022C	454
71388	545	71701	574	74401	532	750022D	454
71389	480	71702	574	74407	548	75003	431
71390	480	71703	574	74408	548	750100	454
71424	517	71716	574	74411	448	750100C	454
71480	563	71717	574	74419	544	750100D	454
71481	563	71730	582	74422	414	750101	454
71482	563	71731	582	74423	414	750101C	454
71489N	581	71732	582	74424	414	750101D	454
71490	563	71733	582	74427C-01	492	750102	454
71491	563	71734	583	74427C-02	492	750102C	454
71495	581	71735	583	74427C-03	492	750102D	454
71496N	579	71736	583	74427C-04	492	750110	454
71498N	579	71737	583	74432A-01	514	750110C	454
71499N	579	71740	496	74432A-02	514	750110D	454
71516	530	71741	496	74432A-03	514	750111	454
71517	530	71742	496	74432A-04	514	750111C	454
71519	532	71743	512	74433S-01	434	750111D	454
71528	479	71744	512	74433S-02	434	750112	454
71536	504	71745	512	74433S-03	434	750112C	454
71537	504	71746	429	74433S-04	434	750112D	454
71546	478	71747	429	74434B-01	436	750120	454
71547	478	71748	429	74434B-02	436	750120C	454
71548	478	71749	429	74434B-03	436	750120D	454
71549	478	71750	429	74434B-04	436	750121	454
71556	416	71751	429	74435F2-02	468	750121C	454
71562	416	71898	536	74435F2-03	468	750121D	454
71563	416	71899	536	74435F2-04	468	750122	454
71564	416	71900	536	74436F3-02	470	750122C	454
71565	406	71901	536	74436F3-03	470	750122D	454

Ref	Pag.	Ref	Pag.	Ref	Pag.
750200	456	751020	458	751310	461
750200C	456	751020C	458	751310C	461
750200D	456	751020D	458	751310D	461
750201	456	751021	458	751311	461
750201C	456	751021C	458	751311C	461
750201D	456	751021D	458	751311D	461
750202	456	751022	458	751312	461
750202C	456	751022C	458	751312C	461
750202D	456	751022D	458	751312D	461
750210	456	751100	458	751320	461
750210C	456	751100C	458	751320C	461
750210D	456	751100D	458	751320D	461
750211	456	751101	458	751321	461
750211C	456	751101C	458	751321C	461
750211D	456	751101D	458	751321D	461
750212	456	751102	458	751322	461
750212C	456	751102C	458	751322C	461
750212D	456	751102D	458	751322D	461
750220	456	751110	458	75500	546
750220C	456	751110C	458	75501	546
750220D	456	751110D	458	75502	546
750221	456	751111	458	75503	546
750221C	456	751111C	458	75519	447
750221D	456	751111D	458	75520	447
750222	456	751112	458	75521	438
750222C	456	751112C	458	75522	432
750222D	456	751112D	458	75523	432
750300	457	751120	458	75524	466
750300C	457	751120C	458	75531	426
750300D	457	751120D	458	75532	464
750301	457	751121	458	75533	506
750301C	457	751121C	458	75536	506
750301D	457	751121D	458	75537	424
750302	457	751122	458	75538	424
750302C	457	751122C	458	75540	532
750302D	457	751122D	458	75541	426
750310	457	751200	460	75602	466
750310C	457	751200C	460	75603	430
750310D	457	751200D	460	75604	430
750311	457	751201	460	75605	433
750311C	457	751201C	460	75606	433
750311D	457	751201D	460	75607	466
750312	457	751202	460	75608	404
750312C	457	751202C	460	75700	511
750312D	457	751202D	460	75701	511
750320	457	751210	460	75750	508
750320C	457	751210C	460	75751	508
750320D	457	751210D	460	75753	490
750321	457	751211	460	75754	490
750321C	457	751211C	460	75755	490
750321D	457	751211D	460	75800	487
750322	457	751212	460	75801	487
750322C	457	751212C	460	97308	747
750322D	457	751212D	460	97397	747
751000	458	751220	460	98310103	746
751000C	458	751220C	460	98310110	747
751000D	458	751220D	460	98310210	747
751001	458	751221	460	98310306	746
751001C	458	751221C	460	98310536	746
751001D	458	751221D	460	98310538	746
751002	458	751222	460	98310620	746
751002C	458	751222C	460	98311315	747
751002D	458	751222D	460	98324006	747
751010	458	751300	461	98324030	747
751010C	458	751300C	461	98324599	747
751010D	458	751300D	461	98310110LC	746
751011	458	751301	461	98310118LC	746
751011C	458	751301C	461	98310206E	747
751011D	458	751301D	461	98310321LC	746
751012	458	751302	461	98310510C	747
751012C	458	751302C	461	98324015U	747
751012D	458	751302D	461	98324020U	747

Indoor/Hogar

Aina	Suspended	185	Crater	Suspended	176	Hyde	Recessed	368	Loop	Surface	238
Akane	Table & Floor	74	Dallas	Surface	328	Indo	Wall	343	Loop	Suspended	132
Ami	Ceiling	210	Danka	Suspended	183	Iris	Ceiling	209	Lou	Suspended	180
Anouk	Table	58	Danubio	Surface	342	Ito	Table	58	Luan	Recessed	381
Argón	Recessed	371	Diula	Surface	335	Janet	Ceiling	206	Ludovico	Suspended	126
Art	Suspended	178	Dolme	Ceiling	197	Jellyfish	Portable	44	Lula	Table	52
Artis	Table & Floor	90	Dolme	Suspended	146	Jellyfish	Table & Floor	60	Luna	Surface	333
Artis	Surface	252	Domino	Recessed	362	Joy	Surface	219	Lupe	Table & Floor	96
Aurea	Surface	288	Drum	Table & Floor	76	Juliet	Surface	292	Lupe	Surface	260
Banker	Table	56	Duas	Surface	286	Kale	Surface	295	Magma	Suspended	176
Baobab	Table	56	Eaco	Surface	330	Kamen	Surface	333	Magos	Surface	221
Bel	Surface	294	Ebba	Recessed	374	Kao	Ceiling	211	Magritte	Surface	334
Berni	Table & Floor	102	Edge	Surface	338	Kera	Surface	316	Mambo	Table & Floor	78
Berni	Surface	276	Elsa	Surface	332	Klee	Surface	230	Mambo	Surface	250
Bianca	Surface	336	Eres	Surface	308	Koi-2	Recessed	373	Mambo	Suspended	160
Bic	Ceiling	210	Essential	Surface	284	Kombo	Suspended	148	Margot	Suspended	176
Black	Floor	120	Eterna	Table	53	Lago	Surface	338	Marina	Surface	317
Bliss	Table	54	Eterna	Surface	254	Lang	Suspended	180	Marina	Suspended	181
Blome	Surface	265	Flin	Surface	291	Lao	Table & Floor	72	Marlin	Surface	320
Board	Surface	322	Fold	Surface	266	Lao	Spotlights	350	Marlin	Suspended	179
Boc	Surface	290	Foro	Ceiling	210	Le Petit	Surface	298	May	Surface	216
Boken	Surface	294	Fox	Recessed	376	Lead	Surface	295	Mega	Ceiling	210
Brume	Surface	336	Frame	Surface	258	Lena	Table	58	Mine	Table	51
Brume	Ceiling	213	Fresh	Recessed	378	Lena	Clip	292	Mine	Suspended	140
Brume	Suspended	177	Fusta	Suspended	172	Leser	Surface	294	Mitic	Table & Floor	112
Celia	Surface	320	Fuji	Portable	42	Levita	Table & Floor	64	Mitic	Surface	285
Charlotte	Suspended	176	Gala	Surface	338	Levita	Surface	220	Moist	Recessed	377
Chera	Surface	330	Gas	Recessed	372	Levita	Suspended	136	Moma	Table & Floor	110
Claire	Suspended	180	Gru	Table	56	Liana	Suspended	181	Moma	Surface	281
Clara	Suspended	178	Guadalupe	Table & Floor	62	Linda	Table & Floor	94	Montreal	Table & Floor	84
Clear	Recessed	377	Guadalupe	Surface	228	Linda	Surface	318	Montreal	Surface	244
Coco	Spotlights	352	Guest	Floor	118	Linda	Suspended	171	Mood	Surface	232
Cocotte	Ceiling	198	Guest	Surface	226	Link	Table & Floor	70	Mou	Suspended	180
Cocotte	Suspended	147	Haka	Suspended	158	Link	Spotlights	348	Moy	Surface	218
Conga	Table & Floor	82	Halita	Suspended	178	Link	Ceiling	202	Nais	Recessed	373
Conga	Surface	246	Han	Surface	225	Link	Track	384	Naos	Suspended	150
Conga	Suspended	166	Handy	Surface	282	Liria	Surface	335	Nash	Surface	328
Conik	Surface	328	Hanna	Surface	280	Lise	Surface	326	Natsu	Ceiling	206
Corb	Surface	306	Haru	Ceiling	206	Lise	Suspended	182	Navi	Recessed	365
Cosmos	Suspended	183	Homs	Surface	316	List	Surface	320	Neon	Recessed	372
Costas	Suspended	154	Hoshi	Table	48	Liz	Suspended	178	Neu	Recessed	364
Cotton	Surface	310	Hotel	Table & Floor	104	Loa	Surface	317	Nidia	Table	54
Cove	Surface	332	Hotel	Surface	268	Logos	Ceiling	211	Nido	Suspended	181
			Hotel	Suspended	173	Loke	Surface	291	Niko	Table	50
			Hudson	Surface	317	Loop	Table & Floor	66	Niko	Surface	234

Crosby	Recessed	572	Guiza	Surface	551	Moon	Suspended	492	Rush	Post	454
Curtis	Recessed	571	Half	Surface	504	Muffin	Floor	434	Saigon	Floor	390
Dado	Surface	517	Hikari	Surface	525	Muffin	Post	468	Saigon	Portable	392
Dakron	Ceiling	498	Honey	Surface	517	Muffin	Surface	514	Saigon	Spike	394
Dang	Recessed	560	Honey	Suspended	493	Muffin	Suspended	492	Saigon	Suspended	396
Dart	Recessed	564	Horus	Recessed	568	Muga	Floor	430	Salt	Recessed	580
Das	Floor	447	Kala	Surface	551	Must	Surface	556	Saura	Floor	450
Datna	Floor	426	Kane	Recessed	573	Nahir	Surface	520	Screen	Post	458
Datna	Post	464	Karl	Projector	483	Nairobi	Surface	544	Scuba	Surface	508
Datna	Surface	512	Kasp	Portable	400	Nala	Floor	438	Scuba	Suspended	490
Derby	Surface	529	Kaula	Surface	538	Nala	Surface	522	Sedna	Recessed	567
Doro	Surface	536	Keenan	Surface	552	Nanda	Floor	432	Sete	Floor	438
Dragma	Surface	532	Kerala	Portable	404	Nase	Recessed	561	Seth	Spike	485
Drak	Surface	550	Kerala	Surface	511	Nat	Recessed	568	Shadow	Floor	440
Edel	Recessed	581	Kila	Floor	429	Natron	Surface	527	Shelby	Floor	424
Ele	Surface	544	Kila	Ceiling	496	Nautica	Post	472	Shelby	Surface	506
Esca	Recessed	563	Kila	Surface	512	Nautica	Surface	518	Slot	Projector & Spike	476
Estay	Surface	529	Klamp	Floor	448	Nautica	Suspended	493	Sobek	Spike	486
Estoril	Surface	519	Klamp	Surface	548	Naya	Floor	446	Soleil	Floor	450
Estoril	Suspended	493	Kubick	Surface	525	Negus	Surface	527	Soun	Recessed	566
Falls	Recessed	582	Lace	Surface	541	Noboru	Floor	448	Spark-1	Recessed	565
Fedón	Surface	528	Lacre	Surface	542	Noray	Surface	520	Spark-2	Recessed	565
Filter	Recessed	566	Lako	Surface	536	Oki	Projector	481	Spy-1	Floor	448
Flow	Projector	478	Led-18	Recessed	579	Oko	Projector	481	Spy-2	Floor	449
Flow	Wall	00	Ling	Surface	541	Olan	Surface	543	Steps	Surface	546
Foc	Projector	482	Lio	Recessed	581	Olot	Ceiling	496	Sticker	Floor	426
Foc	Spike	485	Liso	Recessed	563	Onze	Floor	431	Sticker	Surface	532
Fred	Surface	526	Lit	Projector	482	Orwell	Surface	511	Stripe-1	Recessed	563
Fred XL	Surface	526	Log	Surface	542	Oval	Surface	535	Stripe-2	Recessed	562
Frol	Recessed	562	Logar	Floor	433	Pals	Surface	504	Suma	Surface	551
Fuji	Portable	42	Loth	Surface	553	Path	Surface	554	Sun	Surface	524
Future	Surface	530	Lotus	Floor	422	Piccola	Spike	484	Sunset	Surface	543
Galo	Recessed	560	Lotus	Surface	530	Pill	Surface	550	Surat	Floor	438
Garten	Spike	487	Lur	Surface	525	Pivot	Surface	522	Suria	Recessed	578
Geiser	Recessed	576	Mask	Surface	502	Plaza	Post	466	Tacana	Surface	537
Gina	Floor	449	Mauren	Floor	438	Plim	Floor	428	Taima	Surface	545
Gina	Surface	545	Mila	Floor	438	Plim	Surface	510	Takua	Surface	535
Giza	Floor	430	Mini-Project	Projector	480	Plom	Projector	481	Tamashi	Surface	522
Goz	Ceiling	496	Mistu	Floor	434	Plom	Spike	486	Tami	Ceiling	496
Grada	Surface	555	Mistu	Post	468	Pol	Surface	526	Tane	Surface	540
Grant	Surface	554	Mistu	Surface	514	Pomo	Surface	522	Taro	Recessed	580
Gron	Recessed	562	Mistu	Suspended	492	Proa	Surface	546	Tasa	Ceiling	498
Grop	Post	466	Mol	Surface	526	Project	Projector	480	Task	Portable	406
Grow	Floor	442	Moon	Floor	434	Quart	Surface	535	Tecno	Recessed	581
Grund	Recessed	570	Moon	Surface	514	Racing	Recessed	565	Tejo	Surface	527

Thon	Surface	538
Timon	Surface	520
Tinia	Surface	544
Toc	Portable	402
Toc	Surface	516
Toluca	Surface	537
Tom	Surface	524
Toni	Spike	479
Tono	Spike	487
Toran	Projector	483
Tram	Floor	426
Tram	Post	464
Tram	Surface	506
Tras	Recessed	574
Twist	Floor	424
Twist	Surface	504
Uve	Recessed	561
Versus	Floor	414
Vic	Projector	483
View	Surface	532
Voila	Portable	406
Wally	Surface	519
West	Surface	540
Wilma	Floor	431
Wilma	Suspended	493
Wilma	Surface	516
Wood	Surface	545
Yen	Ceiling	498

Fan/Ventilación

Alo	623
Aloha	685
Andros	607
Aoba	611
Attos	605
Barth	637
Cebu	725
Century	621
Chicago	729
Cies	609
Cocos	634
Copper	693
Cuba	683
Decofan	701
Disc	661
Easy	723
Eco Indus	712
Eterfan	697
Factory	722
Feroe	716
Fraser	713
Gotland	641
Grid	653
Hvar	730
Hydra	635
Ibiza	680
Icaria	679
Ice	659
Indus	632
Islot	645
Izaro	687
Just Fan	613
Just Fan	699
Just Fan	733
Kauai	603
Keiki	737
Khios	599
Komodo	721
Lama	631
Lantau	651
Lantau	617
Lisboa	720
Lombok	684

Luzon	667
Mallorca	681
Malvinas	633
Manhattan	601
Mediterraneo	731
Meno	640
Milos	639
Mini Eterfan	695
Mini Icaria	715
Mini Indus	727
Mini Lantau	719
Mini Mallorca	717
Mini Tube	703
Mini Ufo	726
Molokai	708
Morea	629
Nassau	707
Nias	676
Nisos	615
Nuu	657
Oboe	724
Palao	735
Palk	671
Panay	709
Pemba	675
Polaris	669
Polea	663
Poros	649
Punt	655
Rodas	647
Samos	643
Saona	644
Sioux	668
Siros	642
Tabarca	686
Tilos	619
Timor	670
Tonic	627
Tonsay	673
Tube	705
Typhoon	689
Vanu	677
Vedra	736
Vulcano	625
Winch	665

Winche	691
Yakarta	711

**We believe in the
power of enthusiasm
to move forward and
surf the waves the
best way we know
while enjoying the
process and radiating
light around us.
We celebrate 75
years of light.**